

ARGuard™ Premium AW Hydraulic Fluids

PROD. CODE
7380, 7381,
7382

ARGuard™ Premium AW Hydraulic Fluids are designed for all modern, high-pressure hydraulic power systems used in construction and stationary industrial equipment. They provide excellent anti-wear protection, oxidation and corrosion inhibition, as well as foam and aeration suppression.

FEATURES & BENEFITS

- Good oxidation stability - provides long oil life, in excess of 4,000 hours
- Excellent anti-wear properties - limits wear in pumps promoting longer component life and reduced operation costs
- Rust and corrosion inhibitors limit degradation of yellow metals and steel

INDUSTRY & OEM SPECIFICATIONS

- ASTM D6158 HL, HM, HV
- AIST (US Steel) 126
- Bosch Rexroth RDE-90235
- DIN 51524, Part 1, 2, 3
- Eaton Brochure 03-401-2010
- Eaton Lubricant Specification E-FDGN-TB002-E
- GM LS-2
- Parker Denison HF-1, HF-2, HF-0
- ISO 11158 HV
- Fives Cincinnati
- P-68 (ISO 32), P-69 (ISO 68), P-70 (ISO 46)

APPLICATIONS

ARGuard™ Premium AW Hydraulic Fluids are most commonly used for hydraulic fluid systems with vane-, piston-, or gear-type pumps. These fluids are to be used in applications where long life and premium quality is required.

METHOD	DESCRIPTION	ISO VG		
		32 (7380)	46 (7381)	68 (7382)
CALCULATED	DENSITY, lbs/gal	7.109	7.174	7.240
D445	VISCOSITY @ 40°C, cSt	32.0	45.8	67.9
D445	VISCOSITY @ 100°C, cSt	5.7	7.1	9.0
D2270	VISCOSITY INDEX	118	114	107
D5949	POUR POINT, °C (°F)	-39 (-38)	-39 (-38)	-33 (-27)
D92	FLASH POINT, °F (°C)	440 (227)	460 (238)	480 (249)
D1500	COLOR	1.0	1.0	L 1.0
D664 A&B	RUST TEST	PASS	PASS	PASS
D943	OXIDATION STABILITY, hours	4,000+	4,000+	4,000+

Mixing with incompatible chemicals may be hazardous. This product is for industrial use only. Safety data sheets are available upon request. No warranties expressed or implied, including patent warranties or warranties of merchantability or fitness for a particular purpose, are made by American Refining Group, Inc., with respect to products described or information set forth herein. Nothing contained herein shall constitute a permission or recommendation to practice any invention covered by a patent without a license from the owner of the patent.



amref.com | 814.368.1200

