

# ARGuard™ AW Hydraulic Fluids

PROD. CODE  
7384, 7385, 7386

ARGuard™ AW Hydraulic Fluids are designed for hydraulic power systems typically found on mobile and stationary equipment. They are formulated with an optimum level of anti-wear technology for maximum protection against scuffing and wear in hydraulic pumps.

## FEATURES & BENEFITS

- Excellent hydrolytic stability
- Superior rust and corrosion protection
- Minimal increases in air entrainment
- Excellent wet and dry filterability per AFNOR NF E48-690 and NF E48-691
- Outstanding thermal and oxidative stability
- Excellent wear protection designed to promote longer pump life

## INDUSTRY & OEM SPECIFICATIONS

- ASTM D6158 HL, HM, HV
- Chinese Standard GB 11118.1 L-HL, L-HM, L-HV
- DIN 51524, Part 1 HL, Part 2 HLP, Part 3 HVLP
- Eaton Brochure 03-401-2010
- Eaton Lubricant Specification E-FDGN-TB002-E
- Fives Cincinnati P68, P69, P70
- GM LS-2
- ISO 11158 HL, HM, HV
- JCMAS HK
- Parker Denison HF-1, HF-2, HF-0
- SAE MS1004
- U.S. Steel 126

## APPLICATIONS

ARGuard™ AW Hydraulic Fluids are a zinc-based premium antiwear hydraulic additive package developed for both high and low pressure hydraulic systems for industrial and mobile applications.

METHOD	DESCRIPTION	ISO VG		
		100 (7384)	150 (7385)	220 (7386)
D4052	API GRAVITY	30.8	29.1	28.1
CALCULATED	DENSITY, lbs/gal	7.271	7.346	7.391
D445	VISCOSITY @ 40°C, cSt	100.0	150.0	220.0
D445	VISCOSITY @ 100°C, cSt	11.95	14.6	18.6
D5949	POUR POINT, °C	-30	-24	-24
D92	FLASH POINT, °F	480	520	530
D1500	COLOR	L4.5	2.5	3.0

Mixing with incompatible chemicals may be hazardous. This product is for industrial use only. Safety data sheets are available upon request. No warranties expressed or implied, including patent warranties or warranties of merchantability or fitness for a particular purpose, are made by American Refining Group, Inc., with respect to products described or information set forth herein. Nothing contained herein shall constitute a permission or recommendation to practice any invention covered by a patent without a license from the owner of the patent.



amref.com | 814.368.1200

