



Safety Data Sheet

Prepared according to GHS

1. Identification

Product Name Kensol® 61L
Product Code 4228
Recommended Use Mineral Seal Oil
Company American Refining Group, Inc.
77 North Kendall Avenue
Bradford, PA 16701
www.amref.com
msds@amref.com

Emergency Telephone Number(s) Chemtrec 1-800-424-9300 (24 HRS)
ARG: 814-368-1297 (24 HRS)

2. Hazards Identification

GHS Classification Aspiration Hazard Category 1

Signal Word DANGER!
Hazard Statements May be fatal if swallowed and enters airways.
GHS Pictogram



Precautionary Statements If swallowed: immediately call a poison center/ doctor to specify the appropriate source of emergency medical advice.
Do NOT induce vomiting.

3. Composition / Information on Ingredients

CAS No.	Component	Common Name	Percent
64742-46-7	Hydrotreated distillate, middle	Mineral Seal Oil	100%

4. First Aid Measures

Eyes Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.

Skin In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and

4. First Aid Measures

Inhalation

shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention immediately.

Product is not expected to present any inhalation hazard at ambient conditions. If aerosolization and/or misting occurs and a person is over-exposed, move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.

Ingestion

DO NOT INDUCE VOMITING. If conscious, rinse out mouth with water. Seek medical attention immediately.

Symptoms(Acute and delayed) Note to Physicians

May be fatal if swallowed and enters airways.
No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

5. Fire Fighting Measures

Suitable Extinguishing Media

Use dry chemical, CO₂, water spray (FOG) or foam

Unsuitable Extinguishing Media

Avoid solid water stream as it may scatter and spread fire.

Specific Hazards Arising from Chemical

Elevated temperatures can lead to the formation of irritating fumes and vapors. Decomposing products may include the following materials: Carbon dioxide and Carbon monoxide.

Protective Equipment and Precautions for Firefighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental Release Measures

Personal Precautions

Put on appropriate personal protective equipment.

Environmental Precautions

Prevent product from entering drains. Prevent entry into waterways, sewers, basements or confined areas.

Methods for Containment

Stop leak if without risk.

Methods for Cleanup

Cover liquid spill with sand, earth or other noncombustible absorbent material. Cover powder spill with plastic sheet or tarp to minimize spreading. Pick up and transfer to properly labeled container

7. Handling and Storage

Handling Procedures

Eating, drinking, and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Use only with adequate ventilation. Use non-sparking tools.

Shipping and Storing Procedures

7. Handling and Storage

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat. Protect from light. Keep in properly labeled containers. Keep out of the reach of children.

Incompatibilities:

Oxidizing Agents

8. Exposure Controls / Personal Protection

Component Exposure Limits

Oil Mist (mineral)

ACGIH TLV:	TWA:	N/A ppm	TWA:	5 mg/m ³	STEL:	N/A ppm	STEL:	10 mg/m ³
OSHA PEL:	TWA:	N/A ppm	TWA:	5 mg/m ³	STEL:	N/A ppm	STEL:	N/A mg/m ³
NIOSH REL:	TWA:	N/A ppm	TWA:	5 mg/m ³	STEL:	N/A ppm	STEL:	10 mg/m ³

N/A signifies not available

Engineering Controls

Material should be handled in enclosed vessels and equipment. Use only in adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Eye/Face Protection

Chemical goggles or face shield.

Skin Protection

Chemical resistant, impervious gloves complying with an approved standard should be worn at all times. Coveralls, apron, and boots as necessary to minimize contact.

Respiratory Protection

Respirator may only be needed if product is aerosolized and/or misted. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicated this is necessary. Respirator selection must be based on known or anticipated exposure levels.

General Hygiene

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing.

9. Physical and Chemical Properties

Note: Physical and chemical properties are provided for safety, health and environmental considerations only and may not fully represent product specifications. Please see the Product Specification Sheet for further information.

Appearance	Clear and bright	Flammability	Not Available
Physical State	Liquid	Upper/Lower Flammability Limits	Not Available
Odor	Petroleum Oil	Vapor Pressure(20°C mm Hg)	Not Available
Odor Threshold	Not Available	Vapor Density	Not Available
pH	Not Available	Relative Density (lbs/gal)	6.81
Melting/Freezing Point (°F)	Not Available	Water Soluble	No
Initial Boiling Point (°F)	520	Partition Coefficient: n-octanol/water	Not Available
Boiling Range (°F)	520-625	Auto-ignition Temperature (°F)	Not Available

9. Physical and Chemical Properties			
Flash Point (°F) Cleveland Open Cup ASTM D-92	270	Decomposition Temperature (°F)	Not Available
Evaporation Rate	Not Available	Viscosity (40°C mm²/s)	~4.5
Volatile Organic Compounds (g/L)	Not Available	Aromatic Content (Typical Mass %)	3

10. Chemical Stability & Reactivity Information

Reactivity	Polymerization will not occur
Chemical Stability	Stable under normal conditions
Hazardous Reactions	None, under normal processing.
Conditions to Avoid	High temperatures, flames, sparks
Incompatibility	Strong acids and oxidizing materials
Hazardous Decomposition Products	Smoke, carbon monoxide, carbon dioxide, aldehydes and other products of incomplete combustion.

11. Toxicological Information

Acute Exposure	
Respiratory Irritation	An inhalation hazard may only arise if product is used in aerosol conditions or if heated up. If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and upper respiratory tract. Based on data from similar materials.
Eye Irritation	May cause minimal to slight eye irritation if product is splashed in eyes and unwashed
Skin Irritation	May cause very slight transient reversible skin irritation if unwashed. May cause slight redness and swelling.
Sensitization	Not expected to cause skin or respiratory sensitization.
Aspiration Hazards	If swallowed can be aspirated into lungs and cause chemical pneumonia, varying degrees of pulmonary injury or death. If swallowed, do NOT induce vomiting.

Chronic Exposure	
Target Organ Effects	No data available to indicate product or components at greater than 1% are chronic health hazards.
Carcinogenicity	This product contains mineral oils which are considered to be severely refined and not considered to be carcinogenic under IARC. All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP 346 test.
Mutagenicity	No data available to indicate product or any components present at greater than .1% are mutagenic or genotoxic.
Reproductive Toxicity	No data available to indicate either product or components present at greater than .1% that may cause reproductive toxicity.
Teratogenicity	No data available to indicate product or any components contained at greater than .1% may cause birth defects.

Analysis – LD50 / LC50

Inhalation LC50 Rat	4.6-7.64	mg/L (4HR) Aerosolized
Oral LD50 Rat	>5000	mg/kg
Dermal LD50 Rabbit	>2000	mg/kg

12. Ecological Information

Component Analysis- Ecotoxicity – Aquatic Life

Duration/Test/Species	Concentration/Conditions
96 Hr LL50; WAF Aquatic Vertebrates	>750 mg/L
7 Day EL50; WAF <i>Daphnia magna</i>	Not available mg/L
21 Day EL-50 <i>Daphnia magna</i>	Not available mg/L

*Kensol 61H is readily degradable and will not persist in the aquatic environment. It therefore is not expected to cause short-term toxicity to aquatic organisms. Since Kensol 61H has a low solubility in water, chronic aquatic toxicity is not expected.

Persistence & Degradability	Readily degraded
Bioaccumulation Potential	Not Available
Soil Mobility	Not Available
Other Adverse Effects	Not Available

13. Disposal Considerations

Disposal Instructions

The generation of waste should be avoided or minimized wherever possible. Treatment, storage, transportation and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations.

14. Transportation Information

Emergency Response Guide No.	171	<i>North American Emergency Response Guide Book</i>			
	UN Number	Shipping Name (technical name)	Hazard Class	Packing Group	Placard/Label
U.S. DOT		Not Regulated			
IMDG		Not Regulated			
STCC		2911425			

15. Regulatory Information

15. Regulatory Information

SARA Extremely Hazardous Substances (Sections 302 & 304)

This product does not contain greater than 1% of any “extremely hazardous substances” listed pursuant to Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) Section 302 or Section 304 as identified in 40 CFR Part 355, Appendix A and B.

SARA Section 313

This product does not contain greater than 1.0% of the substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

SARA Section 311 & 312 Classifications

Physical Hazards No

Health Hazards Yes

Aspiration Hazard

CERCLA

This product does not contain any “hazardous substances” listed under the Comprehensive Environmental Response, Compensation and Liability Act of 1980 (CERCLA) in 40 CFR Part 302, Table 302.4.

California Prop 65

This product is not routinely tested to determine chemical(s) known to the state of California to cause cancer and/or birth defects based on maximum impurity levels of components.

California Air Resource Board (CARB) Bin Number

20

Global Chemical Inventories

Inventory	
US TSCA	Present
EU	Present
Japan	Not available
Australia	Present
New Zealand	Present
Canada	Present
Switzerland	Not available
Korea	Present
Philippines	Not Available
China	Present
Taiwan NECI	Present

16. Other Information

US NFPA Ratings

Health	Fire	Reactivity
1	1	0

HMIS Ratings

Health	Fire	Physical Hazards
--------	------	------------------

16. Other Information		
1	1	0

Revision Date 19 January 2017
Revision Reason New SDS

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS