Revision Date: 5/28/2015 Revision #:0



Safety Data Sheet

Prepared according to GHS

1. Identification

Product Name Kensol® TCS

Product Code 4194

Recommended Use Specialty Distillate

American Refining Group, Inc. **Company**

77 North Kendall Avenue Bradford, PA 16701 www.amref.com

msds@amref.com

Emergency Telephone Chemtrec 1-800-424-9300 (24 HRS) Number(s)

ARG: 814-368-1297 (24 HRS)

2. Hazards Identification

GHS Classification Aspiration Hazard Category 1

Skin Corrosion/Irritation Category 2

Signal Word DANGER!

Hazard Statements May be fatal if swallowed and enters airways.

Causes skin irritation

GHS Pictogram



If swallowed: immediately call a poison center/ doctor. **Precautionary Statements**

Do NOT induce vomiting. Wash thoroughly after handling.

Wear Protective Gloves.

If on skin: wash with plenty of soap and water. If skin irritation occurs: get medical advice/attention. Take off contaminated clothing and wash before reuse.

Composition / Information on Ingredients

CAS No.	Component	Common Name	Percent
64742-46-7	Hydrotreated distillate, middle	Hydrotreated Distillate	30-40%
64742-47-8	Petroleum Distillate, Hydrotreated light	Hydrotreated Distillate	60-70%

Kensol® TCSRevision Date: 5/28/2015American Refining Group, Inc.4194Revision #:0Page 2 of 7

First Aid Measures

Eyes Check for and remove any contact lenses. Flush eyes with plenty of

water, occasionally lifting the upper and lower eyelids. Get medical

attention if irritation occurs.

Skin In case of contact, flush skin with plenty of soap and water minutes

while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical

attention if irritation develops.

Inhalation Move exposed person to fresh air. Avoid Breathing

fumes/vapors/mist/spray.

Ingestion DO NOT INDUCE VOMITING. If conscious, rinse out mouth with

water. Seek medical attention immediately.

Symptoms(**Acute and delayed**) Exposure to high concentrations of vapors may cause irritation to the

eyes, nose and throat, nausea, dizziness and loss of consciousness.

Note to Physicians No specific treatment. Treat symptomatically. Contact poison

treatment specialist immediately if large quantities have been

ingested or inhaled.

4. Fire Fighting Measures

Suitable Extinguishing Media

Use dry chemical, CO₂, water spray (FOG) or foam

Unsuitable Extinguishing Media

Avoid solid water stream as it may scatter and spread fire.

Specific Hazards Arising from Chemical

Elevated temperatures can lead to the formation of irritating fumes and vapors. Decomposing products may include the following materials: Carbon dioxide and Carbon monoxide.

Protective Equipment and Precautions for Firefighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

5. Accidental Release Measures

Personal Precautions

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

Environmental Precautions

Prevent product from entering drains. Prevent entry into waterways, sewers, basements or confined areas.

Methods for Containment

Stop leak if without risk.

Methods for Cleanup

A vapor suppressing foam may be used to reduce vapors. Cover liquid spill with sand, earth or other noncombustible absorbent material. Cover powder spill with plastic sheet or tarp to minimize spreading. Pick up and transfer to properly labeled container

Page 3 of 7

Revision #:0 6. Handling and Storage

Handling Procedures

Eating, drinking, and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Use only with adequate ventilation. Use non-sparking tools.

Shipping and Storing Procedures

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat. Protect from light. Keep in properly labeled containers. Keep out of the reach of children.

Incompatibilities:

Oxidizing Agents

7. Exposure Controls / Personal Protection

Component Exposure Limits

Oil Mist (mineral)

TWA: 5 mg/m^3 STEL: 10 mg/m^3 **ACGIHTLV:** TWA: N/A ppm STEL: N/A ppm N/A mg/m³ TWA 5 mg/m^3 N/A ppm **OSHA PEL:** TWA: N/A ppm STEL: STEL: 5 mg/m^3 10 mg/m^3 N/A ppm STEL: **NIOSH REL:** TWA: **TWA** N/A ppm STEL:

N/A signifies not available

Material should be handled in enclosed vessels and equipment. Use **Engineering Controls**

> only in adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Eye/Face Protection Chemical goggles or face shield.

Skin Protection Chemical resistant, impervious gloves complying with an approved

standard should be worn at all times. Coveralls, apron, and boots as

necessary to minimize contact.

Use a properly fitted, air-purifying or air-fed respirator complying with **Respiratory Protection**

> an approved standard if a risk assessment indicated this is necessary. Respirator selection must be based on known or anticipated exposure

levels.

General Hygiene Wash hands, forearms and face thoroughly after handling chemical

> products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove

potentially contaminated clothing.

8. Physical and Chemical Properties

Note: Physical and chemical properties are provided for safety, health and environmental considerations only and may not fully represent product specifications. Please see the Product Specification Sheet for further information.

Appearance	Colorless	Flammability	Not Available
Physical State	Liquid	Upper/Lower	Not Available
	_	Flammability Limits	
Odor	Petroleum Oil	Vapor Pressure	Not Available
Odor Threshold	Not Available	Vapor Density	Not Available

10-1				
8. Physical and Chemical Properties				
pH	Not Available	Relative Density (lbs/gal)	Not Available	
Melting/Freezing Point	Not Available	Water Soluble	No	
(°F)				
Initial Boiling Point (T)	Not Available	Partition Coefficient: n-	Not Available	
		octanol/water		
Boiling Range (%)	>380	Auto-ignition	Not Available	
		Temperature (°F)		
Flash Point (°F)	205	Decomposition	Not Available	
		Temperature (°F)		
Evaporation Rate	Not Available	Viscosity (40°C mm²/s)	2.1	
_				

9. Chemical Stability & Reactivity Information

ReactivityPolymerization will not occurChemical StabilityStable under normal conditionsHazardous ReactionsNone, under normal processing.Conditions to AvoidHigh temperatures, flames, sparksIncompatibilityStrong acids and oxidizing materials

Hazardous Decomposition Strong acids and oxidizing materials

Smoke, carbon monoxide, carbon dioxide, aldehydes and other products

Products of incomplete combustion.

10. Toxicological Information

Acute Exposure

Respiratory Irritation Not expected to cause irritation to respiratory tract.

Eye Irritation Not expected to cause eye irritation.

Skin Irritation Causes skin irritation. Itchiness and redness vary with exposure.

Sensitization Not expected to cause skin or respiratory sensitization.

Aspiration Hazard If swallowed can be aspirated into lungs and cause chemical pneumonia,

varying degrees of pulmonary injury or death. If swallowed, do NOT induce

vomiting.

Chronic Exposure

Target Organ Effects No data available to indicate product or components at greater than 1% are

chronic health hazards.

Carcinogenicity This product contains mineral oils which are considered to be severely refined

and not considered to be carcinogenic under IARC. All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP

346 test.

Mutagenicity No data available to indicate product or any components present at greater than

.1% are mutagenic or genotoxic.

Reproductive Toxicity No data available to indicate either product or components present at greater

than .1% that may cause reproductive toxicity.

Teratogenicity No data available to indicate product or any components contained at greater

than .1% may cause birth defects.

Kensol® TCS Revision Date: 5/28/2015 American Refining Group, Inc. 4194 Revision #:0 Page 5 of 7

Analysis - LD50 / LC50

Inhalation LC50 Rat
Oral LD50 Rat
Source 20.1 mg/L
>5000 mg/kg
Dermal LD50 Rabbit
Source 20.1 mg/L
>5000 mg/kg

11. Ecological Information

Component Analysis - 64742-46-7 - Ecotoxicity - Aquatic Life

Duration/Test/Species Concentration/Conditions

96 Hr LL50; WAF 3.2-65 mg/L

Aquatic Vertebrates

7 Day EL50; WAF 2.0-210 mg/L

Daphnia magna

21 Day EL-50 >0.5 mg/L

Daphnia magna

Component Analysis – 64742-47-8 - Ecotoxicity – Aquatic Life

Duration/Test/Species Concentration/Conditions

96 Hr LL50; WAF 18-25 mg/L

Aquatic Vertebrates

7 Day EL50; WAF 1.4-21 mg/L

Daphnia magna

Persistence & DegradabilityReadily degradedBioaccumulation PotentialNot AvailableSoil MobilityNot AvailableOther Adverse EffectsNot Available

12. Disposal Considerations

Disposal Instructions

The generation of waste should be avoided or minimized wherever possible. Treatment, storage, transportation and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations.

13. Transportation Information

Emergency Response Guide No. 171 North American Emergency Response

Guide Book

UN Number Shipping Name (technical name) Hazard Packing Placard/

Class Group Label

U.S. DOT Not Regulated

Kensol® TCS 4194		Revision Date: 5/28/2015 Revision #:0		American Refining Group, Inc. Page 6 of 7	
IMDG	3082	Environmentally Hazardous Substance, Liquid, N.O.S. (Gas Oil)	9	III	9
IATA	3082	Environmentally Hazardous Substance, Liquid, N.O.S. (Gas Oil)	9	III	9

14. Regulatory Information

SARA Extremely Hazardous Substances (Sections 302 & 304) This product does not contain greater than 1% of any "extremely hazardous substances" listed pursuant to Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) Section 302 or Section 304 as identified in 40 CFR Part 355, Appendix A and B. This product does not contain greater than 1.0% of the substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR

SARA Section 313

Part 372.

SARA Section 311 & 312 Classifications

Acute Hazard Yes
Chronic Hazard No
Fire Hazard No
Reactivity Hazard No

CERCLA

This product does not contain any "hazardous substances" listed under the Comprehensive Environmental Response, Compensation and Liability Act of 1980 (CERCLA) in 40 CFR Part 302, Table 302.4.

California Prop 65

This product does not contain chemical(s) known to the state of California to cause cancer and/or birth defects based on maximum impurity levels of components.

Global Chemical Inventories

Inventory	
US TSCA	Present
EU	Present
Japan	Not available
Australia	Present
New Zealand	Present
Canada	Present
Switzerland	Not available
Korea	Present
Philippines	Not Available
China	Present

Kensol® TCS 4194 Revision Date: 5/28/2015

American Refining Group, Inc.
Page 7 of 7

4194 Revision #:0
Taiwan Not available

4 =	α	r 0 4•	
	()thar	Information	١.
1	ville i	mmaniyi madiyi	

US NFPA Ratings

Health	Fire	Reactivity
1	1	0

HMIS Ratings

Health	Fire	Physical Hazards
1	1	0

Revision Date 28 May 2015 **Revision Reason** New SDS

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS