**GHS Pictogram** 

Revision Date: 2/20/2020

Revision #:1 Page 1 of 6



# **Safety Data Sheet**

Prepared according to GHS

# 1. Identification

Product Name Kendex® 0060HT

Product Code 4329
Recommended Use Base Oil

**Company** American Refining Group, Inc.

77 North Kendall Avenue Bradford, PA 16701 www.amref.com msds@amref.com

Emergency Telephone Chemtrec 1-800-424-9300 (24 HRS)

Number(s) ARG: 814-368-1297 (24 HRS)

#### 2. Hazards Identification

**GHS Classification** Aspiration Hazard Category 1

Signal Word DANGER!

Hazard Statements May be fatal if swallowed and enters airways



**Precautionary Statements** If swallowed: immediately call a poison center or doctor.

**Do NOT** induce vomiting.

Store locked up.

Dispose of contents in accordance with local/nation regulations

### 3. Composition / Information on Ingredients

CAS No.	Component	Common Name	Percent
64742-55-8	Distillates (petroleum), hydrotreated light	Light Lube Neutral	100%
	paraffinic		

#### 4. First Aid Measures

**Eyes** 

Check for and remove any contact lenses. Flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Get medical attention if irritation develops.

Kendex® 0060HT	<b>Revision Date: 2/20/2020</b>	American Refining Group, Inc.
4329	Revision #:1	Page <b>2</b> of <b>6</b>
	4. First Aid Measures	
Skin	In case of contact, flush skin with removing contaminated clothing reuse. Get medical attention if in	and shoes. Wash clothing before
Inhalation	Move exposed person to fresh air irritation develops.	r. Get medical attention if
Ingestion	DO NOT INDUCE VOMITING. Get medical attention immediately.	
Symptoms(Acute and delayed)	May be fatal if swallowed and er	iters airways
Note to Physicians	No specific treatment. Treat syntreatment specialist immediately ingested or inhaled.	

### 5. Fire Fighting Measures

### **Suitable Extinguishing Media**

Use dry chemical, CO<sub>2</sub>, water spray (FOG) or foam

# **Unsuitable Extinguishing Media**

Avoid solid water stream as it may scatter and spread fire.

# **Specific Hazards Arising from Chemical**

Elevated temperatures can lead to the formation of irritating fumes and vapors. Decomposing products may include the following materials: Carbon dioxide and Carbon monoxide.

# **Protective Equipment and Precautions for Firefighters**

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

#### 6. Accidental Release Measures

#### **Personal Precautions**

Put on appropriate personal protective equipment.

#### **Environmental Precautions**

Prevent product from entering drains. Prevent entry into waterways, sewers, basements or confined areas.

#### **Methods for Containment**

Stop leak if without risk.

#### **Methods for Cleanup**

Cover liquid spill with sand, earth or other noncombustible absorbent material. Cover powder spill with plastic sheet or tarp to minimize spreading. Pick up and transfer to properly labeled container

# 7. Handling and Storage

### **Handling Procedures**

Eating, drinking, and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist.

### **Shipping and Storing Procedures**

Keep container tightly closed in a dry place. Keep away from heat. Protect from light. Keep in properly labeled containers. Keep out of the reach of children.

#### **Incompatibilities:**

Oxidizing Agents

Revision Date: 2/20/2020
Revision #:1

# 8. Exposure Controls / Personal Protection

# **Component Exposure Limits**

When mists/aerosols can occur the following are recommended: 5 mg/m³ - ACGIH TLV (inhalable fraction), 5 mg/m³ - OSHA PEL.

\*Product has 0 kPa pressure at 68°F and is not expected to present any inhalation hazard at ambient conditions. Caution should be taken to prevent aerosolization or misting of this product. Oil mist, if generated, is considered hazardous according to the OSHA Hazard Communication Standard.

Engineering Controls Material should be handled in enclosed vessels and equipment only if

aerosolized and/or misted. Use only in adequate ventilation if this occurs. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants

below any recommended or statutory limits.

**Eye/Face Protection** Safety glasses and face shield.

**Skin Protection** Normal work gloves are appropriate

**Respiratory Protection**No special requirements under ordinary conditions of use and with

adequate ventilation

General Hygiene Wash hands, forearms and face thoroughly after handling chemical

products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove

potentially contaminated clothing.

#### 9. Physical and Chemical Properties

Note: Physical and chemical properties are provided for safety, health and environmental considerations only and may not fully represent product specifications. Please see the Product Specification Sheet for further information.

noi juny represem prom	1 0	ne Product Specification Sneet	
Appearance	Light Yellow	Flammability	Not Available
Physical State	Liquid	Upper/Lower	Not Available
		Flammability Limits	
Odor	Petroleum Oil	Vapor Pressure	0
Odor Threshold	Not Available	Vapor Density	Not Available
pH	Not Available	Relative Density (lbs/gal)	7.07
<b>Melting/Freezing Point</b>	Not Available	Water Soluble	No
(°F)			
<b>Initial Boiling Point</b> (°F)	>530	Partition Coefficient: n-	3.3 to >6
		octanol/water	
Boiling Range (°F)	Not Available	Auto-ignition	Not Available
		Temperature (°F)	
Flash Point (°F)	335	Decomposition	Not Available
		Temperature (°F)	
<b>Evaporation Rate</b>	Not Available	Viscosity (40°C mm²/s)	9.29
•		,	

#### 10. Chemical Stability & Reactivity Information

ReactivityPolymerization will not occurChemical StabilityStable under normal conditionsHazardous ReactionsNone, under normal processing.Conditions to AvoidHigh temperatures, flames, sparks

Kendex® 0060HT Revision Date: 2/20/2020 American Refining Group, Inc.
4329 Revision #:1 Page 4 of 6

10. Chemical Stability & Reactivity Information

**Incompatibility** Strong acids and oxidizing materials

**Hazardous Decomposition** Smoke, carbon monoxide, carbon dioxide, aldehydes and other

**Products** products of incomplete combustion.

# 11. Toxicological Information

**Acute Exposure** 

**Respiratory Irritation** Not expected to pose respiratory irritation. An inhalation hazard may only

arise if product is aerosolized or if heated up. If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and upper respiratory tract. Based on data from similar materials.

Eye IrritationNot expected to cause irritation under normal use.Skin IrritationNot expected to cause irritation under normal use.SensitizationNot expected to cause skin or respiratory sensitization.

**Aspiration Hazards** If swallowed can be aspirated into lungs and cause chemical pneumonia,

varying degrees of pulmonary injury or death. If swallowed, do NOT induce

vomiting.

Chronic Exposure

**Target Organ Effects** No data available to indicate product or components at greater than 1% are

chronic health hazards.

Carcinogenicity This product contains mineral oils which are considered to be severely refined

and not considered to be carcinogenic under IARC. All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP

346 test.

**Mutagenicity** No data available to indicate product or any components present at greater

than

.1% are mutagenic or genotoxic.

**Reproductive Toxicity** No data available to indicate either product or components present at greater

than .1% that may cause reproductive toxicity.

**Teratogenicity** No data available to indicate product or any components contained at greater

than .1% may cause birth defects.

Analysis – LD50 / LC50

 Inhalation LC50 Rat
 >5 mg/L (4HR)

 Oral LD50 Rat
 >5000 mg/kg

 Dermal LD50 Rabbit
 >5000 mg/kg

# 12. Ecological Information

# Component Analysis- Ecotoxicity - Aquatic Life

Daphnia magna

<b>Concentration/Conditions</b>	
>1000	mg/L
>1000	mg/L
>50%	mg/L
	>1000 >1000

Kendex® 0060HT Revision Date: 2/20/2020 American Refining Group, Inc.
4329 Revision #:1 Page 5 of 6

Persistence & Degradability Inherently biodegradable

Bioaccumulation PotentialNot AvailableSoil MobilityNot AvailableOther Adverse EffectsNot Available

# 13. Disposal Considerations

### **Disposal Instructions**

The generation of waste should be avoided or minimized wherever possible. Treatment, storage, transportation and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations.

#### 14. Transportation Information

**Emergency Response Guide** 171 North American Emergency Response

No. Guide Book

UN Number Shipping Name (technical Hazard Class Packing Group

name)

U.S. DOT Not Regulated

IATA Not Regulated

IMDG Not Regulated

**STCC** 2911415

# 15. Regulatory Information

SARA Extremely Hazardous

This product does not contain greater than 1% of any "extremely hazardous substances" listed pursuant to Title III of the Superfund

Amendments and Reauthorization Act of 1986 (SARA) Section 302 or Section 304 as identified in 40 CFR Part 355, Appendix A and B.

SARA Section 313 This product does not contain greater than 1.0% of the substances

subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40

CFR

Part 372.

SARA Section 311 & 312 Classifications Physical Hazard No

**Health Hazard** Yes

Aspiration Hazard

**CERCLA** This product does not contain any "hazardous substances" listed under the

Comprehensive Environmental Response, Compensation and Liability Act of

1980 (CERCLA) in 40 CFR Part 302, Table 302.4.

California Prop 65 This product is not routinely tested to determine chemical(s) known to the

state of California to cause cancer and/or birth defects based on maximum

impurity levels of components.

4329

#### **Global Chemical Inventories**

0100W1 011011110W1 1111 011101110		
Inventory		
US TSCA	Listed	
EU	Listed	
Japan	Not available	
Australia	Listed	
New Zealand	Listed	
Canada	Listed	
Switzerland	Not available	
Korea	Listed	
Philippines	Listed	
China	Listed	
Taiwan	Not available	

### 16. Other Information

**US NFPA Ratings** 

Health	Fire	Reactivity
0	1	0

**HMIS Ratings** 

Health	Fire	Physical Hazards
0	1	0

**Revision Date** 20 February 2020 **Revision Reason** New SDS

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of SDS**