Revision #:0



# Safety Data Sheet

Prepared according to GHS

#### 1. Identification

Product Name Full Synthetic Motor Oil SAE 5W-20, 10W-30

Product Code(s) 7551, 7553 Recommended Use Engine Oil

Company American Refining Group, Inc. 77 North Kendall Avenue

Bradford, PA 16701 www.amref.com msds@amref.com

**Emergency Telephone** Chemtrec 1-800-424-9300 (24 HRS)

Number(s) ARG: 814-368-1297 (24 HRS)

#### 2. Hazards Identification

**GHS Classification** This product is not considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200).

Signal WordNot applicableHazard StatementsNot applicableOther Hazard InformationNot applicableGHS PictogramNot applicablePrecautionary StatementsNot applicable

### 3. Composition / Information on Ingredients

CAS No.	Component	Common Name	Percent
This product does not contain ingredients that are hazardous by the OSHA Hazard Communication Standard			
(29 CFR 1910.1200)			

#### 4. First Aid Measures

**Eyes** Check for and remove any contact lenses. Flush eyes with plenty

of water, occasionally lifting the upper and lower eyelids. Get

medical attention if irritation develops.

**Skin** In case of contact, flush skin with plenty of soap and water while

removing contaminated clothing and shoes. Wash clothing before

reuse. Get medical attention if irritation develops.

**Inhalation** Move exposed person to fresh air. Get medical attention if

irritation develops.

**Ingestion** First aid is normally not required. Get medical attention if

discomfort develops.

7551, 7553 Revision #:0 Page 2 of 7 4. First Aid Measures

**Note to Physicians** 

No specific treatment. Treat symptomatically. Contact poison treatment specialist if large quantities have been ingested or inhaled.

## 5. Fire Fighting Measures

## **Suitable Extinguishing Media**

Use dry chemical, CO<sub>2</sub>, water spray (FOG) or foam

## **Unsuitable Extinguishing Media**

Avoid solid water stream as it may scatter and spread fire.

## **Specific Hazards Arising from Chemical**

Elevated temperatures can lead to the formation of irritating vapors. Decomposing products may include the following materials: Carbon dioxide and Carbon monoxide.

## **Protective Equipment and Precautions for Firefighters**

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

#### 6. Accidental Release Measures

### **Personal Precautions**

Put on appropriate personal protective equipment.

## **Environmental Precautions**

Prevent product from entering drains. Prevent entry into waterways, sewers, basements or confined areas.

#### **Methods for Containment**

Stop leak if without risk.

#### **Methods for Cleanup**

Cover liquid spill with sand, earth or other noncombustible absorbent material. Cover powder spill with plastic sheet or tarp to minimize spreading. Pick up and transfer to properly labeled container

### 7. Handling and Storage

## Handling Procedures

Eating, drinking, and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist.

## **Shipping and Storing Procedures**

Keep container tightly closed in a dry place. Keep away from heat. Protect from light. Keep in properly labeled containers. Keep out of the reach of children.

#### **Incompatibilities:**

Oxidizing Agents

## 8. Exposure Controls / Personal Protection

## **Component Exposure Limits\***

When mists/aerosols can occur the following are recommended: 5 mg/m<sup>3</sup> - ACGIH TLV (inhalable fraction), 5 mg/m<sup>3</sup> - OSHA PEL.

\*Product has 0 kPa pressure at 68°F and is not expected to present any inhalation hazard at ambient conditions. Caution should be taken to prevent aerosolization or misting of this product. Oil mist, if generated, is considered hazardous according to the OSHA Hazard Communication Standard.

**7551, 7553** Revision #:0 Page **3** of **7** 

8. Exposure Controls / Personal Protection

**Engineering Controls**Material should be handled in enclosed vessels and equipment only if

aerosolized and/or misted. Use only in adequate ventilation if this occurs. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants

below any recommended or statutory limits.

**Eye/Face Protection** Safety glasses

**Skin Protection** Normal work gloves are appropriate

**Respiratory Protection** No special requirements under ordinary conditions of use and with

adequate ventilation.

General Hygiene Wash hands, forearms and face thoroughly after handling chemical

products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove

potentially contaminated clothing.

## 9. Physical and Chemical Properties

Note: Physical and chemical properties are provided for safety, health and environmental considerations only and may not fully represent product specifications. Please see the Product Specification Sheet for further information.

A	D	T21 1. 2124	NT 4 '1 1 1
Appearance	Brown	Flammability	Not available
Physical State	Liquid	Upper/Lower	Not available
		Flammability Limits	
Odor	Petroleum	Vapor Pressure (kPa at	0
		20°C)	
Odor Threshold	Not available	Vapor Density	Not available
pН	Not available	Relative Density (lbs/gal)	7.51
Melting/Freezing Point	Not available	Water Soluble	No
(°F)			
Initial Boiling Point (°F)	Not available	Partition Coefficient: n-	Not available
		octanol/water	
Boiling Range (°F)	Not available	Auto-ignition	Not available
		Temperature (°F)	
Flash Point (°F)	>356	Decomposition	Not available
		Temperature (°F)	
<b>Evaporation Rate</b>	Not available	Viscosity (40°C mm²/s)	>34

### 10. Chemical Stability & Reactivity Information

ReactivityPolymerization will not occurChemical StabilityStable under normal conditionsHazardous ReactionsNone, under normal processing.

Conditions to Avoid High temperatures

**Incompatibility** Strong acids and oxidizing materials

Hazardous Decomposition Smoke, carbon monoxide, carbon dioxide, aldehydes and other

**Products** products of incomplete combustion.

### 11. Toxicological Information

**7551, 7553** Revision #:0 Page **4** of **7** 

11. Toxicological Information

**Respiratory Irritation** Not expected to pose respiratory irritation. An inhalation hazard may only

arise if product is aerosolized or if heated up. If material is misted or if vapors

are generated from heating, exposure may cause irritation of mucous

membranes and upper respiratory tract. Based on data from similar materials.

Eye IrritationNot expected to cause irritation under normal use.Skin IrritationNot expected to cause irritation under normal use.SensitizationNot expected to cause skin or respiratory sensitization.Aspiration HazardsNot expected to pose an aspiration hazard if swallowed.

**Chronic Exposure** 

**Target Organ Effects** No data available to indicate product or components at greater than 1% are

chronic health hazards.

**Carcinogenicity** No data available to indicate product or any components present at greater

than .1% are carcinogenic.

**Mutagenicity** No data available to indicate product or any components present at greater

than

.1% are mutagenic or genotoxic.

**Reproductive Toxicity** No data available to indicate either product or components present at greater

than .1% that may cause reproductive toxicity.

**Teratogenicity** No data available to indicate product or any components contained at greater

than .1% may cause birth defects.

**Component Analysis – LD50 / LC50** 

 Inhalation LC50 Rat
 >20 mg/L 4h

 Oral LD50 Rat
 >5000 mg/kg

 Dermal LD50 Rabbit
 >2000 mg/kg

#### 12. Ecological Information

#### **Component Analysis- Ecotoxicity – Aquatic Life**

**Duration/Test/Species** Concentration/Conditions

96 Hr LC50 Not available mg/L

Pimephales promelas

Persistence & Degradability
Bioaccumulation Potential
Soil Mobility
Other Adverse Effects
Not determined
Not determined
Not determined

## 13. Disposal Considerations

## **Disposal Instructions**

**7551, 7553** Revision #:0 Page **5** of **7** 

## 13. Disposal Considerations

The generation of waste should be avoided or minimized wherever possible. Treatment, storage, transportation and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations.

## 14. Transportation Information

<b>Emergency R</b>	esponse Guide		171		North American Er	nergency Response
No.					Guide Book	
	UN Number		ipping Name (technical me)	I	Hazard Class	Packing Group
U.S. DOT		No	ot Regulated			
Bulk						
U.S. DOT		No	ot Regulated			
Non-Bulk						
IATA		No	ot Regulated			
IMDG		No	ot Regulated			

## 15. Regulatory Information

## SARA Extremely Hazardous Substances (Sections 302 & 304)

This product does not contain greater than 1% of any "extremely hazardous substances" listed pursuant to Title III of the Superfund Amendments and Reauthorizati on Act of 1986 (SARA) Section 302 or Section 304 as identified in 40 CFR Part 355. Appendix A and B.

7551, 7553 Revision #:0 Page 6 of 7

15. Regulatory Information	
SARA Section 313	This product
	does not
	contain
	greater than
	1.0% of the
	substances
	subject to the
	reporting
	requirements
	of Section
	313 of Title
	III of the
	Superfund
	Amendments
	and
	Reauthorizati
	on Act of
	1986 and 40
	CFR
	Part 372.
SARA Section 311 & 312 Classifications	<b>Health</b> N
	<b>Hazard</b> o
	<b>Physical</b> N
	<b>Hazard</b> o

### Composition/information on ingredients

Name	Classification
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil- based	ASPIRATION HAZARD - Category 1
	ASPIRATION HAZARD - Category 1

## **CERCLA**

This product does not contain any "hazardous substances" listed under the Comprehensive Environmental Response, Compensation and Liability Act of 1980 (CERCLA) in 40 CFR Part 302, Table 302.4.

### California Prop 65

WARNING: This product can expose you to chemicals including Benzene and Ethylene Oxide, which are known to the State of California to cause cancer, birth defects, and other reproductive harm. This product can expose you to naphthalene, ethylbenzene, propylene oxide and 1, 4-Dioxane which are known to the state of California to cause birth defects or other reproductive harm. For mor information go to www.P65Warnings.ca.gov.

## **Global Chemical Inventories**

Inventory	
US TSCA	Listed
EU	Listed
Japan	Not available

### Full Synthetic Motor Oil SAE 5W-20 10W-30

**7551, 7553** Revision #:0

American Refining Group,	Inc.
Page <b>7</b> of <b>7</b>	

	11011111111
Australia	Listed
New Zealand	Not available
Canada	Listed
Switzerland	Not available
Korea	Listed
Philippines	Listed
China	Listed
Taiwan	Not available

## 16. Other Information

**US NFPA Ratings** 

Health	Fire	Reactivity	
0	1	0	

**HMIS Ratings** 

Health Fire		Physical Hazards	
0	1	0	

**Revision Date Revision Reason**  21 April 2023 New SDS

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of SDS**