



**AMERICAN
REFINING
GROUP, INC.**

Safety Data Sheet

Prepared according to GHS

1. Identification

Product Name	Kenwax Medium Neutral Slack Wax
Product Code	4451
Recommended Use	Fire Log Wax
Company	American Refining Group, Inc. 77 North Kendall Avenue Bradford, PA 16701 www.amref.com msds@amref.com
Emergency Telephone Number(s)	Chemtrec 1-800-424-9300 (24 HRS) ARG: 814-368-1297 (24 HRS)

2. Hazards Identification

GHS Classification	This product is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Signal Word	Not applicable
Hazard Statements	Not applicable
Other Hazard Information	Not applicable
GHS Pictogram	Not applicable

3. Composition / Information on Ingredients

CAS No.	Component	Common Name	Percent
<i>This product does not contain ingredients that are hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)</i>			

4. First Aid Measures

Eyes	Check for and remove any contact lenses. Flush eyes with plenty of water occasionally lifting the upper and lower eyelids. Get medical attention if irritation develops.
Skin	In case of contact, immediately flush skin with plenty of soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention if irritation develops.
Inhalation	Move exposed person to fresh air. Get medical attention if irritation develops.
Ingestion	Move exposed person to fresh air. Get medical attention if irritation develops.

4. First Aid Measures

Note to Physicians

No specific treatment. Treat symptomatically. Contact poison treatment specialist if large quantities have been ingested.

5. Fire Fighting Measures

Suitable Extinguishing Media

Use dry chemical, CO₂, water spray (FOG) or foam

Unsuitable Extinguishing Media

Avoid solid water stream as it may scatter and spread fire.

Specific Hazards Arising from Chemical

Elevated temperatures can lead to the formation of irritating fumes and vapors. Decomposing products may include the following materials: Carbon dioxide and Carbon monoxide.

Protective Equipment and Precautions for Firefighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental Release Measures

Personal Precautions

Put on appropriate personal protective equipment.

Environmental Precautions

Prevent product from entering drains. Prevent entry into waterways, sewers, basements or confined areas.

Methods for Containment

Stop leak if without risk.

Methods for Cleanup

A vapor suppressing foam may be used to reduce vapors. Cover liquid spill with sand, earth or other noncombustible absorbent material. Cover powder spill with plastic sheet or tarp to minimize spreading. Pick up and transfer to properly labeled container

7. Handling and Storage

Handling Procedures

Eating, drinking, and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist.

Shipping and Storing Procedures

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat. Protect from light. Keep in properly labeled containers. Keep out of the reach of children.

Incompatibilities:

Oxidizing Agents

8. Exposure Controls / Personal Protection

Component Exposure Limits

Paraffin Wax Fume (8002-74-2)

ACGIH TLV:	TWA:	N/A ppm	TWA:	2 mg/m ³	STEL:	N/A ppm	STEL:	N/A mg/m ³
OSHA PEL:	TWA:	N/A ppm	TWA:	N/A mg/m ³	STEL:	N/A ppm	STEL:	N/A mg/m ³
NIOSH REL:	TWA:	N/A ppm	TWA:	2 mg/m ³	STEL:	N/A ppm	STEL:	N/A mg/m ³

N/A signifies not available

8. Exposure Controls / Personal Protection

*Product is a solid at 68°F and is not expected to present any inhalation hazard at ambient conditions. Caution should be when heating of this product. Paraffin wax fume, if generated, is considered hazardous according to the OSHA Hazard Communication Standard.

Engineering Controls

Material should be handled in enclosed vessels and equipment only if heated. Use only in adequate ventilation if this occurs. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Eye/Face Protection

Chemical goggles or face shield when heated to prevent hot wax thermal burns.

Skin Protection

Heat resistant, impervious gloves complying with an approved standard should be worn at all times when product is heated to prevent hot wax thermal burns.

Respiratory Protection

No special requirements under ordinary conditions of use and with adequate ventilation.

General Hygiene

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing.

9. Physical and Chemical Properties

Note: Physical and chemical properties are provided for safety, health and environmental considerations only and may not fully represent product specifications. Please see the Product Specification Sheet for further information.

Appearance	Cream or Tan	Flammability	Not Available
Physical State	Solid	Upper/Lower Flammability Limits	Not Available
Odor	Bland	Vapor Pressure	Not Available
Odor Threshold	Not Available	Vapor Density	Not Available
pH	Not Available	Relative Density (lbs/gal)	6.8
Melting/Freezing Point (°F)	120/Not Available	Water Soluble	No
Initial Boiling Point (°F)	>600	Partition Coefficient: n-octanol/water	3.3 to >6
Boiling Range (°F)	Not Available	Auto-ignition Temperature (°F)	Not Available
Flash Point (°F)	430	Decomposition Temperature (°F)	Not Available
Evaporation Rate	Not Available	Viscosity (100°C mm²/s) <i>** product is expected to be solid at 40°C</i>	4 cSt

10. Chemical Stability & Reactivity Information

Reactivity	Polymerization will not occur
Chemical Stability	Stable under normal conditions
Hazardous Reactions	None, under normal processing.
Conditions to Avoid	High temperatures, flames, sparks
Incompatibility	Strong acids and oxidizing materials
Hazardous Decomposition Products	Smoke, carbon monoxide, carbon dioxide, aldehydes and other products of incomplete combustion.

11. Toxicological Information

Acute Exposure	
Respiratory Irritation	Not expected to pose respiratory irritation. An inhalation hazard may only arise if product is heated up. If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and upper respiratory tract based upon data from similar materials.
Eye Irritation	Not expected to cause irritation under normal use.
Skin Irritation	Not expected to cause irritation under normal use.
Sensitization	Not expected to cause skin or respiratory sensitization.
Aspiration Hazards	Not expected to pose an aspiration hazard if swallowed.
Chronic Exposure	
Target Organ Effects	No data available to indicate product or any components at greater than 1% are chronic health hazards. .
Carcinogenicity	This product contains mineral oils which are considered to be severely refined and not considered to be carcinogenic under IARC. All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP 346 test.
Mutagenicity	No data available to indicate product or any components present at greater than .1% are mutagenic or genotoxic.
Reproductive Toxicity	No data available to indicate either product or components present at greater than .1% that may cause reproductive toxicity.
Teratogenicity	No data available to indicate product or any components contained at greater than .1% may cause birth defects.

Analysis – LD50 / LC50

Inhalation LC50 Rat	Not Available	mg/L
Oral LD50 Rat	>5000	mg/kg
Dermal LD50 Rabbit	3600	mg/kg

12. Ecological Information

Component Analysis- Ecotoxicity – Aquatic Life

Duration/Test/Species	Concentration/Conditions
96 hr LL50 <i>Oncorhynchus mykiss</i>	>1000 mg/L
96 hr EL50 <i>Scenedesmus subspicatus</i>	>1000 mg/L

12. Ecological Information

21 Day WAF 50% mg/L
Daphnia magna

Persistence & Degradability Inherently biodegradable
Bioaccumulation Potential Not Available
Soil Mobility Not Available
Other Adverse Effects Not Available

13. Disposal Considerations

Disposal Instructions

The generation of waste should be avoided or minimized wherever possible. Treatment, storage, transportation and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations.

14. Transportation Information

Emergency Response Guide No. 171 *North American Emergency Response Guide Book*

	UN Number	Shipping Name (technical name)	Hazard Class	Packing Group
U.S. DOT		Not Regulated		
IATA		Not Regulated		
IMDG		Not Regulated		
STCC		2911990		

15. Regulatory Information

SARA Extremely Hazardous Substances (Sections 302 & 304) This product does not contain greater than 1% of any “extremely hazardous substances” listed pursuant to Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) Section 302 or Section 304 as identified in 40 CFR Part 355, Appendix A and B.

SARA Section 313 This product does not contain greater than 1.0% of the substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

SARA Section 311 & 312 Classifications

Physical Hazards	No
Health Hazards	no

CERCLA This product does not contain any “hazardous substances” listed under the Comprehensive Environmental Response, Compensation and Liability Act of 1980 (CERCLA) in 40 CFR Part 302, Table 302.4.

California Prop 65 This product is not routinely tested to determine chemical(s) known to the state of California to cause cancer and/or birth defects based on maximum impurity

levels of components.

Global Chemical Inventories

Inventory	
US TSCA	Listed
EU	Listed
Japan	Not available
Australia	Listed
New Zealand	Not Available
Canada	Listed
Switzerland	Not available
Korea	Listed
Philippines	Listed
China	Listed
Taiwan	Listed

16. Other Information

US NFPA Ratings

Health	Fire	Reactivity
0	1	0

HMIS Ratings

Health	Fire	Physical Hazards
0	1	0

Revision Date

1 December 2020

Revision Reason

Sections 1, 2, 3, 4, 9, 11 and 15

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS