Kenwax 0111 4459

**Revision Date: 12/1/2020** Revision #:1



# Safety Data Sheet

Prepared according to GHS

### 1. Identification

**Product Name** Kenwax 0111

**Product Code** 4459

**Recommended Use** Bright stock petrolatum/ bright stock wax

American Refining Group, Inc. Company

77 North Kendall Avenue Bradford, PA 16701 www.amref.com

msds@amref.com

Chemtrec 1-800-424-9300 (24 HRS) **Emergency Telephone** Number(s)

ARG: 814-368-1297 (24 HRS)

### 2. Hazards Identification

**GHS** Classification This product is not considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200).

**Signal Word** Not applicable **Hazard Statements** Not applicable **Other Hazard Information** Not applicable **GHS Pictogram** Not applicable

## 3. Composition / Information on Ingredients

CAS No.	Component	Common Name	Percent
This product does not contain ingredients that are hazardous by the OSHA Hazard Communication Standard			
(29 CFR 1910.1200)			

### 4. First Aid Measures

Check for and remove any contact lenses. Flush eyes with plenty of Eyes

water, occasionally lifting the upper and lower eyelids. Get medical

attention if irritation develops.

Skin In case of contact, immediately flush skin with plenty of soap and

water while removing contaminated clothing and shoes. Get

medical attention if irritation develops.

**Inhalation** Move exposed person to fresh air. Get medical attention if irritation

develops.

Kenwax 0111Revision Date: 12/1/2020American Refining Group, Inc.4459Revision #:1Page 2 of 6

<del></del>	REVISION II.1	1 ugc <b>2</b> 01 <b>0</b>
	4. First Aid Measures	
Ingestion	First aid is normally not required.	Get medical attention if
	discomfort develops.	
Note to Physicians	No specific treatment. Treat symptomatically. Contact poison treatment specialist if large quantities have been ingested.	

# 5. Fire Fighting Measures

### **Suitable Extinguishing Media**

Use dry chemical, CO<sub>2</sub>, water spray (FOG) or foam

# **Unsuitable Extinguishing Media**

Avoid solid water stream as it may scatter and spread fire.

# **Specific Hazards Arising from Chemical**

Elevated temperatures can lead to the formation of irritating fumes and vapors. Decomposing products may include the following materials: Carbon dioxide and Carbon monoxide.

# **Protective Equipment and Precautions for Firefighters**

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

### 6. Accidental Release Measures

### **Personal Precautions**

Put on appropriate personal protective equipment.

### **Environmental Precautions**

Prevent product from entering drains. Prevent entry into waterways, sewers, basements or confined areas.

### **Methods for Containment**

Stop leak if without risk.

### **Methods for Cleanup**

A vapor suppressing foam may be used to reduce vapors. Cover liquid spill with sand, earth or other noncombustible absorbent material. Cover powder spill with plastic sheet or tarp to minimize spreading. Pick up and transfer to properly labeled container

# 7. Handling and Storage

### **Handling Procedures**

Eating, drinking, and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist.

# **Shipping and Storing Procedures**

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat. Protect from light. Keep in properly labeled containers. Keep out of the reach of children.

### **Incompatibilities:**

Oxidizing Agents

### 8. Exposure Controls / Personal Protection

### **Component Exposure Limits**

Paraffin Wax Fume (8002-74-2)

ACGIH TLV: TWA: N/A ppm TWA:  $2 \text{ mg/m}^3$ STEL: STEL: N/A ppm  $N/A mg/m^3$ **OSHA PEL:** TWA: N/A ppm N/A mg/m<sup>3</sup> N/A ppm STEL:  $N/A mg/m^3$ **TWA** STEL:

**Kenwax 0111**4459

Revision Date: 12/1/2020

Revision #:1

American Refining Group, Inc.

Page 3 of 6

# 8. Exposure Controls / Personal Protection

NIOSH REL: TWA: N/A ppm TWA 2 mg/m<sup>3</sup> STEL: N/A ppm STEL: N/A mg/m<sup>3</sup> N/A signifies not available

\*Product is a solid at 68°F and is not expected to present any inhalation hazard at ambient conditions. Caution should be when heating of this product. Paraffin wax fume, if generated, is considered hazardous according to the OSHA Hazard Communication Standard.

**Engineering Controls**Material should be handled in enclosed vessels and equipment only if

heated. Use only in adequate ventilation if this occurs. Use process enclosures, local exhaust ventilation or other engineering controls to

keep worker exposure to airborne contaminants below any

recommended or statutory limits.

Eye/Face Protection Chemical goggles or face shield when heated to prevent hot wax thermal

burns.

**Skin Protection** Chemical resistant, impervious gloves complying with an approved

standard should be worn at all times when product Is heated to prevent

hot wax thermal burns.

**Respiratory Protection**No special requirements under ordinary conditions of use and with

adequate ventilation.

General Hygiene Wash hands, forearms and face thoroughly after handling chemical

products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove

potentially contaminated clothing.

### 9. Physical and Chemical Properties

Note: Physical and chemical properties are provided for safety, health and environmental considerations only and may not fully represent product specifications. Please see the Product Specification Sheet for further information.

Appearance	Opaque	Flammability	Not Available
Physical State	Solid	Upper/Lower	Not Available
-		Flammability Limits	
Odor	Bland	Vapor Pressure	Not Available
Odor Threshold	Not Available	Vapor Density	Not Available
pH	Not Available	Relative Density (lbs/gal)	7.3
Melting/Freezing Point	148	Water Soluble	No
(°F)			
<b>Initial Boiling Point (°F)</b>	>625	Partition Coefficient: n-	3.3 to >6
		octanol/water	
Boiling Range (°F)	Not Available	Auto-ignition	Not Available
		Temperature (°F)	
Flash Point (°F)	580	Decomposition	Not Available
		Temperature (°F)	
<b>Evaporation Rate</b>	Not Available	Viscosity (100°C mm²/s)	20 cSt
_		** product is expected to be solid at	
		40°C	

# 10. Chemical Stability & Reactivity Information

**Kenwax 0111**4459

Revision Date: 12/1/2020

Revision #:1

American Refining Group, Inc.

Page 4 of 6

10. Chemical Stability & Reactivity Information

ReactivityPolymerization will not occurChemical StabilityStable under normal conditionsHazardous ReactionsNone, under normal processing.Conditions to AvoidHigh temperatures, flames, sparksIncompatibilityStrong acids and oxidizing materials

Hazardous Decomposition Smoke, carbon monoxide, carbon dioxide, aldehydes and other products

**Products** of incomplete combustion.

### 11. Toxicological Information

**Acute Exposure** 

**Respiratory Irritation** Not expected to pose respiratory irritation. An inhalation hazard may only arise

if product is heated up. If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and upper

respiratory tract based upon data from similar materials.

Eye IrritationNot expected to cause irritation under normal use.Skin IrritationNot expected to cause irritation under normal use.SensitizationNot expected to cause skin or respiratory sensitization.Aspiration HazardsNot expected to pose an aspiration hazard if swallowed.

**Chronic Exposure** 

**Target Organ Effects** No data available to indicate product or components at greater than 1% are

chronic health hazards.

**Carcinogenicity** This product contains mineral oils which are considered to be severely refined

and not considered to be carcinogenic under IARC. All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP

346 test.

**Mutagenicity** No data available to indicate product or any components present at greater than

.1% are mutagenic or genotoxic.

**Reproductive Toxicity** No data available to indicate either product or components present at greater

than .1% that may cause reproductive toxicity.

**Teratogenicity** No data available to indicate product or any components contained at greater

than .1% may cause birth defects.

Analysis - LD50 / LC50

Inhalation LC50 Rat
Oral LD50 Rat
Solution Not Available mg/L
>5000 mg/kg
Dermal LD50 Rabbit
Solution Not Available mg/L
>5000 mg/kg

# 12. Ecological Information

**Component Analysis- Ecotoxicity – Aquatic Life** 

**Duration/Test/Species** Concentration/Conditions

96 hr LL50 >1000 mg/L

Oncorhyncus mykiss

96 hr EL50 >1000 mg/L

**Kenwax 0111**4459

Revision Date: 12/1/2020

American Refining Group, Inc.

Page 5 of 6

12. Ecological Information

Scenedesmus subspicatus

21 Day WAF 50% mg/L

Daphnia magna

Persistence & Degradability Inherently biodegradable

Bioaccumulation PotentialNot AvailableSoil MobilityNot AvailableOther Adverse EffectsNot Available

# 13. Disposal Considerations

# **Disposal Instructions**

The generation of waste should be avoided or minimized wherever possible. Treatment, storage, transportation and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations.

# 14. Transportation Information

**Emergency Response Guide No.** 171 North American Emergency Response

Guide Book

UN Number Shipping Name (technical name) Hazard Class Packing Group

U.S. DOT Not Regulated

IATA Not Regulated

IMDG Not Regulated

## 15. Regulatory Information

SARA Extremely Hazardous

This product does not contain greater than 1% of any "extremely hazardous substances" listed greater than 1% of the Superfusion of the Supe

Substances (Sections 302 & 304) hazardous substances" listed pursuant to Title III of the Superfund

Amendments and Reauthorization Act of 1986 (SARA) Section 302 or Section 304 as identified in 40 CFR Part 355, Appendix A and B.

SARA Section 313

This product does not contain greater than 1.0% of the substances

subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR

Part 372.

SARA Section 311 & 312 Classifications Physical Hazard No

**Health Hazard** No

**CERCLA** This product does not contain any "hazardous substances" listed under the

Comprehensive Environmental Response, Compensation and Liability Act of

1980 (CERCLA) in 40 CFR Part 302, Table 302.4.

California Prop 65 This product is not routinely tested to determine chemical(s) known to the state

4459

Revision #:1

Page 6 of 6

American Refining Group, Inc.

of California to cause cancer and/or birth defects based on maximum impurity levels of components.

**Global Chemical Inventories** 

Global Chemical Inventories		
Inventory		
US TSCA	Present	
EU	Present	
Japan	Not available	
Australia	Present	
New Zealand	Not Available	
Canada	Present	
Switzerland	Not available	
Korea	Present	
Philippines	Present	
China	Present	
Taiwan	Not available	

# 16. Other Information

**US NFPA Ratings** 

Health	Fire	Reactivity
0	1	0

**HMIS Ratings** 

Health	Fire	Physical Hazards
0	1	0

**Revision Date Revision Reason**  1 December 2020

Sections 2, 3, 9, 13 and 15

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS