

# ARGuard™ Multi-Vehicle ATF

PROD. CODE  
7419

ARGuard™ Multi-Vehicle ATF offers extended friction control protection that lasts over the life of the fluid-long after the anti-shudder protection found in many competitive brands. Made with full synthetic base stocks, this high viscosity Multi-Vehicle ATF is inherently more thermally stable when compared with conventional base stocks.

ARGuard™ Multi-Vehicle ATF is designed for use in most modern passenger vehicles and heavy duty applications. It also can be used in applications where its performance features exceed the requirements of older specifications.

## FEATURES & BENEFITS

- Full synthetic formula with outstanding low temperature performance
- Improved wear performance and reduced oil consumption
- Provides extended anti-shudder performance for smooth driving
- Excellent oxidation and thermal stability
- Exceeds the most demanding JASO 1A performance standard

## APPLICATIONS

ARGuard™ Multi-Vehicle ATF is a high viscosity fluid specially formulated to exceed the performance and protection requirements of newer transmissions. Installers can rely on this single fluid to conveniently and accurately meet a wide array of global OEM requirements in North America as the ones listed on the table below.

METHOD	DESCRIPTION	TYPICAL
Calculated	API GRAVITY	34.2
D445	VISCOSITY @ 40 °C, cSt	36.26
D445	VISCOSITY @ 100 °C, cSt	6.90
D2270	VISCOSITY INDEX	153
D5950	POUR POINT, °C	-54
D2983	BROOKFIELD @ -40 °C, cP	19,000

Mixing with incompatible chemicals may be hazardous. This product is for industrial use only. Safety data sheets are available upon request. No warranties expressed or implied, including patent warranties or warranties of merchantability or fitness for a particular purpose, are made by American Refining Group, Inc., with respect to products described or information set forth herein. Nothing contained herein shall constitute a permission or recommendation to practice any invention covered by a patent without a license from the owner of the patent.



[amref.com](http://amref.com) | 814.368.1200



# ARGuard™ Multi-Vehicle ATF

PROD. CODE  
7419

## INDUSTRY & OEM SPECIFICATIONS

OEM	APPLICATION	OEM	APPLICATION	OEM	APPLICATION	OEM	APPLICATION	
ALLISON	C4	Mercedes / Daimler	MB 236.5	Hyundai / Kia	P/N UM040 CH20 Red-1	Porsche	P/N 000 043 204 41	
	TES-295 <sup>a</sup>		MB 236.6		SP-II		P/N 000 043 205 09	
	TES-389		MB 236.7		SP-III		P/N 000 043 205 28	
ATF	Esso LT 71141		MB 236.8	Idemitsu	ATF HP		PSA Peugeot Citroën	P/N 999 917 547 00 (A2)
	JWS 3309		MB 236.9		K17	P/N Z 000169756		
	Mobil ATF 3309		MB 236.91	Isuzu	ATF II	Renault		Matic D2
	Shell 3403-M115		Ford / Lincoln / Mercury		ATF III			Renk
	Shell LA 2634				P/N XT-2-QDX [M]	Genuine ATF		Saab
	Texaco ETL 7045E	P/N XT-2-QSM [Syn]		P/N 08200-9001	SSANY YONG	DSIH 5M-66		
	Texaco ETL 8072B	P/N XT-5-QM or -DM [V]		Jaguar	JLM 20238	Subaru	HP	
Texaco ETL N402	P/N XT-8-QAW [Premium]	JLM 20292	P/N K0140Y0700					
BMW / MINI	P/N 81 22 9 400 272/275	P/N XT-9-QMM5 [FRN5]	JLM 21044		Suzuki	3314		
	P/N 81 22 9 407 858/859	WSS-M2C922-A1	K17	3317				
	P/N 83 22 0 024 249/359	GM / GMC / Opel / Saturn	WSS-M2C922-A1	Toyota / Lexus / Scion		Type D-II		
	P/N 83 22 0 026 922		II		Type T			
	P/N 83 22 0 402 413		IID	Type T-III				
	P/N 83 22 0 403 248		III	Type T-IV				
	P/N 83 22 0 403 249		IIIH	Volkswagen / Audi	G 052 025 A2			
	P/N 83 22 7 542 290		P/N 12378515 [Synthetic]		G 052 055			
	P/N 83 22 9 407 765		P/N 19 40 700	G 052 162 (-A1, -A2)				
	P/N 83 22 9 407 807		P/N 19 40 767	G 052 990 (A2)				
Chrysler / Dodge / Jeep	+		P/N 21005966 Transaxle	P/N 22717466	Mitsubishi	G 055 025 (A2)		
	+2		P/N 22717466	P/N 88900925		ATF-J2	G US 000 162	
	+3	P/N 88900925	P/N 9986195	SP, P/N MS991156		Volvo	P/N 1161521	
	+4 <sup>a</sup>	P/N 9986195	T-IV	SP-II	P/N 1161540 / 1161640			
	AS68RC ATF	Type A Suffix A	Nissan / Infinity	402	SP-III	Volvo Constr. Equip. (VCE)	1273, 4	
	SP-III	Honda / Acura		Matic-D	ZF		TE-ML 11A	
Mercedes / Daimler	MB 236.10	Hyundai / Kia	Matic-J	Matic-K		TE-ML 11B		
	MB 236.11	ATF Red-1K	Matic-K	Matic-W				
	MB 236.3	Genuine ATF						

Consult your owner's manual regarding its suitability as ATF in imported vehicles. Do not use in ATF applications where CVT fluids or Ford ATF Type F is required. Do not use in Honda power steering fluid systems.

Mixing with incompatible chemicals may be hazardous. This product is for industrial use only. Safety data sheets are available upon request. No warranties expressed or implied, including patent warranties or warranties of merchantability or fitness for a particular purpose, are made by American Refining Group, Inc., with respect to products described or information set forth herein. Nothing contained herein shall constitute a permission or recommendation to practice any invention covered by a patent without a license from the owner of the patent.



amref.com | 814.368.1200



# ARGuard™ Multi-Vehicle ATF

PROD. CODE  
7419

- a) Products have different Brookfield and/or viscosity requirements
- b) NATIONALFULL SYNTHETIC MULTIVEHICLE ATF (high viscosity) is suitable for most ATFs listed on this PDS however we are offering a fluid that has been neither evaluated nor approved by vehicle manufacturers and it may not meet all desired OEM viscometric specifications
- c) Consult your owner's manual regarding its suitability as ATF in imported vehicles. Do not use in ATF applications where CVT fluids or Ford ATF type F is required. Do not use in Honda power steering fluid systems

**This product is not for sale or use in the State of California**

*The recommended shelf life for these oils is typically 48 months from manufacturing date when stored properly in the original sealed containers*

Mixing with incompatible chemicals may be hazardous. This product is for industrial use only. Safety data sheets are available upon request. No warranties expressed or implied, including patent warranties or warranties of merchantability or fitness for a particular purpose, are made by American Refining Group, Inc., with respect to products described or information set forth herein. Nothing contained herein shall constitute a permission or recommendation to practice any invention covered by a patent without a license from the owner of the patent.



[amref.com](http://amref.com) | 814.368.1200

