

Safety Data Sheet

Prepared according to GHS

	1. Identification			
Product Name	Kendex CAT			
Product Code	4576			
Recommended Use	Specialty Distillate			
Company	American Refining Group, Inc.			
	77 North Kendall Avenue			
	Bradford, PA 16701			
	www.amref.com			
	msds@amref.com			
Emergency Telephone	Chemtrec 1-800-424-9300 (24 HRS)			
Number(s)	ARG: 814-368-1297 (24 HRS)			
	2. Hazards Identification			
GHS Classification	Eye Damage/Irritation Category 2B			
	Skin Corrosion/Irritation Category 2			
	Carcinogenicity Category 2			
	Germ Cell Mutagenicity Category 2			
	Specific Target Organ Toxicity (repeat exposure) Category 2			
Signal Word	WARNING!			
Hazard Statements	Causes eye irritation			
	Causes skin irritation			
	Suspected of causing cancer			
	Suspected of causing genetic defects			
	May cause damage to organs through prolonged/repeated exposure			
GHS Pictogram				
Precautionary Statements	Wash thoroughly after handling.			
•	If in eyes: Rinse cautiously with water for several minutes. Remove			
	contact lenses, if present and easy to do. Continue rinsing.			
	If eye irritation persists: Get medical advice/attention.			
	If on skin: wash with plenty of soap and water.			
	If skin irritation occurs: get medical advice/attention.			
	Take off contaminated clothing and wash before reuse.			
	Obtain special instructions before use.			
	-			

2. Hazards Identification
 Do not handle until all safety precautions have been read and understood.
 Wear protective gloves/clothing/eye protection/face protection Store locked up.
 Dispose of contents/containers in accordance with local/national

Dispose of contents/containers in accordance with local/national regulations.

Do not breathe dust/fume/gas/mist/vapors/spray.

3. Composition / Information on Ingredients

CAS No.	Component	Common Name	Percent
64742-10-5	Extracts (petroleum), Residual oil solvent	Bright Stock Extract	40-60%
64742-04-7	Extracts (petroleum), heavy paraffinic distillate solvent	Medium Neutral Extract	40-60%

4. First Aid Measures		
Eyes	Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.	
Skin	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention immediately.	
Inhalation	Move exposed person to fresh air. Avoid Breathing fumes/vapors/mist/spray.	
Ingestion	If conscious, rinse out mouth with water. Seek medical attention immediately.	
Symptoms(Acute and delayed)	Causes eye irritation Causes skin irritation Suspected of causing cancer Suspected of causing genetic defects May cause damage to organs through prolonged/repeated exposure	
Note to Physicians	No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.	

5. Fire Fighting Measures

Suitable Extinguishing Media

Use dry chemical, CO₂, water spray (FOG) or foam

Unsuitable Extinguishing Media

Avoid solid water stream as it may scatter and spread fire.

Specific Hazards Arising from Chemical

Elevated temperatures can lead to the formation of irritating vapors. Decomposing products may include the

5. Fire Fighting Measures

following materials: Carbon dioxide and Carbon monoxide.

Protective Equipment and Precautions for Firefighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental Release Measures

Personal Precautions

Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

Environmental Precautions

Prevent product from entering drains. Prevent entry into waterways, sewers, basements or confined areas.

Methods for Containment

Stop leak if without risk.

Methods for Cleanup

Cover liquid spill with sand, earth or other noncombustible absorbent material. Cover powder spill with plastic sheet or tarp to minimize spreading. Pick up and transfer to properly labeled container

7. Handling and Storage

Handling Procedures

Eating, drinking, and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist

Shipping and Storing Procedures

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat. Protect from light. Keep in properly labeled containers. Keep out of the reach of children.

Incompatibilities:

Oxidizing Agents

8. Exposure Controls / Personal Protection

Component Exposure Limits

Oil Mist (mineral)								
ACGIH TLV: TW	VA:	N/A ppm	TWA:	5 mg/m^3	STEL:	N/A ppm	STEL:	10 mg/m^3
OSHA PEL: TW	VA:	N/A ppm	TWA	5 mg/m^3	STEL:	N/A ppm	STEL:	N/A mg/m ³
NIOSH REL: TW	VA:	N/A ppm	TWA	5 mg/m^3	STEL:	N/A ppm	STEL:	10 mg/m^3
N/A signifies not available								

N/A signifies not available

*Product has 0 kPa pressure at 68°F and is not expected to present any inhalation hazard at ambient conditions. Caution should be taken to prevent aerosolization or misting of this product. Oil mist, if generated, is considered hazardous according to the OSHA Hazard Communication Standard.

Engineering Controls Material should be handled in enclosed vessels and equipment only if aerosolized and/or misted. Use only in adequate ventilation if this occurs. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. Chemical goggles or face shield. **Eye/Face Protection**

Kendex CAT 4576	Revision Date: 5/11/2015 Revision #:0	American Refining Group, Inc. Page 4 of 7
	8. Exposure Controls / Personal Protec	tion
Skin Protection	Chemical resistant, impervious gloves standard should be worn at all times. necessary to minimize contact.	1.0
Respiratory Protection	Respirator may only be needed if product is aerosolized and/or misted. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicated this is necessary. Respirator selection must be based on known or anticipated exposure levels.	
General Hygiene	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end the working period. Appropriate techniques should be used to remov potentially contaminated clothing.	

9. Physical and Chemical Properties

Note: Physical and chemical properties are provided for safety, health and environmental considerations only and may not fully represent product specifications. Please see the Product Specification Sheet for further information.

Appearance		Flammability	Not Available
Physical State	Liquid	Upper/Lower	Not Available
		Flammability Limits	
Odor	Petroleum Oil	Vapor Pressure	Not Available
Odor Threshold	Not Available	Vapor Density	Not Available
pH	Not Available	Relative Density (lbs/gal)	8.0
Melting/Freezing Point	Not Available	Water Soluble	No
(F)			
Initial Boiling Point (%)	Not Available	Partition Coefficient: n-	4.4 - >6
		octanol/water	
Boiling Range (°F)	Not Available	Auto-ignition	Not Available
		Temperature (°F)	
Flash Point (°F)	585	Decomposition	Not Available
		Temperature (°F)	
Evaporation Rate	Not Available	Viscosity (40 °C mm ² /s)	> 130
_			

10. Chemical Stability & Reactivity Information

Reactivity	Polymerization will not occur
Chemical Stability	Stable under normal conditions
Hazardous Reactions	None, under normal processing.
Conditions to Avoid	High temperatures, flames, sparks
Incompatibility	Strong acids and oxidizing materials
Hazardous Decomposition	Smoke, carbon monoxide, carbon dioxide, aldehydes and other products
Products	of incomplete combustion.

11. Toxicological Information

Kendex CAT	Revision Date: 5/11/2015	American Refining Group, Inc.		
4576	Revision #:0	Page 5 of 7		
	11. Toxicological Information			
Acute Exposure	ž – – – – – – – – – – – – – – – – – – –			
Respiratory Irritation	Not expected to cause irritation to respiratory	y tract.		
Eye Irritation	May cause eye irritation	-		
Skin Irritation	Causes skin irritation.			
Sensitization	Not expected to cause skin or respiratory sen	sitization.		
Aspiration Hazards	Not expected to cause an aspiration hazard.			
Chronic Exposure				
Target Organ Effects	Repeated-dose dermal studies in rats using si internal organ effects.	milar substances revealed chronic		
Carcinogenicity	This product contains substances that are classified as carcinogens by OSHA, ACGIH, and IARC.			
Mutagenicity	Product found to elicit marginal positive results in the ames mutagenicity assay Based on data from components and similar materials.			
Reproductive Toxicity				
Teratogenicity	No data available to indicate product or any components contained at greater than $.1\%$ may cause birth defects.			
Analysis – LD50 / LC50	n I C50 Rat Not availab	ыл		

Inhalation LC50 Rat	Not available	mg/L
Oral LD50 Rat	>5000	mg/kg
Dermal LD50 Rabbit	>2000	mg/kg

12. Ecological Information

Component Analysis - Ecotoxicity – Aquatic Life

Duration/Test/Species	Concentration/Conditions	
96 Hr LL50; WAF	>1000	mg/L
Aquatic Vertebrates		
21 Day EL50; WAF	>1000	mg/L
Daphnia magna		
72 hr EL-50	>50% WAF	mg/L
Daphnia magna		
Persistence & Degradability	Inherently degraded	
Bioaccumulation Potential	Not Available	
Soil Mobility	Not Available	
Other Adverse Effects	Not Available	

13. Disposal Considerations

Disposal Instructions

The generation of waste should be avoided or minimized wherever possible. Treatment, storage, transportation and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations.

Kendex CAT 4576	Revision Date: 5/11/20 Revision #:0		American	Refining Group, Inc. Page 6 of 7
	14. Transportation Info	rmation		
Emergency Response Guide	No. 171	North Am Guide Bo		gency Response
UN Number	Shipping Name (technical name)	Hazard Class	Packing Group	Placards/Label
U.S. DOT	Not Regulated			
ΙΑΤΑ	Not Regulated			
IMDG	Not Regulated			
	15. Regulatory Inform	nation		
	15. Regulatory Inform			
 SARA Extremely Hazardous Substances (Sections 302 & 304) This product does not contain greater than 1% of any "extremely hazardous substances" listed pursuant to Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) Section 302 c Section 304 as identified in 40 CFR Part 355, Appendix A and B. This product does not contain greater than 1.0% of the substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFF Part 372. 			the Superfund RA) Section 302 or ndix A and B. he substances of Title III of the	
SARA Section 311 & 312 Cla	ssifications Acute Hazar Chronic Hazar			
	Fire Hazar			
	Reactivity Hazar			
CERCLA California Prop 65	This product does not contain any "hazardous substances" listed under the Comprehensive Environmental Response, Compensation and Liability Act of 1980 (CERCLA) in 40 CFR Part 302, Table 302.4. This product does not contain chemical(s) known to the state of California to cause cancer and/or birth defects based on maximum impurity levels of components.			

Global Chemical Inventories

Inventory	
US TSCA	Present
EU	Present
Japan	Not available
Australia	Present
New Zealand	Present
Canada	Present
Switzerland	Not available
Korea	Not available

Kendex CAT

4576		Revision #
	Philippines	Present
	China	Present
	Taiwan	Present

16. Other Information				
US NFPA Ratings				
Health	Fire	Reactivity		
1	1	0		

HMIS Ratings

Health	Fire	Physical Hazards
1	1	0

Revision Date	11 May 2015
Revision Reason	New SDS

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS