Revision Date: 9/1/2020
Revision #:0

Page **1** of **6** 



# Safety Data Sheet

Prepared according to GHS

# 1. Identification

Product Name ARGuard Fast Quench 70

Product Code 4670

Recommended Use Quench Oil

**Company** American Refining Group, Inc.

77 North Kendall Avenue Bradford, PA 16701 www.amref.com

www.amref.com msds@amref.com

Emergency Telephone Chemtrec 1-800-424-9300 (24 HRS)

Number(s) ARG: 814-368-1297 (24 HRS)

#### 2. Hazards Identification

GHS Classification Aspiration Hazard Category 1

Signal Word DANGER!

Hazard Statements

May be fatal if swallowed and enters airways

GHS Pictogram



**Precautionary Statements** If swallowed: immediately call a poison center or doctor.

**Do NOT** induce vomiting.

Store locked up.

Dispose of contents in accordance with local/nation regulations

### 3. Composition / Information on Ingredients

CAS No.	Component	Common Name	Percent
64742-56-9	Distillates (petroleum), solvent-dewaxed	Light Lube Neutral	85-95%
	light paraffinic		
8052-42-4	Petroleum Resins	Gas Oils	5-15%

#### 4. First Aid Measures

Eyes Check for and remove any contact lenses. Flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Get medical attention if irritation develops.

Revision Date: 9/1/2020	American Refining Group, Inc.
Revision #:0	Page <b>2</b> of <b>6</b>
4. First Aid Measures	
In case of contact, flush skin with	n plenty of soap and water while
removing contaminated clothing and shoes. Wash clothing be reuse. Get medical attention if irritation develops.	
irritation develops.	
Ingestion DO NOT INDUCE VOMITING. Get medic	
immediately.	
May be fatal if swallowed and en	iters airways
No specific treatment. Treat symtreatment specialist immediately ingested or inhaled.	
	Revision #:0  4. First Aid Measures  In case of contact, flush skin with removing contaminated clothing reuse. Get medical attention if ir Move exposed person to fresh air irritation develops.  DO NOT INDUCE VOMITING immediately.  May be fatal if swallowed and entered the special stimmediately.

# 5. Fire Fighting Measures

# **Suitable Extinguishing Media**

Use dry chemical, CO<sub>2</sub>, water spray (FOG) or foam

# **Unsuitable Extinguishing Media**

Avoid solid water stream as it may scatter and spread fire.

# **Specific Hazards Arising from Chemical**

Elevated temperatures can lead to the formation of irritating fumes and vapors. Decomposing products may include the following materials: Carbon dioxide and Carbon monoxide.

# **Protective Equipment and Precautions for Firefighters**

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

#### 6. Accidental Release Measures

#### **Personal Precautions**

Put on appropriate personal protective equipment.

#### **Environmental Precautions**

Prevent product from entering drains. Prevent entry into waterways, sewers, basements or confined areas.

### **Methods for Containment**

Stop leak if without risk.

#### **Methods for Cleanup**

Cover liquid spill with sand, earth or other noncombustible absorbent material. Cover powder spill with plastic sheet or tarp to minimize spreading. Pick up and transfer to properly labeled container

# 7. Handling and Storage

### **Handling Procedures**

Eating, drinking, and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist.

# **Shipping and Storing Procedures**

Keep container tightly closed in a dry place. Keep away from heat. Protect from light. Keep in properly labeled containers. Keep out of the reach of children.

# **Incompatibilities:**

Oxidizing Agents

# 8. Exposure Controls / Personal Protection

# Component Exposure Limits

Oil Mist (Mineral)

 $5 \text{ mg/m}^3$  $10 \text{ mg/m}^3$ **ACGIH TLV:** TWA: N/A ppm TWA: STEL: N/A ppm STEL: N/A mg/m<sup>3</sup>  $5 \text{ mg/m}^3$ **OSHA PEL:** TWA: N/A ppm TWA STEL: N/A ppm STEL:  $5 \text{ mg/m}^3$  $10 \text{ mg/m}^3$ **NIOSH REL:** TWA: N/A ppm TWA STEL: N/A ppm STEL:

N/A signifies not available

### **Engineering Controls**

Material should be handled in enclosed vessels and equipment only if aerosolized and/or misted. Use only in adequate ventilation if this occurs. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Eye/Face Protection Skin Protection Respiratory Protection Safety glasses and face shield. Normal work gloves are appropriate

**Respiratory Protection**No special requirements under ordinary conditions of use and

with adequate ventilation

**General Hygiene** 

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing.

#### 9. Physical and Chemical Properties

Note: Physical and chemical properties are provided for safety, health and environmental considerations only and may not fully represent product specifications. Please see the Product Specification Sheet for further information.

not fully represent product specifications. Please see the Product Specification Sheet for further information.			
Appearance	Opaque	Flammability	Not Available
Physical State	Liquid	Upper/Lower	Not Available
		Flammability Limits	
Odor	Petroleum Oil	Vapor Pressure	Not Available
Odor Threshold	Not Available	Vapor Density	Not Available
pН	Not Available	Relative Density (lbs/gal)	7.2
<b>Melting/Freezing Point</b>	Not Available	Water Soluble	No
(°F)			
<b>Initial Boiling Point (°F)</b>	>650	Partition Coefficient: n-	3.3 to >6
		octanol/water	
<b>Boiling Range</b> (°F)	Not Available	Auto-ignition	Not Available
		Temperature (°F)	
Flash Point (°F)	375	Decomposition	Not Available
		Temperature (°F)	
Evaporation Rate	Not Available	Viscosity (40°C mm²/s)	14.5
_		<u> </u>	

<sup>\*</sup>Product has 0 kPa pressure at 68°F and is not expected to present any inhalation hazard at ambient conditions. Caution should be taken to prevent aerosolization or misting of this product. Oil mist, if generated, is considered hazardous according to the OSHA Hazard Communication Standard.

ARGuard Fast Quench 70 Revision Date: 9/1/2020 American Refining Group, Inc.

4670 Revision #:0 Page 4 of 6

10. Chemical Stability & Reactivity Information

ReactivityPolymerization will not occurChemical StabilityStable under normal conditionsHazardous ReactionsNone, under normal processing.Conditions to AvoidHigh temperatures, flames, sparksIncompatibilityStrong acids and oxidizing materials

Hazardous Decomposition Smoke, carbon monoxide, carbon dioxide, aldehydes and other

**Products** products of incomplete combustion.

# 11. Toxicological Information

**Acute Exposure** 

**Respiratory Irritation** Not expected to pose respiratory irritation. An inhalation hazard may only

arise if product is aerosolized or if heated up. If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and upper respiratory tract. Based on data from similar materials.

Eye IrritationNot expected to cause irritation under normal use.Skin IrritationNot expected to cause irritation under normal use.SensitizationNot expected to cause skin or respiratory sensitization.

**Aspiration Hazards** If swallowed can be aspirated into lungs and cause chemical pneumonia,

varying degrees of pulmonary injury or death. If swallowed, do NOT induce

vomiting.

**Chronic Exposure** 

**Target Organ Effects** No data available to indicate product or components at greater than 1% are

chronic health hazards.

Carcinogenicity This product contains mineral oils which are considered to be severely refined

and not considered to be carcinogenic under IARC. All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP

346 test.

**Mutagenicity** No data available to indicate product or any components present at greater

than

.1% are mutagenic or genotoxic.

**Reproductive Toxicity** No data available to indicate either product or components present at greater

than .1% that may cause reproductive toxicity.

**Teratogenicity** No data available to indicate product or any components contained at greater

than .1% may cause birth defects.

Analysis – LD50 / LC50

 Inhalation LC50 Rat
 >5 mg/L (4HR)

 Oral LD50 Rat
 >5000 mg/kg

 Dermal LD50 Rabbit
 >5000 mg/kg

# 12. Ecological Information

Component Analysis- Ecotoxicity - Aquatic Life

**Duration/Test/Species** Concentration/Conditions

96 hr LL50 >1000 mg/L

Oncorhyncus mykiss

96 hr EL50 >1000 mg/L

ARGuard Fast Quench 70 Revision Date: 9/1/2020

American Refining Group, Inc.

4670 Revision #:0 Page **5** of **6** 

12. Ecological Information

Scenedesmus subspicatus

21 Day WAF >50% mg/L

Daphnia magna

Persistence & Degradability Inherently biodegradable

Bioaccumulation PotentialNot AvailableSoil MobilityNot AvailableOther Adverse EffectsNot Available

# 13. Disposal Considerations

### **Disposal Instructions**

The generation of waste should be avoided or minimized wherever possible. Treatment, storage, transportation and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations.

# **14.** Transportation Information

**Emergency Response Guide** 171 North American Emergency Response

No. Guide Book

UN Number Shipping Name (technical Hazard Class Packing Group

name)

U.S. DOT Not Regulated

IATA Not Regulated

IMDG Not Regulated

# 15. Regulatory Information

SARA Extremely Hazardous

This product does not contain greater than 1% of any "extremely hazardous substances" listed pursuant to Title III of the Superfund

Amendments and Reauthorization Act of 1986 (SARA) Section 302 or Section 304 as identified in 40 CFR Part 355, Appendix A and B.

SARA Section 313 This product does not contain greater than 1.0% of the substances

subject to the reporting requirements of Section 313 of Title III of

the

Superfund Amendments and Reauthorization Act of 1986 and 40

CFR

Part 372.

SARA Section 311 & 312 Classifications Health Hazard Yes

Aspiration Hazard

**Physical Hazard** No

**ARGuard Fast Quench 70** 

Revision Date: 9/1/2020

American Refining Group, Inc.

Page 6 of 6

CERCLA

4670

Revision #:0

This product does not contain any "hazardous substances" listed under the Comprehensive Environmental Response, Compensation and Liability Act of

1980 (CERCLA) in 40 CFR Part 302, Table 302.4.

California Prop 65

This product is not routinely tested to determine chemical(s) known to the state of California to cause cancer and/or birth defects based on maximum impurity levels of components.

#### **Global Chemical Inventories**

Global Chemical Inventories		
Inventory		
US TSCA	Listed	
EU	Listed	
Japan	Not available	
Australia	Listed	
New Zealand	Not available	
Canada	Listed	
Switzerland	Not available	
Korea	Listed	
Philippines	Listed	
China	Not available	
Taiwan	Not available	

### 16. Other Information

# **US NFPA Ratings**

Health	Fire	Reactivity
0	1	0

#### **HMIS Ratings**

Health	Fire	Physical Hazards
0	1	0

**Revision Date** 1 September 2020 **Revision Reason** Section 1

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of SDS**