Revision #:0



# **Safety Data Sheet**

Prepared according to GHS

#### 1. Identification

Product Name ARGuard Low Ash Natural Gas Engine Oil SAE 40

Product Code(s) 724

Recommended Use Stationary Gas Engine Oil

Company American Refining Group, Inc. 77 North Kendall Avenue

Bradford, PA 16701 www.amref.com msds@amref.com

**Emergency Telephone** Chemtrec 1-800-424-9300 (24 HRS)

Number(s) ARG: 814-368-1297 (24 HRS)

## 2. Hazards Identification

**GHS Classification Signal Word** 

Hazard Statements

**Other Hazard Information** 

**GHS Pictogram** 

Skin Sensitization 1B

WARNING!

May cause an allergic skin reaction

Not applicable



#### **Precautionary Statements**

Avoid breathing mist or spray.

Contaminated work clothing must not be allowed out of the

workplace.

Wear protective gloves.

If on skin: wash with plenty of water.

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

#### 3. Composition / Information on Ingredients

CAS No.	Component	Percent
Confidential	Benzenesulfonic acid, mono-C16-24-alkyl derivs., calcium salts	1.0

#### 4. First Aid Measures

7249	Revision #:0	Page <b>2</b> of <b>6</b>		
4. First Aid Measures				
Eyes	Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.			
Skin	In case of contact, immediately flush skin with plenty of water f			
	at least 15 minutes while removing contaminated clothing and			
	shoes. Wash clothing before reuse. Clean shoes thoroughly before			
	reuse. Get medical attention immediately.			
Inhalation	Move exposed person to fresh air. Get medical attention			
	irritation develops.			
Ingestion	First aid is normally not required. Get medical attention if			
	discomfort develops.			
Note to Physicians	No specific treatment. Treat symptomatically. Contact particular treatment specialist if large quantities have been ingested			
	inhaled.			

#### 5. Fire Fighting Measures

# **Suitable Extinguishing Media**

Use dry chemical, CO<sub>2</sub>, water spray (FOG) or foam

# **Unsuitable Extinguishing Media**

Avoid solid water stream as it may scatter and spread fire.

# **Specific Hazards Arising from Chemical**

Elevated temperatures can lead to the formation of irritating vapors. Decomposing products may include the following materials: Carbon dioxide and Carbon monoxide.

# **Protective Equipment and Precautions for Firefighters**

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

#### 6. Accidental Release Measures

#### **Personal Precautions**

Put on appropriate personal protective equipment.

#### **Environmental Precautions**

Prevent product from entering drains. Prevent entry into waterways, sewers, basements or confined areas.

#### **Methods for Containment**

Stop leak if without risk.

#### **Methods for Cleanup**

Cover liquid spill with sand, earth or other noncombustible absorbent material. Cover powder spill with plastic sheet or tarp to minimize spreading. Pick up and transfer to properly labeled container

#### 7. Handling and Storage

# **Handling Procedures**

Eating, drinking, and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist.

#### **Shipping and Storing Procedures**

Keep container tightly closed in a dry place. Keep away from heat. Protect from light. Keep in properly labeled containers. Keep out of the reach of children.

7249 Revision #:0 Page 3 of 6

# 7. Handling and Storage

#### **Incompatibilities:**

Oxidizing Agents

## 8. Exposure Controls / Personal Protection

## **Component Exposure Limits\***

When mists/aerosols can occur the following are recommended: 5 mg/m³ - ACGIH TLV (inhalable fraction), 5 mg/m³ - OSHA PEL.

\*Product has 0 kPa pressure at 68°F and is not expected to present any inhalation hazard at ambient conditions. Caution should be taken to prevent aerosolization or misting of this product. Oil mist, if generated, is considered hazardous according to the OSHA Hazard Communication Standard.

**Engineering Controls**Material should be handled in enclosed vessels and equipment only if

aerosolized and/or misted. Use only in adequate ventilation if this occurs. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants

below any recommended or statutory limits.

Eye/Face Protection Safety glasses. If potential for splash or mist exists, wear chemical

goggles or face shield.

**Skin Protection** Normal work gloves are appropriate

**Respiratory Protection** No special requirements under ordinary conditions of use and with

adequate ventilation.

General Hygiene Wash hands, forearms and face thoroughly after handling chemical

products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove

potentially contaminated clothing.

#### 9. Physical and Chemical Properties

Note: Physical and chemical properties are provided for safety, health and environmental considerations only and may not fully represent product specifications. Please see the Product Specification Sheet for further information.

Appearance	Dark Yellow	Flammability	Not available
Physical State		Upper/Lower	
		Flammability Limits	
Odor	Mild	Vapor Pressure (kPa at	0
		20°C)	
Odor Threshold	Not available	Vapor Density	Not available
pH	Not available	Relative Density (lbs/gal)	7.3
Melting/Freezing Point	Not available	Water Soluble	No
(°F)			
<b>Initial Boiling Point (°F)</b>	Not available	Partition Coefficient: n-	Not available
		octanol/water	
Boiling Range (°F)	Not available	Auto-ignition	Not available
		Temperature (°F)	
Flash Point (°F)	500	Decomposition	Not available
		Temperature (°F)	
<b>Evaporation Rate</b>	Not available	Viscosity (40°C mm²/s)	119.8

**7249** Revision #:0 Page **4** of **6** 

#### 10. Chemical Stability & Reactivity Information

ReactivityPolymerization will not occurChemical StabilityStable under normal conditionsHazardous ReactionsNone, under normal processing.

Conditions to Avoid High temperatures

**Incompatibility** Strong acids and oxidizing materials

**Hazardous Decomposition** Smoke, carbon monoxide, carbon dioxide, aldehydes and other

**Products** products of incomplete combustion.

# 11. Toxicological Information

**Acute Exposure** 

**Respiratory Irritation** Not expected to pose respiratory irritation. An inhalation hazard may only

arise if product is aerosolized or if heated up. If material is misted or if vapors

are generated from heating, exposure may cause irritation of mucous

membranes and upper respiratory tract. Based on data from similar materials.

**Eye Irritation** Not expected to cause irritation under normal use. **Skin Irritation** Not expected to cause irritation under normal use.

Sensitization May cause skin sensitization. Based on data from components or similar

materials.

**Aspiration Hazards** Not expected to pose an aspiration hazard if swallowed.

**Chronic Exposure** 

**Target Organ Effects** No data available to indicate product or components at greater than 1% are

chronic health hazards.

**Carcinogenicity** No data available to indicate product or any components present at greater

than .1% are carcinogenic.

**Mutagenicity** No data available to indicate product or any components present at greater

than

.1% are mutagenic or genotoxic.

**Reproductive Toxicity** No data available to indicate either product or components present at greater

than .1% that may cause reproductive toxicity.

**Teratogenicity** No data available to indicate product or any components contained at greater

than .1% may cause birth defects.

**Component Analysis – LD50 / LC50** 

 Inhalation LC50 Rat
 >20 mg/L 4h

 Oral LD50 Rat
 >5000 mg/kg

 Dermal LD50 Rabbit
 >2000 mg/kg

#### 12. Ecological Information

# Component Analysis- Ecotoxicity - Aquatic Life

Duration/Test/Species 96 Hr LC50 Pimephales promelas **Concentration/Conditions** 

Not available mg/L

7249 Revision #:0 Page 5 of 6

## 12. Ecological Information

**Persistence & Degradability** Not determined **Bioaccumulation Potential** Not determined Not determined **Soil Mobility** Other Adverse Effects Not determined

#### 13. Disposal Considerations

#### **Disposal Instructions**

The generation of waste should be avoided or minimized wherever possible. Treatment, storage, transportation and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations.

# 14. Transportation Information

<b>Emergency Response Guide</b>		171		North American Emergency Response		
No.					Guide Book	
	UN Number	Sh	ipping Name (technical	Н	lazard Class	Packing Group
		name)				
U.S. DOT		Not Regulated				
Bulk						
U.S. DOT		No	ot Regulated			
Non-Bulk						
IATA		No	ot Regulated			
IMDG		No	ot Regulated			

#### 15. Regulatory Information

**SARA Extremely Hazardous** Substances (Sections 302 & 304)

SARA Section 313

This product does not contain greater than 1% of any "extremely hazardous substances" listed pursuant to Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) Section 302 or Section 304 as identified in 40 CFR Part 355, Appendix A and B. This product does not contain greater than 1.0% of the substances subject to the reporting requirements of Section 313 of Title III of

Superfund Amendments and Reauthorization Act of 1986 and 40

**CFR** Part 372.

SARA Section 311 & 312 Classifications

**Health Hazard** Yes

Skin Sensitizer

**Physical Hazard** No

**CERCLA** 

This product does not contain any "hazardous substances" listed under the Comprehensive Environmental Response, Compensation and Liability Act of 1980 (CERCLA) in 40 CFR Part 302, Table 302.4.

**ARGuard Low Ash Natural Gas Engine Oil SAE 40** 

American Refining Group, Inc.

**7249** Revision #:0 Page **6** of **6** 

California Prop 65

This product is not routinely tested to determine chemical(s) known to the state of California to cause cancer and/or birth defects based on maximum impurity levels of components.

#### **Global Chemical Inventories**

Global Chemical Inventories				
Inventory				
US TSCA	Listed			
EU	Listed			
Japan	Not available			
Australia	Listed			
New Zealand	Not available			
Canada	Listed			
Switzerland	Not available			
Korea	Listed			
Philippines	Listed			
China	Listed			
Taiwan	Not available			

## 16. Other Information

# **US NFPA Ratings**

Health	Fire	Reactivity	
0	1	0	

## **HMIS Ratings**

Health	Fire	Physical Hazards	
0	1	0	

**Revision Date** 1 September 2020 **Revision Reason** Section 15

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of SDS**