



Safety Data Sheet

Prepared according to GHS

1. Identification

Product Name	Kendex® 0851
Product Code	4571
Recommended Use	Viscosity Builder
Company	American Refining Group, Inc. 77 North Kendall Avenue Bradford, PA 16701 www.amref.com msds@amref.com
Emergency Telephone Number(s)	Chemtrec 1-800-424-9300 (24 HRS) ARG: 814-368-1297 (24 HRS)

2. Hazards Identification

GHS Classification	This product is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Signal Word	Not Applicable
Hazard Statements	Not Applicable
GHS Pictogram	Not Applicable
Precautionary Statements	Not Applicable

3. Composition / Information on Ingredients

CAS No.	Component	Common Name	Percent
---------	-----------	-------------	---------

This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

4. First Aid Measures

Eyes	Check for and remove any contact lenses. Flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Get medical attention if irritation develops.
Skin	In case of contact, flush skin with plenty of soap and water while removing contaminated clothing and shoes. Wash clothing before reuse. Get medical attention if irritation develops.
Inhalation	Move exposed person to fresh air. Get medical attention if irritation develops.
Ingestion	First aid is normally not required. Get medical attention if discomfort develops.
Note to Physicians	No specific treatment. Treat symptomatically. Contact poison treatment specialist if irritation occurs.

5. Fire Fighting Measures

Suitable Extinguishing Media

Use dry chemical, CO₂, water spray (FOG) or foam

Unsuitable Extinguishing Media

Avoid solid water stream as it may scatter and spread fire.

Specific Hazards Arising from Chemical

Elevated temperatures can lead to the formation of irritating fumes and vapors. Decomposing products may include the following materials: Carbon dioxide and Carbon monoxide.

Protective Equipment and Precautions for Firefighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental Release Measures

Personal Precautions

Put on appropriate personal protective equipment.

Environmental Precautions

Prevent product from entering drains. Prevent entry into waterways, sewers, basements or confined areas.

Methods for Containment

Stop leak if without risk.

Methods for Cleanup

A vapor suppressing foam may be used to reduce vapors. Cover liquid spill with sand, earth or other noncombustible absorbent material. Cover powder spill with plastic sheet or tarp to minimize spreading. Pick up and transfer to properly labeled container

7. Handling and Storage

Handling Procedures

Eating, drinking, and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Use only with adequate ventilation. Use non-sparking tools.

Shipping and Storing Procedures

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat. Protect from light. Keep in properly labeled containers. Keep out of the reach of children.

Incompatibilities:

Oxidizing Agents

8. Exposure Controls / Personal Protection

Component Exposure Limits

Oil Mist (mineral)

ACGIH TLV:	TWA:	N/A ppm	TWA:	5 mg/m ³	STEL:	N/A ppm	STEL:	10 mg/m ³
OSHA PEL:	TWA:	N/A ppm	TWA:	5 mg/m ³	STEL:	N/A ppm	STEL:	N/A mg/m ³
NIOSH REL:	TWA:	N/A ppm	TWA:	5 mg/m ³	STEL:	N/A ppm	STEL:	10 mg/m ³

N/A signifies not available

Engineering Controls

Material should be handled in enclosed vessels and equipment only if aerosolized and/or misted. Use only in adequate ventilation if this occurs. Use process enclosures, local exhaust ventilation or other

8. Exposure Controls / Personal Protection

Eye/Face Protection

engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Safety glasses

Skin Protection

Normal work gloves are appropriate.

Respiratory Protection

No special requirements under ordinary conditions of use and with adequate ventilation.

General Hygiene

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing.

9. Physical and Chemical Properties

Note: Physical and chemical properties are provided for safety, health and environmental considerations only and may not fully represent product specifications. Please see the Product Specification Sheet for further information.

Appearance	Opaque	Flammability	Not Available
Physical State	Liquid	Upper/Lower Flammability Limits	Not Available
Odor	Petroleum Oil	Vapor Pressure	Not Available
Odor Threshold	Not Available	Vapor Density	Not Available
pH	Not Available	Relative Density (lbs/gal)	7.5
Melting/Freezing Point (°F)	Not Available	Water Soluble	No
Initial Boiling Point (°F)	>600	Partition Coefficient: n-octanol/water	>10
Boiling Range (°F)	Not Available	Auto-ignition Temperature (°F)	Not Available
Flash Point (°F)	575	Decomposition Temperature (°F)	Not Available
Evaporation Rate	Not Available	Viscosity (40°C mm²/s)	62

10. Chemical Stability & Reactivity Information

Reactivity

Polymerization will not occur

Chemical Stability

Stable under normal conditions

Hazardous Reactions

None, under normal processing.

Conditions to Avoid

High temperatures, flames, sparks

Incompatibility

Strong acids and oxidizing materials

Hazardous Decomposition

Smoke, carbon monoxide, carbon dioxide, aldehydes and other products of incomplete combustion.

Products

11. Toxicological Information

Acute Exposure

Respiratory Irritation

Not expected to pose respiratory irritation.

Eye Irritation

Not expected to cause eye irritation.

11. Toxicological Information

Skin Irritation	Not expected to cause skin irritation.
Sensitization	Not expected to cause skin or respiratory sensitization.
Chronic Exposure	
Target Organ Effects	No data available to indicate product or components at greater than 1% are chronic health hazards.
Carcinogenicity	This product contains mineral oils which are considered to be severely refined and not considered to be carcinogenic under IARC. All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP 346 test.
Mutagenicity	No data available to indicate product or any components present at greater than .1% are mutagenic or genotoxic.
Reproductive Toxicity	No data available to indicate either product or components present at greater than .1% that may cause reproductive toxicity.
Teratogenicity	No data available to indicate product or any components contained at greater than .1% may cause birth defects.

Analysis – LD50 / LC50

Inhalation LC50 Rat	>22	mg/L
Oral LD50 Rat	>5000	mg/kg
Dermal LD50 Rabbit	>2000	mg/kg

12. Ecological Information

Component Analysis- Ecotoxicity – Aquatic Life

Duration/Test/Species	Concentration/Conditions
96 hr LL50 Aquatic Vertebrates	>1000 mg/L

Persistence & Degradability	Readily biodegradable
Bioaccumulation Potential	Not Available
Soil Mobility	Not Available
Other Adverse Effects	Not Available

13. Disposal Considerations

Disposal Instructions



The generation of waste should be avoided or minimized wherever possible. Treatment, storage, transportation and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations.

14. Transportation Information

Emergency Response Guide No.

171

North American Emergency Response Guide Book

	UN Number	Shipping Name (technical name)	Hazard Class	Packing Group	Placard
U.S. DOT Bulk	3257	Elevated Temperature Liquid N.O.S. (Petroleum Lubricating Oil)	9	III	
U.S. DOT Non-Bulk		Not Regulated			
IMDG	3257	Elevated Temperature Liquid N.O.S. (Petroleum Lubricating Oil)	9	III	
IATA	3257	Elevated Temperature Liquid N.O.S. (Petroleum Lubricating Oil)	9	III	



*Only considered hazardous if the material is “offered for transport” at or above 212 degrees Fahrenheit.

15. Regulatory Information

SARA Extremely Hazardous Substances (Sections 302 & 304)

This product does not contain greater than 1% of any “extremely hazardous substances” listed pursuant to Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) Section 302 or Section 304 as identified in 40 CFR Part 355, Appendix A and B.

SARA Section 313

This product does not contain greater than 1.0% of the substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

SARA Section 311 & 312 Classifications

Health Hazard No
Physical Hazard No

CERCLA

This product does not contain any “hazardous substances” listed under the Comprehensive Environmental Response, Compensation and Liability Act of 1980 (CERCLA) in 40 CFR Part 302, Table 302.4.

California Prop 65

This product is not routinely tested to determine chemical(s) known to the state of California to cause cancer and/or birth defects based on maximum impurity levels of components.

Global Chemical Inventories

Inventory	
US TSCA	Present
EU	Present
Japan	Not available
Australia	Present
New Zealand	Not Available
Canada	Present
Switzerland	Not available
Korea	Present
Philippines	Present
China	Present
Taiwan	Not available

16. Other Information

US NFPA Ratings

Health	Fire	Reactivity
0	1	0

HMIS Ratings

Health	Fire	Physical Hazards
0	1	0

Revision Date 19 January 2021
Revision Reason Section 14

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS