

Safety Data Sheet

Prepared according to GHS

1. Identification

Product Name Kendex® 0888

Product Code 4608

Recommended Use *Metal Working Blend*

Company American Refining Group, Inc. 77 North Kendall Avenue

Bradford, PA 16701 www.amref.com msds@amref.com

Emergency Telephone Chemtrec 1-800-424-9300 (24 HRS)

Number(s) ARG: 814-368-1297 (24 HRS)

2. Hazards Identification

GHS Classification Eye Irritation Category 2B

Skin Irritation Category 2

Signal Word Warning!

Hazard Statements Causes eye irritation

Other Hazard Information Causes skin irritation
Oil mist, if generated.

Oil mist, if generated, is considered hazardous according to the OSHA Hazard Communication Standard. The permissible

exposure limit (PEL) and threshold limit value (TLV) for this product as oil mist is 5 mg/m3. Exposures below specified limit appear to pose no significant health risk. The short-term exposure

limit for this product as an oil mist is 10 mg/m3.

GHS Pictogram



Precautionary Statements

Avoid breathing mist. Wash thoroughly after handling.

If in eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Wear Protective Gloves.

If on skin: wash with plenty of soap and water. If skin irritation occurs: get medical advice/attention. Take off contaminated clothing and wash before reuse.

Kendex® 0888 Revision Date: 1/21/2021 American Refining Group, Inc. 4608 Revision #:0 Page 2 of 7

3. Composition / Information on Ingredients

CAS No.	Component	Common Name	Percent
64742-46-7	Hydrotreated distillate, middle	Gas Oils	30-40%
8052-42-4	Petroleum Resins	Resin	55-65%

4. First Aid Me	easures	

Eyes Check for and remove any contact lenses. Immediately flush eyes

with plenty of water for at least 15 minutes, occasionally lifting the

upper and lower eyelids. Get medical attention if irritation

develops.

Skin In case of contact, immediately flush skin with plenty of water for

at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before

reuse. Get medical attention if irritation develops

Inhalation Product is not expected to present any inhalation hazard at ambient

conditions. If aerosolization and/or misting occurs and a person is over-exposed, move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical

attention immediately.

Ingestion DO NOT INDUCE VOMITING. If conscious, rinse out mouth

with water. Seek medical attention immediately.

Symptoms(**Acute and delayed**) Causes eye irritation

Causes skin irritation

Note to Physicians No specific treatment. Treat symptomatically. Contact poison

treatment specialist immediately if large quantities have been

ingested or inhaled.

5. Fire Fighting Measures

Suitable Extinguishing Media

Use dry chemical, CO₂, water spray (FOG) or foam

Unsuitable Extinguishing Media

Avoid solid water stream as it may scatter and spread fire.

Specific Hazards Arising from Chemical

Elevated temperatures can lead to the formation of irritating vapors. Decomposing products may include the following materials: Carbon dioxide and Carbon monoxide.

Protective Equipment and Precautions for Firefighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental Release Measures

Personal Precautions

4608 Revision #:0 Page **3** of **7**

6. Accidental Release Measures

Put on appropriate personal protective equipment.

Environmental Precautions

Prevent product from entering drains. Prevent entry into waterways, sewers, basements or confined areas.

Methods for Containment

Stop leak if without risk.

Methods for Cleanup

Cover liquid spill with sand, earth or other noncombustible absorbent material. Cover powder spill with plastic sheet or tarp to minimize spreading. Pick up and transfer to properly labeled container

7. Handling and Storage

Handling Procedures

Eating, drinking, and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist.

Shipping and Storing Procedures

Keep container tightly closed in a dry place. Keep away from heat. Protect from light. Keep in properly labeled containers. Keep out of the reach of children.

Incompatibilities:

Oxidizing Agents

8. Exposure Controls / Personal Protection

Component Exposure Limits

Oil Mist (mineral)*

 5 mg/m^3 10 mg/m^3 ACGIH TLV: TWA: N/A ppm TWA: STEL: N/A ppm STEL: 5 mg/m^3 N/A mg/m³ TWA **OSHA PEL:** TWA: N/A ppm STEL: N/A ppm STEL: **NIOSH REL:** TWA: N/A ppm TWA 5 mg/m^3 STEL: N/A ppm STEL: 10 mg/m^3

N/A signifies not available

Engineering Controls Material should be handled in enclosed vessels and equipment only if

aerosolized and/or misted. Use only in adequate ventilation if this occurs. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants

below any recommended or statutory limits.

Eye/Face Protection Chemical goggles.

Skin Protection Chemical resistant, impervious gloves complying with an approved

standard should be worn at all times. Coveralls, apron, and boots as

necessary to minimize contact.

Respiratory Protection Respirator may only be needed if product is aerosolized and/or misted.

Use a properly fitted, air-purifying respirator complying with an approved standard if a risk assessment indicated this is necessary. Respirator selection must be based on known or anticipated exposure

levels.

^{*}Product has 0 kPa pressure at 68°F and is not expected to present any inhalation hazard at ambient conditions. Caution should be taken to prevent aerosolization or misting of this product. Oil mist, if generated, is considered hazardous according to the OSHA Hazard Communication Standard.

Kendex® 0888Revision Date: 1/21/2021American Refining Group, Inc.4608Revision #:0Page 4 of 7

8. Exposure Controls / Personal Protection

General Hygiene

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing.

9. Physical and Chemical Properties

Note: Physical and chemical properties are provided for safety, health and environmental considerations only and may not fully represent product specifications. Please see the Product Specification Sheet for further information.

Appearance		Flammability	Not Available
Physical State	Liquid	Upper/Lower	Not Available
		Flammability Limits	
Odor	Petroleum Oil	Vapor Pressure	Not Available
Odor Threshold	Not Available	Vapor Density	Not Available
pH	Not Available	Relative Density (lbs/gal)	7.5
Melting/Freezing Point	Not Available	Water Soluble	No
(°F)			
Initial Boiling Point (°F)	Not Available	Partition Coefficient: n-	Not available
		octanol/water	
Boiling Range (°F)	Not Available	Auto-ignition	Not Available
		Temperature (°F)	
Flash Point (°F)	280	Decomposition	Not Available
		Temperature (°F)	
Evaporation Rate	Not Available	Viscosity (40°C mm²/s)	400
_			

10. Chemical Stability & Reactivity Information

ReactivityPolymerization will not occurChemical StabilityStable under normal conditionsHazardous ReactionsNone, under normal processing.

Conditions to Avoid High temperatures

Incompatibility Strong acids and oxidizing materials

Hazardous Decomposition Smoke, carbon monoxide, carbon dioxide, aldehydes and other

Products products of incomplete combustion.

11. Toxicological Information

Acute Exposure

Respiratory Irritation An inhalation hazard may only arise if product is used in aerosolaerosolized

conditions or if heated. If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and upper

respiratory tract. Based on data from similar materials.

Eye Irritation Causes minimal to slight eye irritation if product is splashed in eyes and

unwashed

Skin Irritation Causes very slight reversible skin irritation. May cause slight redness and

swelling.

Kendex® 0888 Revision Date: 1/21/2021 American Refining Group, Inc. 4608 Revision #:0 Page 5 of 7

11. Toxicological Information

Sensitization Not expected to cause skin or respiratory sensitization.

Aspiration Hazards Not expected to cause an aspiration hazard.

Chronic Exposure

Target Organ Effects No data available to indicate product or components at greater than 1% are

chronic health hazards.

Carcinogenicity This product contains mineral oils which are considered to be severely refined

and not considered to be carcinogenic under IARC. All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP

346 test.

Mutagenicity No data available to indicate product or any components present at greater

than

.1% are mutagenic or genotoxic.

Reproductive Toxicity No data available to indicate either product or components present at greater

than .1% that may cause reproductive toxicity.

Teratogenicity No data available to indicate product or any components contained at greater

than .1% may cause birth defects.

Analysis – LD50 / LC50

Inhalation LC50 Rat 12.6 mg/L
Oral LD50 Rat >5000 mg/kg
Dermal LD50 Rabbit >2000 mg/kg

12. Ecological Information

Component Analysis- Ecotoxicity – Aquatic Life

Duration/Test/Species Concentration/Conditions

96 Hr LL50; WAF >750 mg/L

Aquatic Vertebrates

Persistence & DegradabilityNot availableBioaccumulation PotentialNot AvailableSoil MobilityNot AvailableOther Adverse EffectsNot Available

13. Disposal Considerations

Disposal Instructions

The generation of waste should be avoided or minimized wherever possible. Treatment, storage, transportation and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations.

14. Transportation Information

Emergency Response Guide

North American Emergency Response

No. Guide Book

Kendex® 0888 Revision Date: 1/21/2021 American Refining Group, Inc. 4608 Revision #:0 Page 6 of 7

UN Number Shipping Name (technical name) Hazard Packing Placard/

Class Group Label

U.S. DOT Not Regulated

IMDG Not Regulated

IATA Not Regulated

SARA Section 313

15. Regulatory Information

SARA Extremely Hazardous This product does not contain greater than 1% of any "extremely hazardous substances" listed pursuant to Title III of the Superfund

Amendments and Reauthorization Act of 1986 (SARA) Section 302 or Section 304 as identified in 40 CFR Part 355, Appendix A and B.

This product does not contain greater than 1.0% of the substances

subject to the reporting requirements of Section 313 of Title III of the

Superfund Amendments and Reauthorization Act of 1986 and 40

CFR Part 372.

SARA Section 311 & 312 Classifications Health Hazard Yes

Eye Irritation Category 2B

Skin Irritation Category 2

Physical Hazard No

CERCLA This product does not contain any "hazardous substances" listed under the

Comprehensive Environmental Response, Compensation and Liability Act of

1980 (CERCLA) in 40 CFR Part 302, Table 302.4.

California Prop 65 This product does not contain chemical(s) known to the state of California to

cause cancer and/or birth defects based on maximum impurity levels of

components.

Global Chemical Inventories

Inventory	
US TSCA	Listed
EU	Listed
Japan	Not available
Australia	Listed
New Zealand	Listed
Canada	Listed
Switzerland	Not available
Korea	Listed
Philippines	Not Available
China	Listed
Taiwan	Not available

16. Other Information

US NFPA Ratings

Health	Fire	Reactivity
1	1	0

HMIS Ratings

Health	Fire	Physical Hazards
1	1	0

Revision Date Revision Reason 21 January 2021 Section 2 & 15

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS