



## Safety Data Sheet

Prepared according to GHS

### 1. Identification

<b>Product Name</b>	<b>ARGuard EP Gear Oil Series</b>
<b>Product Code</b>	<b>7773, 7774, 7775, 7776, 7777, 7778</b>
<b>Recommended Use</b>	<b>Industrial Gear Lubricant</b>
<b>Company</b>	American Refining Group, Inc. 77 North Kendall Avenue Bradford, PA 16701 www.amref.com msds@amref.com
<b>Emergency Telephone Number(s)</b>	Chemtrec 1-800-424-9300 (24 HRS) ARG: 814-368-1297 (24 HRS)

### 2. Hazards Identification

<b>GHS Classification</b>	This product is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
<b>Signal Word</b>	Not applicable
<b>Hazard Statements</b>	Not applicable
<b>GHS Pictogram</b>	Not applicable
<b>Precautionary Statements</b>	Not applicable

### 3. Composition / Information on Ingredients

CAS No.	Component	Common Name	Percent
Confidential	N/A	Olefin Sulfide	>2
Confidential	N/A	Phosphoric Acid	>1
Confidential	N/A	Alkenyl Amine	>.5

### 4. First Aid Measures

<b>Eyes</b>	Check for and remove any contact lenses. Flush eyes with plenty of water occasionally lifting the upper and lower eyelids. Get medical attention if irritation develops.
<b>Skin</b>	In case of contact, flush skin with plenty of soap and water while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if irritation develops.
<b>Inhalation</b>	Move exposed person to fresh air. Get medical attention if irritation develops.
<b>Ingestion</b>	First aid is normally not required. Get medical attention if discomfort develops.

#### 4. First Aid Measures

##### Note to Physicians

No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

#### 5. Fire Fighting Measures

##### Suitable Extinguishing Media

Use dry chemical, CO<sub>2</sub>, water spray (FOG) or foam

##### Unsuitable Extinguishing Media

Avoid solid water stream as it may scatter and spread fire.

##### Specific Hazards Arising from Chemical

Elevated temperatures can lead to the formation of irritating fumes and vapors. Decomposing products may include the following materials: Carbon dioxide and Carbon monoxide.

##### Protective Equipment and Precautions for Firefighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

#### 6. Accidental Release Measures

##### Personal Precautions

Put on appropriate personal protective equipment.

##### Environmental Precautions

Prevent product from entering drains. Prevent entry into waterways, sewers, basements or confined areas.

##### Methods for Containment

Stop leak if without risk.

##### Methods for Cleanup

A vapor suppressing foam may be used to reduce vapors. Cover liquid spill with sand, earth or other noncombustible absorbent material. Cover powder spill with plastic sheet or tarp to minimize spreading. Pick up and transfer to properly labeled container.

#### 7. Handling and Storage

##### Handling Procedures

Eating, drinking, and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Use only with adequate ventilation. Use non-sparking tools.

##### Shipping and Storing Procedures

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat. Protect from light. Keep in properly labeled containers. Keep out of the reach of children.

##### Incompatibilities:

Oxidizing Agents

#### 8. Exposure Controls / Personal Protection

##### Component Exposure Limits

##### Oil Mist (mineral)

ACGIH TLV:	TWA:	N/A ppm	TWA:	5 mg/m <sup>3</sup>	STEL:	N/A ppm	STEL:	10 mg/m <sup>3</sup>
OSHA PEL:	TWA:	N/A ppm	TWA:	5 mg/m <sup>3</sup>	STEL:	N/A ppm	STEL:	N/A mg/m <sup>3</sup>

**8. Exposure Controls / Personal Protection**

NIOSH REL: TWA: N/A ppm TWA 5 mg/m<sup>3</sup> STEL: N/A ppm STEL: 10 mg/m<sup>3</sup>  
N/A signifies not available

**Eye/Face Protection**

Safety glasses

**Skin Protection**

Normal work gloves are appropriate

**Respiratory Protection**

No special requirements under ordinary conditions of use and with adequate ventilation.

**General Hygiene**

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing.

**9. Physical and Chemical Properties**

*Note: Physical and chemical properties are provided for safety, health and environmental considerations only and may not fully represent product specifications. Please see the Product Specification Sheet for further information.*

<b>Appearance</b>	Opaque	<b>Flammability</b>	Combustible liquid and vapor
<b>Physical State</b>	Liquid	<b>Upper/Lower Flammability Limits</b>	Not Available
<b>Odor</b>	Petroleum Oil	<b>Vapor Pressure (20°C mm Hg)</b>	0
<b>Odor Threshold</b>	Not Available	<b>Vapor Density</b>	Not Available
<b>pH</b>	Not Available	<b>Relative Density (lbs/gal)</b>	~7.3 – 7.5
<b>Melting/Freezing Point (°F)</b>	Not Available	<b>Water Soluble</b>	No
<b>Initial Boiling Point (°F)</b>	Not Available	<b>Partition Coefficient: n-octanol/water</b>	Not Available
<b>Boiling Range (°F)</b>	Not Available	<b>Auto-ignition Temperature (°F)</b>	Not Available
<b>Flash Point (°F) Tag Closed Cup D-56</b>	425-575	<b>Decomposition Temperature (°F)</b>	Not Available
<b>Evaporation Rate</b>	Not Available	<b>Viscosity (40°C mm<sup>2</sup>/s)</b>	78-748

**10. Chemical Stability & Reactivity Information**

**Reactivity**

Polymerization will not occur

**Chemical Stability**

Stable under normal conditions

**Hazardous Reactions**

None, under normal processing.

**Conditions to Avoid**

High temperatures

**Incompatibility**

Strong acids and oxidizing materials

**Hazardous Decomposition Products**

Smoke, carbon monoxide, carbon dioxide, aldehydes and other products of incomplete combustion.

## 11. Toxicological Information

### Acute Exposure

#### Respiratory Irritation

Not expected to pose respiratory irritation. An inhalation hazard may only arise if product is aerosolized or if heated up. If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and upper respiratory tract. Based on data from similar materials.

#### Eye Irritation

Not expected to cause irritation under normal use.

#### Skin Irritation

Not expected to cause irritation under normal use.

#### Sensitization

Not expected to cause skin or respiratory sensitization.

#### Aspiration Hazard

Not expected to pose an aspiration hazard if swallowed.

### Chronic Exposure

#### Target Organ Effects

No data available to indicate product or components at greater than 1% are chronic health hazards.

#### Carcinogenicity

This product contains mineral oils which are considered to be severely refined and not considered to be carcinogenic under IARC. All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP 346 test.

#### Mutagenicity

No data available to indicate product or any components present at greater than .1% are mutagenic or genotoxic.

#### Reproductive Toxicity

No data available to indicate either product or components present at greater than .1% that may cause reproductive toxicity.

#### Teratogenicity

No data available to indicate product or any components contained at greater than .1% may cause birth defects.

### Analysis – LD50 / LC50

Inhalation LC50 Rat	24	mg/L
Oral LD50 Rat	>2000	mg/kg
Dermal LD50 Rabbit	>2000	mg/kg

## 12. Ecological Information

**Persistence & Degradability** Not readily degradable

**Bioaccumulation Potential** Not Available

**Soil Mobility** Not Available

**Other Adverse Effects** Not Available

## 13. Disposal Considerations

### Disposal Instructions

The generation of waste should be avoided or minimized wherever possible. Treatment, storage, transportation and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations.

**14. Transportation Information**

<b>Emergency Response Guide No.</b>	128	<i>North American Emergency Response Guide Book</i>			
	UN Number	Shipping Name (technical name)	Hazard Class	Packing Group	Placards/Label
<b>U.S. DOT</b>		Not Regulated			
<b>IATA</b>		Not Regulated			
<b>IMDG</b>		Not Regulated			

**15. Regulatory Information**

<b>SARA Extremely Hazardous Substances (Sections 302 &amp; 304)</b>	This product does not contain greater than 1% of any “extremely hazardous substances” listed pursuant to Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) Section 302 or Section 304 as identified in 40 CFR Part 355, Appendix A and B.								
<b>SARA Section 313</b>	This product does not contain greater than 1.0% of the substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.								
<b>SARA Section 311 &amp; 312 Classifications</b>	<table border="0"> <tr> <td><b>Acute Hazard</b></td> <td>No</td> </tr> <tr> <td><b>Chronic Hazard</b></td> <td>No</td> </tr> <tr> <td><b>Fire Hazard</b></td> <td>No</td> </tr> <tr> <td><b>Reactivity Hazard</b></td> <td>No</td> </tr> </table>	<b>Acute Hazard</b>	No	<b>Chronic Hazard</b>	No	<b>Fire Hazard</b>	No	<b>Reactivity Hazard</b>	No
<b>Acute Hazard</b>	No								
<b>Chronic Hazard</b>	No								
<b>Fire Hazard</b>	No								
<b>Reactivity Hazard</b>	No								
<b>CERCLA</b>	t-butyl mercaptan CAS 75-66-1 Reportable quantity 100lbs Phosphoric acid CAS 7664-38-2 Reportable quantity 5000 lbs								
<b>California Prop 65</b>	This product does not contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.								
<b>California Air Resource Board (CARB)</b>	<p>(C) is a chemical “compound” with a boiling point greater than 216°C, as determined by ARB Method 310; or</p> <p>(D) is the weight percent of a chemical “mixture” that boils above 216°C, as determined by ARB Method 310.</p>								

**Global Chemical Inventories**

Inventory	
US TSCA	Present
EU	Present
Japan	Not available
Australia	Present
New Zealand	Present
Canada	Present
Switzerland	Not available
Korea	Present

Philippines	Not Available
China	Present
Taiwan	Not available

**16. Other Information**

**US NFPA Ratings**

<b>Health</b>	<b>Fire</b>	<b>Reactivity</b>
0	1	0

**HMIS Ratings**

<b>Health</b>	<b>Fire</b>	<b>Physical Hazards</b>
0	1	0

**Revision Date**

25 February 2021

**Revision Reason**

Revised product codes and flash point ranges

*The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.*

**End of SDS**