Kendex 500H 4310

Revision Date: 8/22/2022
Revision #:0



Safety Data Sheet

Prepared according to GHS

1. Identification

Product Name Kendex 500H

Product Code 4310

Recommended Use Chemical Blending, Compounding Operations, Carrier Fluids,

Process Oils, Plasticizers, etc.

Company American Refining Group, Inc. 77 North Kendall Avenue

Bradford, PA 16701

www.amref.com msds@amref.com

Emergency Telephone Chemtrec 1-800-424-9300 (24 HRS)

Number(s) ARG: 814-368-1297 (24 HRS)

2. Hazards Identification

GHS Classification This product is not considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200)

Signal WordNot ApplicableHazard StatementsNot ApplicableGHS PictogramNot ApplicablePrecautionary StatementsNot Applicable

3. Composition / Information on Ingredients

This product does not contain any hazardous components per OSHA Hazard Communication Standard (29 CFR 1910.1200)

4. First Aid Measures

Eves Check for and remove any contact lenses. Flush eyes with plenty of

water occasionally lifting the upper and lower eyelids. Get medical

attention if irritation develops.

Skin In case of contact, flush skin with plenty of soap and water while

removing contaminated clothing and shoes. Wash clothing before

reuse. Get medical attention if irritation develops.

Inhalation Move exposed person to fresh air. Get medical attention if irritation

develops.

Ingestion First aid is normally not required. Get medical attention if irritation

develops.

4310 Revision #:0 Page **2** of **6**

4. First Aid Measures

Note to Physicians

No specific treatment. Treat symptomatically. Contact poison treatment specialist if large quantities have been ingested or inhaled.

5. Fire Fighting Measures

Suitable Extinguishing Media

Use dry chemical, CO₂, water spray (FOG) or foam

Unsuitable Extinguishing Media

Avoid solid water stream as it may scatter and spread fire.

Specific Hazards Arising from Chemical

Elevated temperatures can lead to the formation of irritating fumes and vapors. Decomposing products may include the following materials: Carbon dioxide and Carbon monoxide.

Protective Equipment and Precautions for Firefighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental Release Measures

Personal Precautions

Put on appropriate personal protective equipment.

Environmental Precautions

Prevent product from entering drains. Prevent entry into waterways, sewers, basements or confined areas.

Methods for Containment

Stop leak if without risk.

Methods for Cleanup

A vapor suppressing foam may be used to reduce vapors. Cover liquid spill with sand, earth or other noncombustible absorbent material. Cover powder spill with plastic sheet or tarp to minimize spreading. Pick up and transfer to properly labeled container

7. Handling and Storage

Handling Procedures

Eating, drinking, and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Use only with adequate ventilation. Use non-sparking tools.

Shipping and Storing Procedures

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat. Protect from light. Keep in properly labeled containers. Keep out of the reach of children.

Incompatibilities:

Oxidizing Agents

8. Exposure Controls / Personal Protection

Component Exposure Limits

Oil Mist (Mineral)

ACGIH TLV:	TWA:	N/A ppm	TWA:	5 mg/m^3	STEL:	N/A ppm	STEL:	10 mg/m^3
OSHA PEL:	TWA:	N/A ppm	TWA	5 mg/m^3	STEL:	N/A ppm	STEL:	$N/A mg/m^3$
NIOSH REL:	TWA:	N/A ppm	TWA	5 mg/m^3	STEL:	N/A ppm	STEL:	10 mg/m^3

4310 Revision #:0

8. Exposure Controls / Personal Protection

N/A signifies not available

*Product has 0 kPa pressure at 68°F and is not expected to present any inhalation hazard at ambient conditions. Caution should be taken to prevent aerosolization or misting of this product. Oil mist, if generated, is considered hazardous according to the OSHA Hazard Communication Standard.

Engineering ControlsMaterial should be handled in enclosed vessels and equipment only if

aerosolized and/or misted. Use only in adequate ventilation if this occurs. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants

below any recommended or statutory limits.

Eye/Face Protection Safety glasses

Skin Protection Normal work gloves are appropriate

Respiratory ProtectionNo special requirements under ordinary conditions of use and with

adequate ventilation.

General Hygiene Wash hands, forearms and face thoroughly after handling chemical

products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove

potentially contaminated clothing.

9. Physical and Chemical Properties

Note: Physical and chemical properties are provided for safety, health and environmental considerations only and may not fully represent product specifications. Please see the Product Specification Sheet for further information.

Appearance	Dark Amber	Flammability	Not Available
Physical State	Liquid	Upper/Lower	Not Available
	-	Flammability Limits	
Odor	Hydrocarbon Oil	Vapor Pressure	Not Available
Odor Threshold	Not Available	Vapor Density	Not Available
pН	Not Available	Relative Density (lbs/gal)	7.33
Melting/Freezing Point	Not Available	Water Soluble	No
(°F)			
Initial Boiling Point (°F)	>640	Partition Coefficient: n-	>4
		octanol/water	
Boiling Range (°F)	Not Available	Auto-ignition	Not Available
		Temperature (°F)	
Flash Point (°F)	450	Decomposition	Not Available
		Temperature (°F)	
Evaporation Rate	Not Available	Viscosity (40°C mm²/s)	101.3
_			

10. Chemical Stability & Reactivity Information

ReactivityPolymerization will not occurChemical StabilityStable under normal conditionsHazardous ReactionsNone, under normal processing.Conditions to AvoidHigh temperatures, flames, sparks

Kendex 500H **Revision Date: 8/22/2022** American Refining Group, Inc. 4310 Revision #:0 Page 4 of 6

10. Chemical Stability & Reactivity Information

Incompatibility Strong acids and oxidizing materials

Hazardous Decomposition

Products

Smoke, carbon monoxide, carbon dioxide, aldehydes and other products

of incomplete combustion.

11. Toxicological Information

Acute Exposure

Respiratory Irritation Not expected to pose respiratory irritation. An inhalation hazard may only arise

> if product is used in aerosol conditions or if heated up. If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and upper respiratory tract. Based on data from similar materials.

Not expected to cause irritation under normal use. **Eve Irritation Skin Irritation** Not expected to cause irritation under normal use. Not expected to cause skin or respiratory sensitization. Sensitization Not expected to pose an aspiration hazard if swallowed. **Aspiration Hazards**

Chronic Exposure

Target Organ Effects No data available to indicate product or components at greater than 1% are

acute health hazards.

This product contains mineral oils which are considered to be severely refined Carcinogenicity

> and not considered to be carcinogenic under IARC. All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP

346 test.

Mutagenicity No data available to indicate product or any components present at greater than

.1% are mutagenic or genotoxic.

No data available to indicate either product or components present at greater **Reproductive Toxicity**

than .1% that may cause reproductive toxicity.

Teratogenicity No data available to indicate product or any components contained at greater

than .1% may cause birth defects.

Analysis – LD50 / LC50

Inhalation LC50 Rat >22 mg/L **Oral LD50 Rat** >5000 mg/kg **Dermal LD50 Rabbit** >5000 mg/kg

12. Ecological Information

Component Analysis- Ecotoxicity – Aquatic Life

Duration/Test/Species	Concentration/Conditions	
96 hr LL50	>1000	mg/L
Oncorhyncus mykiss		
96 hr EL50	>1000	mg/L
Scenedesmus subspicatus		
21 Day WAF	>50%	mg/L

Daphnia magna

Kendex 500HRevision Date: 8/22/2022American Refining Group, Inc.4310Revision #:0Page 5 of 6

Persistence & Degradability In

Inherently biodegradable Not Available

Bioaccumulation Potential Soil Mobility

Not Available Not Available

Other Adverse Effects

13. Disposal Considerations

Disposal Instructions

The generation of waste should be avoided or minimized wherever possible. Treatment, storage, transportation and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations.

14. Transportation Information

Emergency Response Guide No. 171 North American Emergency Response

Guide Book

UN Number Shipping Name (technical name) Hazard Class Packing Group

U.S. DOT Not Regulated

IATA Not Regulated

IMDG Not Regulated

15. Regulatory Information

SARA Extremely Hazardous

This product does not contain greater than 1% of any "extremely hazardous substances" listed pursuant to Title III of the Superfund

Amendments and Reauthorization Act of 1986 (SARA) Section 302 or

Section 304 as identified in 40 CFR Part 355, Appendix A and B.

SARA Section 313 This product does not contain greater than 1.0% of the substances

subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR

Part 372.

SARA Section 311 & 312 Classifications

Health Hazard No **Physical Hazard** No

CERCLA This product does not contain any "hazardous substances" listed under the

Comprehensive Environmental Response, Compensation and Liability Act of

1980 (CERCLA) in 40 CFR Part 302, Table 302.4.

California Prop 65 This product is not routinely tested to determine chemical(s) known to the state

of California to cause cancer and/or birth defects based on maximum impurity

levels of components.

Global Chemical Inventories

Kendex 500H

Revision Date: 8/22/2022

American Refining Group, Inc.
Page 6 of 6

4310 Revision #:0

Inventory	
US TSCA	Present
EU	Present
Japan	Not available
Australia	Present
New Zealand	Present
Canada	Present
Switzerland	Not available
Korea	Present
Philippines	Present
China	Present
Taiwan	Not available

16. Other Information

US NFPA Ratings

OB 11111 Rutings				
Health	Fire	Reactivity		
0	1	0		

HMIS Ratings

Health	Fire	Physical Hazards
0	1	0

Revision Date 22 August 2022 **Revision Reason** New SDS

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS