Revision #:0



Safety Data Sheet

Prepared according to GHS

1. Identification

Product Name ARGuard Multi-Purpose GL-5 Gear Oil Series

Product Code(s) 7730, 7735 Recommended Use Gear Lubes

CompanyAmerican Refining Group, Inc. 77 North Kendall Avenue

Bradford, PA 16701 www.amref.com msds@amref.com

Emergency Telephone Chemtrec 1-800-424-9300 (24 HRS)

Number(s) ARG: 814-368-1297 (24 HRS)

2. Hazards Identification

GHS Classification This product is not considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200).

Signal WordNot applicableHazard StatementsNot applicableOther Hazard InformationNot applicableGHS PictogramNot applicablePrecautionary StatementsNot applicable

3. Composition / Information on Ingredients

| CAS No. | Component | Common Name | Percent |
|--|-----------|-------------|---------|
| This product does not contain ingredients that are hazardous by the OSHA Hazard Communication Standard | | | |
| (29 CFR 1910.1200) | | | |

4. First Aid Measures

Eyes Check for and remove any contact lenses. Flush eyes with plenty

of water, occasionally lifting the upper and lower eyelids. Get

medical attention if irritation develops.

Skin In case of contact, flush skin with plenty of soap and water while

removing contaminated clothing and shoes. Wash clothing before

reuse. Get medical attention if irritation develops.

Inhalation Move exposed person to fresh air. Get medical attention if

irritation develops.

Ingestion First aid is normally not required. Get medical attention if

discomfort develops.

| SAE 80W-90, 85W-140 | Revision #:0 | Page 2 of 6 |
|---------------------|-----------------------|---------------------------|
| | 4. First Aid Measures | |

Note to Physicians

No specific treatment. Treat symptomatically. Contact poison treatment specialist if large quantities have been ingested or inhaled.

5. Fire Fighting Measures

Suitable Extinguishing Media

Use dry chemical, CO₂, water spray (FOG) or foam

Unsuitable Extinguishing Media

Avoid solid water stream as it may scatter and spread fire.

Specific Hazards Arising from Chemical

Elevated temperatures can lead to the formation of irritating vapors. Decomposing products may include the following materials: Carbon dioxide and Carbon monoxide.

Protective Equipment and Precautions for Firefighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental Release Measures

Personal Precautions

Put on appropriate personal protective equipment.

Environmental Precautions

Prevent product from entering drains. Prevent entry into waterways, sewers, basements or confined areas.

Methods for Containment

Stop leak if without risk.

Methods for Cleanup

Cover liquid spill with sand, earth or other noncombustible absorbent material. Cover powder spill with plastic sheet or tarp to minimize spreading. Pick up and transfer to properly labeled container

7. Handling and Storage

Handling Procedures

Eating, drinking, and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist.

Shipping and Storing Procedures

Keep container tightly closed in a dry place. Keep away from heat. Protect from light. Keep in properly labeled containers. Keep out of the reach of children.

Incompatibilities:

Oxidizing Agents

8. Exposure Controls / Personal Protection

Component Exposure Limits*

When mists/aerosols can occur the following are recommended: 5 mg/m^3 - ACGIH TLV (inhalable fraction), 5 mg/m^3 - OSHA PEL.

*Product has 0 kPa pressure at 68°F and is not expected to present any inhalation hazard at ambient conditions. Caution should be taken to prevent aerosolization or misting of this product. Oil mist, if generated, is considered hazardous according to the OSHA Hazard Communication Standard.

Revision #:0

Page 3 of 6

| 8. | Exposure | Controls / | / Personal | Protection |
|----|----------|------------|-------------|-------------------|
| o. | LADUSUIC | Communis / | i Ci Sullai | 1 1 010011 |

Engineering ControlsMaterial should be handled in enclosed vessels and equipment only if

aerosolized and/or misted. Use only in adequate ventilation if this occurs. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants

below any recommended or statutory limits.

Eye/Face Protection Safety glasses

Skin Protection Normal work gloves are appropriate

Respiratory ProtectionNo special requirements under ordinary conditions of use and with

adequate ventilation.

General Hygiene Wash hands, forearms and face thoroughly after handling chemical

products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove

potentially contaminated clothing.

9. Physical and Chemical Properties

Note: Physical and chemical properties are provided for safety, health and environmental considerations only and may not fully represent product specifications. Please see the Product Specification Sheet for further information.

| The state of the s | 1 1 | 1 0 | ř |
|--|--------------------|----------------------------|---------------|
| Appearance | Amber – Dark Amber | Flammability | Not available |
| Physical State | Liquid | Upper/Lower | Not available |
| | | Flammability Limits | |
| Odor | Mild | Vapor Pressure (kPa at | 0 |
| | | 20°C) | |
| Odor Threshold | Not available | Vapor Density | Not available |
| pH | Not available | Relative Density (lbs/gal) | 7.3-7.5 |
| Melting/Freezing Point | Not available | Water Soluble | No |
| (°F) | | | |
| Initial Boiling Point (°F) | Not available | Partition Coefficient: n- | Not available |
| | | octanol/water | |
| Boiling Range (°F) | Not available | Auto-ignition | Not available |
| | | Temperature (°F) | |
| Flash Point (°F) | 435-440 | Decomposition | Not available |
| | | Temperature (°F) | |
| Evaporation Rate | Not available | Viscosity (40°C mm²/s) | 138-328 |
| _ | | | |
| | | • | |

10. Chemical Stability & Reactivity Information

ReactivityPolymerization will not occurChemical StabilityStable under normal conditionsHazardous ReactionsNone, under normal processing.

Conditions to Avoid High temperatures

Incompatibility Strong acids and oxidizing materials

Hazardous Decomposition Smoke, carbon monoxide, carbon dioxide, aldehydes and other

Products products of incomplete combustion.

11. Toxicological Information

SAE 80W-90, 85W-140 Revision #:0 Page 4 of 6

11. Toxicological Information

Respiratory Irritation Not expected to pose respiratory irritation. An inhalation hazard may only

arise if product is aerosolized or if heated up. If material is misted or if vapors

are generated from heating, exposure may cause irritation of mucous

membranes and upper respiratory tract. Based on data from similar materials.

Eye IrritationNot expected to cause irritation under normal use.Skin IrritationNot expected to cause irritation under normal use.SensitizationNot expected to cause skin or respiratory sensitization.Aspiration HazardsNot expected to pose an aspiration hazard if swallowed.

Chronic Exposure

Target Organ Effects No data available to indicate product or components at greater than 1% are

chronic health hazards.

Carcinogenicity No data available to indicate product or any components present at greater

than .1% are carcinogenic.

Mutagenicity No data available to indicate product or any components present at greater

than

.1% are mutagenic or genotoxic.

Reproductive Toxicity No data available to indicate either product or components present at greater

than .1% that may cause reproductive toxicity.

Teratogenicity No data available to indicate product or any components contained at greater

than .1% may cause birth defects.

Component Analysis – LD50 / LC50

 Inhalation LC50 Rat
 >20 mg/L 4h

 Oral LD50 Rat
 >5000 mg/kg

 Dermal LD50 Rabbit
 >2000 mg/kg

12. Ecological Information

Component Analysis- Ecotoxicity - Aquatic Life

Duration/Test/Species Concentration/Conditions

96 Hr LC50 Not available mg/L

Pimephales promelas

Persistence & Degradability
Bioaccumulation Potential
Soil Mobility
Other Adverse Effects
Not determined
Not determined
Not determined

13. Disposal Considerations

Disposal Instructions

13. Disposal Considerations

The generation of waste should be avoided or minimized wherever possible. Treatment, storage, transportation and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations.

14. Transportation Information

| Emergency Response Guide | | 171 | | North American Emergency Response | | |
|---------------------------------|-----------|-----|------------------------|-----------------------------------|-------------|---------------|
| No. | | | | | Guide Book | |
| | UN Number | Sh | ipping Name (technical | Η | azard Class | Packing Group |
| | | naı | me) | | | |
| U.S. DOT | | No | t Regulated | | | |
| Bulk | | | | | | |
| U.S. DOT | | No | t Regulated | | | |
| Non-Bulk | | | | | | |
| IATA | | No | t Regulated | | | |
| IMDG | | No | t Regulated | | | |

15. Regulatory Information

SARA Extremely Hazardous Substances (Sections 302 & 304)

SARA Section 313

This product does not contain greater than 1% of any "extremely hazardous substances" listed pursuant to Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) Section 302 or Section 304 as identified in 40 CFR Part 355, Appendix A and B. This product does not contain greater than 1.0% of the substances subject to the reporting requirements of Section 313 of Title III of the

Superfund Amendments and Reauthorization Act of 1986 and 40

CFR Part 372.

SARA Section 311 & 312 Classifications

Physical Hazard No **Health Hazard** No

CERCLA This product does not contain any "hazardous substances" listed under the

Comprehensive Environmental Response, Compensation and Liability Act of

1980 (CERCLA) in 40 CFR Part 302, Table 302.4.

California Prop 65 This product is not routinely tested to determine chemical(s) known to the

state of California to cause cancer and/or birth defects based on maximum

impurity levels of components.

Global Chemical Inventories

| Inventory | |
|-----------|---------------|
| US TSCA | Listed |
| EU | Listed |
| Japan | Not available |

ARGuard Multi-Purpose GL-5 Gear Oil Series

SAE 80W-90, 85W-140

Revision #:0

American Refining Group, Inc.
Page 6 of 6

| Australia | Listed |
|-------------|---------------|
| New Zealand | Not available |
| Canada DSL | Listed |
| Canada NDSL | Not listed |
| Switzerland | Not available |
| Korea | Listed |
| Philippines | Listed |
| China | Listed |
| Taiwan | Not available |

16. Other Information

US NFPA Ratings

| Health | Fire | Reactivity | |
|--------|------|------------|--|
| 0 | 1 | 0 | |

HMIS Ratings

| Health | Fire | Physical Hazards |
|--------|------|------------------|
| 0 | 1 | 0 |

Revision Date

13 August 2024

Revision Reason

Formulation Change/Section 9

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS