

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 08.26.2025 Page 1 of 9

Kendex 0898

SECTION 1: Identification

Product Identifier

Product Name: Kendex 0898

Product code: 4618

Recommended Use of the Product and Restriction on Use

Relevant Identified Uses: Used as a viscosity builder in metalworking

fluids and straight oils.

Uses Advised Against: Not determined or not applicable.

Reasons Why Uses Advised Against: Not determined or not applicable.

Manufacturer or Supplier Details

Manufacturer: United States

American Refining Group 77 North Kendall Avenue Bradford, Pennsylvania 16701 814-368-1297 msds@amref.com amref.com

Emergency Telephone Number:

United States

CHEMTREC 1-800-424-9300 (24 Hours)

United States

American Refining Group 814-368-1297 (24 Hours)

SECTION 2: Hazard(s) Identification

GHS Classification: Not a hazardous substance or mixture

Label elements

Hazard Pictograms: None

Signal Word: None

Hazard statements: None

Precautionary Statements: None

Hazards Not Otherwise Classified: None

SECTION 3: Composition/Information on Ingredients

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 08.26.2025

Kendex 0898

CAS Number: 64742-16-1	Petroleum resins	40-70
CAS Number: 8052-42-4	Asphalt	30-60

Additional Information: None

SECTION 4: First Aid Measures

Description of First Aid Measures

General Notes:

Not determined or not applicable.

After Inhalation:

Move exposed person to fresh air. Get medical attention if irritation develops.

After Skin Contact:

In case of contact, flush skin with plenty of soap and water while removing contaminated clothing and shoes. Wash clothing before reuse. Get medical attention if irritation develops.

After Eye Contact:

Check for and remove any contact lenses. Flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Get medical attention if irritation develops.

After Swallowing:

First aid is normally not required. Get medical attention if discomfort develops.

Most Important Symptoms and Effects, Both Acute and Delayed

Acute Symptoms and Effects:

Not determined or not applicable.

Delayed Symptoms and Effects:

Not determined or not applicable.

Immediate Medical Attention and Special Treatment

Specific Treatment:

Not determined or not applicable.

Notes for the Doctor:

No specific treatment. Treat symptomatically.

SECTION 5: Firefighting Measures

Extinguishing Media

Suitable Extinguishing Media:

Use dry chemical, CO2, water spray (FOG) or foam.

Unsuitable Extinguishing Media:

Avoid solid water stream as it may scatter and spread fire.

Specific Hazards During Fire-Fighting:

Elevated temperatures can lead to the formation of irritating fumes and vapors. Decomposing products may include the following materials: Carbon dioxide and carbon monoxide.

Special Protective Equipment for Firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Special precautions:

Not determined or not applicable.

Page 2 of 9

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 08.26.2025 Page 3 of 9

Kendex 0898

SECTION 6: Accidental Release Measures

Personal Precautions, Protective Equipment, and Emergency Procedures:

Put on appropriate personal protective equipment.

Environmental Precautions:

Prevent product from entering drains. Prevent entry into waterways, sewers, basements or confined areas.

Methods and Material for Containment and Cleaning Up:

Stop leak if without risk. Cover liquid spill with sand, earth or other noncombustible absorbent material. Cover powder spill with plastic sheet or tarp to minimize spreading. Pick up and transfer to properly labeled container.

Reference to Other Sections:

Not determined or not applicable.

SECTION 7: Handling and Storage

Precautions for Safe Handling:

Eating, drinking, and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Use only with adequate ventilation. Use nonsparking tools.

Conditions for Safe Storage, Including Any Incompatibilities:

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat. Protect from light. Keep in properly labeled containers. Keep out of the reach of children. Incompatibilities: Oxidizing Agents

SECTION 8: Exposure Controls/Personal Protection

Only those substances with limit values have been included below.

Occupational Exposure Limit Values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
ACGIH	Asphalt	8052-42-4	8-Hour TWA: 0.5 mg/m³ (fume, as benzene-soluble aerosol, inhalable fraction)
NIOSH	Asphalt	8052-42-4	Ceiling Limit: 5 mg/m³ (fumes [15 min])
United States(California)	Asphalt	8052-42-4	8-Hour TWA: 5 mg/m³ (Asphalt (petroleum) fumes)

Biological Limit Values:

Country (Legal Basis)	Substance	Identifier	Determinant	Specimen	Sampling time	Permissible limits
ACGIH	Asphalt		1-Hydroxypyrene, with hydrolysis (1-HP)	Urine	ESW	2.5 μg/l

Information on Monitoring Procedures:

Not determined or not applicable.

Appropriate Engineering Controls:

Material should be handled in enclosed vessels and equipment only if aerosolized and/or misted. Use only in adequate ventilation if this occurs. Use process enclosures, local exhaust ventilation or other engineering

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 08.26.2025 Page 4 of 9

Kendex 0898

controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Personal Protection Equipment

Eye and Face Protection:

Safety glasses.

Skin and Body Protection:

Normal work gloves are appropriate.

Respiratory Protection:

No special requirements under ordinary conditions of use and with adequate ventilation.

General Hygienic Measures:

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing.

SECTION 9: Physical and Chemical Properties

Information on Basic Physical and Chemical Properties

Appearance	Opaque
Odor	Petroleum Oil
Odor threshold	Not determined or not available.
рН	Not determined or not available.
Melting point/freezing point	Not determined or not available.
Initial boiling point/range	Not determined or not available.
Flash point (closed cup)	600°F
Evaporation rate	Not determined or not available.
Flammability (solid, gas)	Not determined or not available.
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Vapor pressure	Not determined or not available.
Vapor density	Not determined or not available.
Density	Not determined or not available.
Relative density	7.74 lbs/gal
Solubilities	Not determined or not available.
Partition coefficient (n-octanol/water)	>10
Auto/Self-ignition temperature	Not determined or not available.
Decomposition temperature	Not determined or not available.
Dynamic viscosity	Not determined or not available.
Kinematic viscosity	3304 cSt (40°C mm² /s)
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

SECTION 10: Stability and Reactivity

Reactivity:

Polymerization will not occur.

Chemical Stability:

Stable under normal conditions.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 08.26.2025 Page 5 of 9

Kendex 0898

Possibility of Hazardous Reactions:

None, under normal processing.

Conditions to Avoid:

High temperatures, flames, sparks.

Incompatible Materials:

Strong acids and oxidizing materials.

Hazardous Decomposition Products:

Smoke, carbon monoxide, carbon dioxide, aldehydes and other products of incomplete combustion.

SECTION 11: Toxicological Information

Acute Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data:

Name	Route	Result
Asphalt oral LD50 Rat: >5000 mg/kg		LD50 Rat: >5000 mg/kg
	inhalation	LC50 Rat: >94.4 mg/m³ (4.5 h [mixed aerosol and vapor])
	dermal	LD50 Rabbit: >2000 mg/kg
Petroleum resins	oral	LD50 Rat: >2000 mg/kg

Skin Corrosion/Irritation

Assessment: Based on available data, the classification criteria are not met.

Product Data:No data available.

Substance Data: No data available.

Serious Eye Damage/Irritation

Assessment: Based on available data, the classification criteria are not met.

Product Data:No data available.

Substance Data: No data available. **Respiratory or Skin Sensitization**

Assessment: Based on available data, the classification criteria are not met.

Product Data:No data available.

Substance Data: No data available.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:

Species	Result
	This product contains mineral oils which are considered to be severely refined and not considered to be carcinogenic under IARC. All of the oils in this product have been demonstrated to contain
	less than 3% extractables by the IP 346 test.

Substance Data: No data available.

International Agency for Research on Cancer (IARC): None of the ingredients are listed.

National Toxicology Program (NTP):

Name Classification	
---------------------	--

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 08.26.2025 Page 6 of 9

Kendex 0898

Name	Classification
Asphalt	Not Applicable
Petroleum resins	Not Applicable

OSHA Carcinogens: Not applicable

Germ Cell Mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data: No data available.

Reproductive Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data: No data available.

Specific Target Organ Toxicity (Single Exposure)

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data: No data available.

Specific Target Organ Toxicity (Repeated Exposure)

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data: No data available.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data: No data available.

Information on Likely Routes of Exposure:

No data available.

Symptoms Related to the Physical, Chemical, and Toxicological Characteristics:

No data available. Other Information: No data available.

SECTION 12: Ecological Information

Acute (Short-Term) Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data:

Jubitanico Batan		
Name	Result	
Asphalt	Aquatic Plants EC50 Freshwater algae: >1000 mg/L (72 hr [growth rate; read-across])	
Petroleum resins	Aquatic Invertebrates EC50 Daphnia magna: > 100 mg/L (48 hr [mobility])	
	Aquatic Plants EC50 Desmodesmus subspicatus: > 100 mg/L (72 hr [Growth rate & Yield])	

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 08.26.2025 Page 7 of 9

Kendex 0898

Chronic (Long-Term) Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available. Substance Data: No data available.

Persistence and Degradability Product Data: No data available.

Substance Data:

Name	Result
Asphalt	The substance is a hydrocarbon UVCB. Standard tests for this endpoint are intended for single substances and are not appropriate for this complex substance.
Petroleum resins	The substance is not readily biodegradable. 18% degradation measured by CO2 evolution after 28 days.

Bioaccumulative Potential

Product Data: No data available.

Substance Data:

Name	Result
Asphalt	The substance is a hydrocarbon UVCB. Standard tests for this endpoint are intended for single substances and are not appropriate for this complex substance.

Mobility in Soil

Product Data: No data available.

Substance Data:

Name	Result
	The substance is a hydrocarbon UVCB. Standard tests for this endpoint are intended for single substances and are not appropriate for this complex substance.

Results of PBT and vPvB assessment

Product Data:

PBT assessment: This product does not contain any substances that are assessed to be a PBT. **vPvB** assessment: This product does not contain any substances that are assessed to be a vPvB.

Substance Data:

PBT assessment:

Asphalt	The substance is not PBT.	
vPvB assessment:		
Asphalt	The substance is not vPvB.	

Other Adverse Effects: No data available.

SECTION 13: Disposal Considerations

Disposal Methods:

The generation of waste should be avoided or minimized wherever possible. Treatment, storage, transportation and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations.

Contaminated packages:

Not determined or not applicable.

SECTION 14: Transport Information

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 08.26.2025 Page 8 of 9

Kendex 0898

United States Transportation of Dangerous Goods (49 CFR DOT)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None
Packing Group	None
Environmental Hazards	None
Special Precautions for User	None

International Maritime Dangerous Goods (IMDG)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None
Packing Group	None
Environmental Hazards	None
Special Precautions for User	None

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None
Packing Group	None
Environmental Hazards	None
Special Precautions for User	None

SECTION 15: Regulatory Information

United States Regulations

Inventory Listing (TSCA): All ingredients are listed-active or exempt.

Significant New Use Rule (TSCA Section 5): None of the ingredients are listed.

Export Notification under TSCA Section 12(b): None of the ingredients are listed.

SARA Section 302 Extremely Hazardous Substances: None of the ingredients are listed.

SARA Section 313 Toxic Chemicals: None of the ingredients are listed.

CERCLA:

RC	RA:		D001
	8052-42-4	Asphalt	100 lbs for RCRA

R

8052-42-4	Asphalt	Listed	D001
-----------	---------	--------	------

Section 112(r) of the Clean Air Act (CAA): None of the ingredients are listed.

Massachusetts Right to Know:

8052-42-4	Asphalt	Listed	
-----------	---------	--------	--

New Jersey Right to Know:

[8	8052-42-4	Asphalt	Listed
----	-----------	---------	--------

New York Right to Know:

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 08.26.2025 Page 9 of 9

Kendex 0898

8052-42-4 Asphalt Listed

Pennsylvania Right to Know:

8052-42-4 Asphalt Listed

California Proposition 65: None of the ingredients are listed.

Additional information: Not determined.

SECTION 16: Other Information

Abbreviations and Acronyms: None

Disclaimer:

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

NFPA: 0-1-0 **HMIS:** 0-1-0

Initial Preparation Date: 08.26.2025

End of Safety Data Sheet