

Safety Data Sheet

Prepared according to GHS

1. Identification

Product Name Kendex® 0834

Product Code 4554

Recommended UseUsed as a viscosity builder in metalworking fluids and straight oils.

Used in guench oils to control guenching rate.

Company American Refining Group, Inc.

77 North Kendall Avenue Bradford, PA 16701 www.amref.com

msds@amref.com

Emergency Telephone Chemtrec 1-800-424-9300 (24 HRS) **Number(s)** ARG: 814-368-1297 (24 HRS)

2. Hazards Identification

GHS Classification This product is not considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200).

Signal WordNot applicableHazard StatementsNot applicableOther HazardsNot applicableGHS PictogramNot applicablePrecautionary StatementsNot applicable

3. Composition / Information on Ingredients

CAS No.	Component	Common Name	Percent
This Product does not contain ingredients that are hazardous by the OSHA Hazard Communication Standard			
(29 CFR 1910.1200)).		

4. First Aid Measures

Eyes Check for and remove any contact lenses. Flush eyes with plenty of

water, occasionally lifting the upper and lower eyelids. Get medical

attention if irritation develops.

Skin In case of contact, flush skin with plenty of soap and water while

removing contaminated clothing and shoes. Wash clothing before

reuse. Get medical attention if irritation develops.

Inhalation Move exposed person to fresh air. Get medical attention if irritation

develops.

Ingestion First aid is normally not required. Get medical attention if

Kendex® 0834 Revision Date: 6/8/2023 American Refining Group, Inc. 4554 Revision #:2 Page 2 of 6

4. First Aid Measures

discomfort develops.

Note to Physicians No specific treatment. Treat symptomatically.

5. Fire Fighting Measures

Suitable Extinguishing Media

Use dry chemical, CO₂, water spray (FOG) or foam

Unsuitable Extinguishing Media

Avoid solid water stream as it may scatter and spread fire.

Specific Hazards Arising from Chemical

Elevated temperatures can lead to the formation of irritating fumes and vapors. Decomposing products may include the following materials: Carbon dioxide and Carbon monoxide.

Protective Equipment and Precautions for Firefighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. Accidental Release Measures

Personal Precautions

Put on appropriate personal protective equipment.

Environmental Precautions

Prevent product from entering drains. Prevent entry into waterways, sewers, basements or confined areas.

Methods for Containment

Stop leak if without risk.

Methods for Cleanup

Cover liquid spill with sand, earth or other noncombustible absorbent material. Cover powder spill with plastic sheet or tarp to minimize spreading. Pick up and transfer to properly labeled container

7. Handling and Storage

Handling Procedures

Eating, drinking, and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Use only with adequate ventilation. Use non-sparking tools.

Shipping and Storing Procedures

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat. Protect from light. Keep in properly labeled containers. Keep out of the reach of children.

Incompatibilities:

Oxidizing Agents

8. Exposure Controls / Personal Protection

Component Exposure Limits*

When mists/aerosols can occur the following are recommended: 5 mg/m³ - ACGIH TLV (inhalable fraction), 5 mg/m³ - OSHA PEL.

*Product has 0 kPa pressure at 68°F and is not expected to present any inhalation hazard at ambient conditions. Caution should be taken to prevent aerosolization or misting of this product. Oil mist, if generated, is considered hazardous according to the OSHA Hazard Communication Standard.

Engineering Controls

Material should be handled in enclosed vessels and equipment only if aerosolized and/or misted. Use only in adequate ventilation if this occurs.

Kendex® 0834 Revision Date: 6/8/2023 American Refining Group, Inc. 4554 Revision #:2 Page 3 of 6

8. Exposure Controls / Personal Protection

Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any

recommended or statutory limits.

Eye/Face Protection Safety glasses

Skin Protection Normal work gloves are appropriate

Respiratory ProtectionNo special requirements under ordinary conditions of use and with

adequate ventilation.

General Hygiene Wash hands, forearms and face thoroughly after handling chemical

products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove

potentially contaminated clothing.

9. Physical and Chemical Properties

Note: Physical and chemical properties are provided for safety, health and environmental considerations only and may not fully represent product specifications. Please see the Product Specification Sheet for further information.

Appearance	Opaque	Flammability	Not Available
Physical State	Liquid	Upper/Lower	Not Available
	_	Flammability Limits	
Odor	Petroleum Oil	Vapor Pressure	Not Available
Odor Threshold	Not Available	Specific Gravity (g/cc)	.959
pH	Not Available	Relative Density (lbs/gal)	7.99
Melting/Freezing Point	Not Available	Water Soluble	No
(°F)			
Initial Boiling Point (°F)	Not Available	Partition Coefficient: n-	3.3 to >6
		octanol/water	
Boiling Range (°F)	Not Available	Auto-ignition	Not Available
		Temperature (°F)	
Flash Point (°F)	625	Decomposition	Not Available
		Temperature (°F)	
Evaporation Rate	Not Available	Viscosity (40°C mm²/s)	48,000
-			

10. Chemical Stability & Reactivity Information

ReactivityPolymerization will not occurChemical StabilityStable under normal conditionsHazardous ReactionsNone, under normal processing.Conditions to AvoidHigh temperatures, flames, sparksIncompatibilityStrong acids and oxidizing materials

Hazardous Decomposition

Smoke, carbon monoxide, carbon dioxide, aldehydes and other products

Products of incomplete combustion.

11. Toxicological Information

Acute Exposure

Respiratory Irritation Not Expected to pose respiratory irritation.

Kendex® 0834 Revision Date: 6/8/2023 American Refining Group, Inc. 4554 Revision #:2 Page 4 of 6

11. Toxicological Information

Eye Irritation Not expected to cause eye irritation. **Skin Irritation** Not expected to cause skin irritation.

Sensitization Not expected to cause skin or respiratory sensitization.

Chronic Exposure

Target Organ Effects No data available to indicate product or components at greater than 1% are

chronic health hazards.

Carcinogenicity This product contains mineral oils which are considered to be severely refined

and not considered to be carcinogenic under IARC. All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP

346 test.

Mutagenicity No data available to indicate product or any components present at greater than

.1% are mutagenic or genotoxic.

Reproductive Toxicity No data available to indicate either product or components present at greater

than .1% that may cause reproductive toxicity.

Teratogenicity No data available to indicate product or any components contained at greater

than .1% may cause birth defects.

Analysis – LD50 / LC50

 Inhalation LC50 Rat
 23.6 mg/L

 Oral LD50 Rat
 >5000 mg/kg

 Dermal LD50 Rabbit
 >2000 mg/kg

12. Ecological Information

Component Analysis- Ecotoxicity – Aquatic Life

Duration/Test/Species Concentration/Conditions

96 Hr LL50; WAF >1000 mg/L

Aquatic Vertebrates

Persistence & Degradability
Bioaccumulation Potential
Soil Mobility
Other Adverse Effects

Readily degraded
Not Available
Not Available
Not Available

13. Disposal Considerations

Disposal Instructions

The generation of waste should be avoided or minimized wherever possible. Treatment, storage, transportation and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations.

14. Transportation Information

Emergency Response Guide 171 North American Emergency Response Guide

No. Book

UN Number Shipping Name (technical Hazard Class Packing Placard

name) Group

Kendex® 0834 Revision Date: 6/8/2023 American Refining Group, Inc. 4554 Revision #:2 Page 5 of 6

14. Transportation Information					
U.S. DOT Bulk*	3257	Elevated Temperature Liquid N.O.S. (Petroleum Lubricating Oil)	9	III	нот 3257
Non-Bulk Quantity		Not Regulated			Ÿ
IMDG*	3257	Elevated Temperature Liquid N.O.S. (Petroleum Lubricating Oil)	9	III	2
IATA*	3257	Elevated Temperature Liquid N.O.S. (Petroleum Lubricating Oil)	9	III	9
STCC		4961606			V

^{*}Only considered hazardous if the material is "offered for transport" at or above 212 degrees Fahrenheit.

15. Regulatory Information

SARA Extremely Hazardous Substances (Sections 302 & 304)	This product does not contain greater than 1% of any "extremely hazardous substances" listed pursuant to Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA) Section 302 or Section 304 as identified in 40 CFR Part 355, Appendix A and B.	
SARA Section 313	This product does not contain greater than 1.0% of the substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.	
SARA Section 311 & 312 Classification	ns Physical Hazards No	

Health Hazards No

CERCLA	This product does not contain any "hazardous substances" listed under the
	Comprehensive Environmental Response, Compensation and Liability Act of
	1980 (CERCLA) in 40 CFR Part 302, Table 302.4.
California Prop 65	This product does not contain chemical(s) known to the state of California to

cause cancer and/or birth defects based on maximum impurity levels of components.

Global Chemical Inventories

Inventory	
US TSCA	Present
EU	Present
Japan	Present
Australia	Present
New Zealand	Present
Canada	Present
Switzerland	Present
Korea	Present
Philippines	Present
China	Present
Taiwan	Not Listed

16. Other Information

US NFPA Ratings

Health	Fire	Reactivity
0	1	0

HMIS Ratings

Health	Fire	Physical Hazards
0	1	0

Revision Date 8 June 2023 **Revision Reason** Section 15

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of SDS