

# Safety Data Sheet

Prepared according to GHS

#### 1. Identification

**Product Name** Saw Guide Oil ISO VG 22

**Product Code** 7798

Recommended Use Saw Guide Oil

American Refining Group, Inc. 77 North Kendall Avenue Company

Bradford, PA 16701 www.amref.com msds@amref.com

**Emergency Telephone** 

Chemtrec 1-800-424-9300 (24 HRS) Number(s) ARG: 814-368-1297 (24 HRS)

#### 2. Hazards Identification

**GHS** Classification Aspiration Hazard Category 1

Skin Irritation Category 2 Eye Irritation Category 2

DANGER! Signal Word

**Hazard Statements** May be fatal if swallowed and enters airways.

> Causes skin irritation. Causes eye irritation.

**GHS Pictogram** 



**Precautionary Statements** 

Wash thoroughly after handling.

Wear protective gloves, protective clothing, eye protection and

face protection.

**If swallowed**: immediately call a poison center or doctor.

**Do NOT** induce vomiting.

**If on skin:** Wash with plenty of soap and water.

If in eyes: rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs, get medical advice/attention. Take off contaminated clothing and wash before reuse.

Store locked up.

Dispose of contents in accordance with local/nation regulations

7798 Revision #:0 Page **2** of **6** 

## 3. Composition / Information on Ingredients

CAS No.	Component	Common Name	Percent
64742-55-8	Distillates (petroleum), hydrotreated light	Light Lube Neutral	13-15%
	paraffinic		
68990-52-3	Fatty Ester Me ester	Biodiesel	12%

#### 4. First Aid Measures

**Eyes** Check for and remove any contact lenses. Flush eyes with plenty

of water, occasionally lifting the upper and lower eyelids. Get

medical attention if irritation develops.

**Skin** In case of contact, flush skin with plenty of soap and water while

removing contaminated clothing and shoes. Wash clothing before

reuse. Get medical attention if irritation develops.

**Inhalation** Move exposed person to fresh air. Get medical attention if

irritation develops.

**Ingestion** DO NOT INDUCE VOMITING. Get medical attention

immediately.

**Symptoms(Acute and delayed)** May be fatal if swallowed and enters airways

**Note to Physicians** No specific treatment. Treat symptomatically. Contact poison

treatment specialist immediately if large quantities have been

ingested or inhaled.

#### 5. Fire Fighting Measures

#### Suitable Extinguishing Media

Use dry chemical, CO<sub>2</sub>, water spray (FOG) or foam

## Unsuitable Extinguishing Media

Avoid solid water stream as it may scatter and spread fire.

## **Specific Hazards Arising from Chemical**

Elevated temperatures can lead to the formation of irritating fumes and vapors. Decomposing products may include the following materials: Carbon dioxide and Carbon monoxide.

## Protective Equipment and Precautions for Firefighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

#### 6. Accidental Release Measures

#### **Personal Precautions**

Put on appropriate personal protective equipment.

#### **Environmental Precautions**

Prevent product from entering drains. Prevent entry into waterways, sewers, basements or confined areas.

#### **Methods for Containment**

Stop leak if without risk.

#### **Methods for Cleanup**

Cover liquid spill with sand, earth or other noncombustible absorbent material. Cover powder spill with plastic sheet or tarp to minimize spreading. Pick up and transfer to properly labeled container

7798 Revision #:0 Page **3** of **6** 

#### 7. Handling and Storage

# Handling Procedures

Eating, drinking, and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist.

# **Shipping and Storing Procedures**

Keep container tightly closed in a dry place. Keep away from heat. Protect from light. Keep in properly labeled containers. Keep out of the reach of children.

## Incompatibilities:

Oxidizing Agents

#### 8. Exposure Controls / Personal Protection

## **Component Exposure Limits**

When mists/aerosols can occur the following are recommended: 5 mg/m³ - ACGIH TLV (inhalable fraction), 5 mg/m³ - OSHA PEL.

\*Product has 0 kPa pressure at 68°F and is not expected to present any inhalation hazard at ambient conditions. Caution should be taken to prevent aerosolization or misting of this product. Oil mist, if generated, is considered hazardous according to the OSHA Hazard Communication Standard.

**Engineering Controls** Material should be handled in enclosed vessels and equipment only if

aerosolized and/or misted . Use only in adequate ventilation if this occurs. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants

below any recommended or statutory limits.

**Eye/Face Protection**Safety glasses and face shield.

Normal work gloves are appropriate

**Respiratory Protection** No special requirements under ordinary conditions of use and with

adequate ventilation

General Hygiene Wash hands, forearms and face thoroughly after handling chemical

products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove

potentially contaminated clothing.

## 9. Physical and Chemical Properties

Note: Physical and chemical properties are provided for safety, health and environmental considerations only and may not fully represent product specifications. Please see the Product Specification Sheet for further information.

Appearance	Amber	Flammability	Not Available
Physical State	Liquid	Upper/Lower	Not Available
		Flammability Limits	
Odor	Petroleum Oil	Vapor Pressure	Not Available
Odor Threshold	Not Available	Vapor Density	Not Available
pH	Not Available	Relative Density (lbs/gal)	7.226
Melting/Freezing Point	Not Available	Water Soluble	No
(°F)			
Initial Boiling Point (°F)	Not Available	Partition Coefficient: n-	Not Available
		octanol/water	
Boiling Range (°F)	Not Available	Auto-ignition	Not Available
		Temperature (°F)	

Saw Guide Oil ISO VG 22

## Revision Date: 11/14/2023

American Refining Group, Inc.

7798	Revisio	on #:0	Page <b>4</b> of <b>6</b>
9. Physical and Chemical Properties			

9. Physical and Chemical Properties			
Flash Point (°F)	392	Decomposition	Not Available
		Temperature (°F)	
Evaporation Rate	Not Available	Viscosity (40°C mm²/s)	21.18
-		• • • • • • • • • • • • • • • • • • • •	

10. Chemical Stability & Reactivity Information

Reactivity Polymerization will not occur Stable under normal conditions **Chemical Stability** None, under normal processing. **Hazardous Reactions** Conditions to Avoid High temperatures, flames, sparks Strong acids and oxidizing materials **Incompatibility** 

Smoke, carbon monoxide, carbon dioxide, aldehydes and other **Hazardous Decomposition** 

**Products** products of incomplete combustion.

# 11. Toxicological Information

**Acute Exposure** 

**Respiratory Irritation** Not expected to pose respiratory irritation. An inhalation hazard may only

> arise if product is aerosolized or if heated up. If material is misted or if vapors are generated from heating, exposure may cause irritation of mucous membranes and upper respiratory tract. Based on data from similar materials.

Causes minimal to slight irritation if splashed in eyes and unwashed. **Eve Irritation** 

**Skin Irritation** Causes mild skin irritation that is reversible with proper care. Sensitization Not expected to cause skin or respiratory sensitization.

If swallowed can be aspirated into lungs and cause chemical pneumonia, **Aspiration Hazards** 

varying degrees of pulmonary injury or death. If swallowed, do NOT induce

vomiting.

Chronic Exposure

**Target Organ Effects** No data available to indicate product or components at greater than 1% are

chronic health hazards.

This product contains mineral oils which are considered to be severely refined Carcinogenicity

and not considered to be carcinogenic under IARC. All of the oils in this product have been demonstrated to contain less than 3% extractables by the IP

346 test.

Mutagenicity No data available to indicate product or any components present at greater

.1% are mutagenic or genotoxic.

No data available to indicate either product or components present at greater Reproductive Toxicity

than .1% that may cause reproductive toxicity.

No data available to indicate product or any components contained at greater **Teratogenicity** 

than .1% may cause birth defects.

Analysis – LD50 / LC50

Inhalation LC50 Rat >5 mg/L (4HR) Oral LD50 Rat >5000 mg/kg Dermal LD50 Rabbit >5000 mg/kg

7798 Revision #:0 Page **5** of **6** 

## 12. Ecological Information

Component Analysis- Ecotoxicity - Aquatic Life

Duration/Test/Species Concentration/Conditions

96 hr LL50 >1000 mg/L

Oncorhyncus mykiss

96 hr EL50 >1000 mg/L

Scenedesmus subspicatus

21 Day WAF >50% mg/L

Daphnia magna

Persistence & Degradability Inherently biodegradable

Bioaccumulation PotentialNot AvailableSoil MobilityNot AvailableOther Adverse EffectsNot Available

## 13. Disposal Considerations

#### **Disposal Instructions**

The generation of waste should be avoided or minimized wherever possible. Treatment, storage, transportation and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations.

#### 14. Transportation Information

**Emergency Response Guide** 171 North American Emergency Response

No. Guide Book

UN Number Shipping Name (technical Hazard Class Packing Group

name)

U.S. DOT Not Regulated

IATA Not Regulated

IMDG Not Regulated

**STCC** 2911415

**SARA Section 313** 

## 15. Regulatory Information

SARA Extremely Hazardous
This product does not contain greater than 1% of any "extremely hazardous substances" listed pursuant to Title III of the Superfund

Amendments and Reauthorization Act of 1986 (SARA) Section 302 or Section 304 as identified in 40 CFR Part 355, Appendix A and B.

This product does not contain greater than 1.0% of the substances

subject to the reporting requirements of Section 313 of Title III of

the

Superfund Amendments and Reauthorization Act of 1986 and 40

CFR

7798 Revision #:0 Page **6** of **6** 

## 15. Regulatory Information

Part 372.

SARA Section 311 & 312 Classifications

Physical Hazard No Health Hazard Yes

> Aspiration Hazard Skin Irritation Eve Irritation

**CERCLA** This product does not contain any "hazardous substances" listed under the

Comprehensive Environmental Response, Compensation and Liability Act of

1980 (CERCLA) in 40 CFR Part 302, Table 302.4.

California Prop 65 This product does not contain chemical(s) known to the state of California to

cause cancer and/or birth defects based on maximum impurity levels of

components.

#### **Global Chemical Inventories**

Inventory	
US TSCA	Listed
EU	Listed
Japan	Not available
Australia	Listed
New Zealand	Listed
Canada	Listed
Switzerland	Not available
Korea	Listed
Philippines	Listed
China	Listed
Taiwan	Not available

#### 16. Other Information

## **US NFPA Ratings**

Health	Fire	Reactivity
1	1	0

#### **HMIS Ratings**

Health	Fire	Physical Hazards
1	1	0

**Revision Date** 14 November 2023

**Revision Reason** Format

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.