

**Safety Data Sheet**

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

**Initial Preparation Date:** 01.19.2021

Page 1 of 10

**Revision date:** 01.27.2026**Kensol 50H****SECTION 1: Identification****Product Identifier****Product Name:** Kensol 50H**Product code:** 4118**Recommended Use of the Chemical and Restrictions on Use:****Recommended Uses:** Ink Oil, Fuel Additives, and Drilling Fluids**Restrictions on Use:** Not determined or not applicable.**Manufacturer or Supplier Details****Manufacturer:****United States**

American Refining Group  
77 North Kendall Avenue  
Bradford, Pennsylvania 16701  
814-368-1297  
msds@amref.com  
amref.com

**Emergency Telephone Number:****United States**

CHEMTREC  
1-800-424-9300 (24 Hours)

**United States**

American Refining Group  
814-368-1297 (24 Hours)

**SECTION 2: Hazard Identification****Classification of the chemical in accordance with paragraph (d) of § 1910.1200:**

Aspiration hazard, category 1

**Label elements****Hazard Symbol(s):****Signal Word:** Danger**Hazard statement(s):**

H304 May be fatal if swallowed and enters airways

**Precautionary Statement(s):**

P331 Do NOT induce vomiting.

P301+P310 If swallowed: Immediately call a poison center/doctor.

P405 Store locked up.

P501 Dispose of contents and container in accordance with federal, state and local regulations.

**Hazards Not Otherwise Classified:** None**SECTION 3: Composition/Information on Ingredients**

# Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 01.19.2021

Page 2 of 10

Revision date: 01.27.2026

## Kensol 50H

Identification	Name	Weight %
CAS Number: 64742-46-7	Distillates (petroleum), hydrotreated middle (Non-carcinogen)	100

**Additional information:** No additional information

## SECTION 4: First Aid Measures

### Description of Necessary Measures

#### General Notes:

Show this Safety Data Sheet to the doctor in attendance

#### After Inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If symptoms develop or persist, seek medical advice/attention

#### After Skin Contact:

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention

#### After Eye Contact:

Rinse eyes with plenty of water for several minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention

#### After Ingestion:

This product presents an aspiration hazard. If aspiration is suspected, seek emergency medical treatment. If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention

### Most Important Symptoms and Effects, Both Acute and Delayed

#### Acute Symptoms and Effects:

May be fatal if swallowed and enters airways. Aspiration may cause pulmonary edema and pneumonitis. Symptoms may include shortness of breath, dry cough and irritation of the nose, eyes, lips, mouth and throat

#### Delayed Symptoms and Effects:

Symptoms of pulmonary edema may be delayed

### Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary

#### Immediate Medical Attention:

No additional information.

#### Special Treatment:

No additional information.

#### Notes for the Doctor:

Treat symptomatically

## SECTION 5: Firefighting Measures

### Extinguishing Media

#### Suitable Extinguishing Media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam

#### Unsuitable Extinguishing Media:

Do not use water jet

# Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 01.19.2021

Page 3 of 10

Revision date: 01.27.2026

## Kensol 50H

### Specific Hazards Arising From The Chemical:

Thermal decomposition may produce irritating/toxic fumes/gases

### Special Protective Equipment and Precautions for Fire-Fighters

#### Special Protective Equipment:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode

#### Special precautions

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution

## SECTION 6: Accidental Release Measures

### Personal Precautions, Protective Equipment, and Emergency Procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Do not get on skin, eyes or on clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling. Remove contaminated clothing and laundry before reuse

### Environmental Precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided

### Methods and Material for Containment and Cleaning Up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Avoid breathing dust, mist, fumes, vapors or spray. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13)

## SECTION 7: Handling and Storage

### Precautions for Safe Handling:

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

### Conditions for Safe Storage, Including Any Incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

## SECTION 8: Exposure Controls/Personal Protection

Only those substances with limit values have been included below.

### Occupational Exposure Limit Values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
ACGIH	Distillates (petroleum), hydrotreated middle (Non-carcinogen)	64742-46-7	8-Hour TWA: 5 mg/m <sup>3</sup> (Mineral oil, excluding metal working fluids, pure, highly and severely refined, inhalable fraction)
NIOSH	Distillates (petroleum), hydrotreated middle (Non-carcinogen)	64742-46-7	REL: 5 mg/m <sup>3</sup> (Oil mist (mineral), [for up to a 10-hour workday during a 40-hour workweek])

# Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 01.19.2021

Page 4 of 10

Revision date: 01.27.2026

## Kensol 50H

Country (Legal Basis)	Substance	Identifier	Permissible concentration
	Distillates (petroleum), hydrotreated middle (Non-carcinogen)	64742-46-7	STEL: 10 mg/m <sup>3</sup> (Oil mist (mineral))
	Distillates (petroleum), hydrotreated middle (Non-carcinogen)	64742-46-7	IDLH: 2500 mg/m <sup>3</sup> (Oil mist (mineral))
United States(California)	Distillates (petroleum), hydrotreated middle (Non-carcinogen)	64742-46-7	8-Hour TWA: 5 mg/m <sup>3</sup> (Oil (mineral) mist, particulate)
OSHA	Distillates (petroleum), hydrotreated middle (Non-carcinogen)	64742-46-7	PEL: 5 mg/m <sup>3</sup> (OIL MIST (MINERAL) [OSHA Z-1 ])
	Distillates (petroleum), hydrotreated middle (Non-carcinogen)	64742-46-7	8-Hour TWA: 5 mg/m <sup>3</sup> (OIL MIST (MINERAL) [ OSHA Table Z-1-A])

### Biological Limit Values:

No biological exposure limits noted for the ingredient(s).

### Information on Monitoring Procedures:

Not determined or not applicable.

### Appropriate Engineering Controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

### Individual Protection Measures, Such as Personal Protective Equipment

#### Eye and Face Protection:

Safety glasses or goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

#### Skin and Body Protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

#### Respiratory Protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn. Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air purifying respirators may not provide adequate protection.

### General Hygienic Measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

## SECTION 9: Physical and Chemical Properties

### Information on Basic Physical and Chemical Properties

Physical state	Liquid
Color	Clear and Bright
Odor (includes odor threshold)	Petroleum Oil

# Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 01.19.2021

Page 5 of 10

Revision date: 01.27.2026

## Kensol 50H

<b>Melting point/freezing point</b>	Not determined or not available.
<b>Initial boiling point/range</b>	445°F - 465°F/ 445°F - 525°F
<b>Flammability</b>	Not determined or not available.
<b>Upper flammability/explosive limit</b>	Not determined or not available.
<b>Lower flammability/explosive limit</b>	Not determined or not available.
<b>Flash point</b>	230°F
<b>Auto-ignition temperature</b>	Not determined or not available.
<b>Decomposition temperature</b>	Not determined or not available.
<b>pH</b>	Not determined or not available.
<b>Kinematic viscosity</b>	2.4 cSt (40°C mm <sup>2</sup> /s)
<b>Solubilities</b>	Not determined or not available.
<b>Partition coefficient (n-octanol/water)</b>	3.3 to >6
<b>Vapor pressure (includes evaporation rate)</b>	Not determined or not available.
<b>Density and/or relative density</b>	6.8 lbs/gal
<b>Relative vapor density</b>	Not determined or not available.
<b>Particle characteristics</b>	Not determined or not available.

### Other Information

No additional information.

## SECTION 10: Stability and Reactivity

### Reactivity:

Not reactive under recommended handling and storage conditions.

### Chemical Stability:

Stable under recommended handling and storage conditions.

### Possibility of hazardous reactions, including those associated with foreseeable emergencies:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

### Conditions to Avoid:

Extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

### Incompatible Materials:

None known.

### Hazardous Decomposition Products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological Information

### Acute Toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:** No data available.

#### Substance Data:

Name	Route	Result
Distillates (petroleum), hydrotreated middle (Non-carcinogen)	oral	LD50 Rat: >5000 mg/kg
	inhalation	LC50 Rat: 4.6 mg/L (4hr [aerosol])
	dermal	LD50 Rabbit: >2000 mg/kg

### Skin Corrosion/Irritation

**Assessment:** Based on available data, the classification criteria are not met.

# Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 01.19.2021

Page 6 of 10

Revision date: 01.27.2026

**Kensol 50H**

## Product Data:

No data available.

## Substance Data:

Name	Result
Distillates (petroleum), hydrotreated middle (Non-carcinogen)	Causes skin irritation.

## Serious Eye Damage/Irritation

**Assessment:** Based on available data, the classification criteria are not met.

## Product Data:

No data available.

**Substance Data:** No data available.

## Respiratory or Skin Sensitization

**Assessment:** Based on available data, the classification criteria are not met.

## Product Data:

No data available.

**Substance Data:** No data available.

## Carcinogenicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:** No data available.

**Substance Data:** No data available.

## International Agency for Research on Cancer (IARC):

Name	Classification
Distillates (petroleum), hydrotreated middle (Non-carcinogen)	Not Applicable

## National Toxicology Program (NTP):

Name	Classification
Distillates (petroleum), hydrotreated middle (Non-carcinogen)	Not Applicable

**OSHA Carcinogens:** Not applicable

## Germ Cell Mutagenicity

**Assessment:** Based on available data, the classification criteria are not met.

## Product Data:

No data available.

**Substance Data:** No data available.

## Reproductive Toxicity

**Assessment:** Based on available data, the classification criteria are not met.

## Product Data:

No data available.

**Substance Data:** No data available.

## Specific Target Organ Toxicity (Single Exposure)

**Assessment:** Based on available data, the classification criteria are not met.

## Product Data:

No data available.

**Substance Data:** No data available.

# Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 01.19.2021

Page 7 of 10

Revision date: 01.27.2026

## Kensol 50H

### Specific Target Organ Toxicity (Repeated Exposure)

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:**

No data available.

**Substance Data:** No data available.

### Aspiration toxicity

**Assessment:**

May be fatal if swallowed and enters airways.

**Product Data:**

No data available.

**Substance Data:**

Name	Result
Distillates (petroleum), hydrotreated middle (Non-carcinogen)	May be fatal if swallowed and enters airways.

### Information on Likely Routes of Exposure:

No data available.

### Symptoms Related to the Physical, Chemical, and Toxicological Characteristics:

No data available.

**Interactive effects:**

No additional information.

**Other Information:**

No additional information.

## SECTION 12: Ecological Information

### Ecotoxicity

#### Acute (Short-Term) Toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:** No data available.

**Substance Data:**

Name	Result
Distillates (petroleum), hydrotreated middle (Non-carcinogen)	Fish LC50 <i>Oncorhynchus mykiss</i> : 21 mg/L (96 hr [LL50= mortality, Read-across substance data])
	Aquatic Invertebrates EC50 <i>Daphnia magna</i> : 210 mg/L (48 hr [EL50=mobility, Read-across substance data])
	Aquatic Plants EC50 <i>Raphidocelis subcapitata</i> : 10 mg/L (72 hr [EL50=biomass, Read-across substance data])

#### Chronic (Long-Term) Toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product Data:** No data available.

**Substance Data:**

Name	Result
Distillates (petroleum), hydrotreated middle (Non-carcinogen)	Fish NOEC <i>Oncorhynchus mykiss</i> : 0.069 mg/L (14 d [NOEL=mortality, QSAR data])
	Aquatic Invertebrates NOEC <i>Daphnia magna</i> : 0.163 mg/L (21 d [NOEL=immobilisation, QSAR data])

### Persistence and Degradability

**Product Data:** No data available.

# Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 01.19.2021

Page 8 of 10

Revision date: 01.27.2026

## Kensol 50H

### Substance Data:

Name	Result
Distillates (petroleum), hydrotreated middle (Non-carcinogen)	The substance is not readily biodegradable. 34.82% degradation in water, measured by inorg. C analysis, after 28 days (Read-across substance data).

### Bioaccumulative Potential

**Product Data:** No data available.

### Substance Data:

Name	Result
Distillates (petroleum), hydrotreated middle (Non-carcinogen)	Standard bioaccumulation studies are not applicable to petroleum UVCB substances.

### Mobility in Soil

**Product Data:** No data available.

### Substance Data:

Name	Result
Distillates (petroleum), hydrotreated middle (Non-carcinogen)	Standard adsorption/desorption studies are not applicable to petroleum UVCB substances.

### Results of PBT and vPvB assessment

#### Product Data:

**PBT assessment:** This product does not contain any substances that are assessed to be a PBT.

**vPvB assessment:** This product does not contain any substances that are assessed to be a vPvB.

#### Substance Data:

##### PBT assessment:

Distillates (petroleum), hydrotreated middle (Non-carcinogen)	Standard PBT studies are not applicable to petroleum UVCB substances.
---	---

##### vPvB assessment:

Distillates (petroleum), hydrotreated middle (Non-carcinogen)	Standard vPvB studies are not applicable to petroleum UVCB substances.
---	--

**Other Adverse Effects:** No additional information.

## SECTION 13: Disposal Considerations

### Disposal Methods:

The generation of waste should be avoided or minimized wherever possible. Treatment, storage, transportation and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations.

### Contaminated packaging:

Not determined or not applicable.

## SECTION 14: Transport Information

### United States Transportation of Dangerous Goods (49 CFR DOT)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None

# Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 01.19.2021

Page 9 of 10

Revision date: 01.27.2026

## Kensol 50H

<b>Packing Group</b>	None
<b>Environmental Hazards</b>	None
<b>Special Precautions for User</b>	None

### International Maritime Dangerous Goods (IMDG)

<b>UN Number</b>	3082
<b>UN Proper Shipping Name</b>	Environmentally Hazardous Substance, Liquid Petroleum Distillate
<b>UN Transport Hazard Class(es)</b>	9 
<b>Packing Group</b>	III
<b>Environmental Hazards</b>	None
<b>Special Precautions for User</b>	None

### International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

<b>UN Number</b>	3082
<b>UN Proper Shipping Name</b>	Environmentally Hazardous Substance, Liquid Petroleum Distillate
<b>UN Transport Hazard Class(es)</b>	9 
<b>Packing Group</b>	III
<b>Environmental Hazards</b>	None
<b>Special Precautions for User</b>	None

### Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

<b>Bulk Name</b>	Not Applicable
<b>Ship Type</b>	Not Applicable
<b>Pollution Category</b>	Not Applicable

## SECTION 15: Regulatory Information

### United States Regulations

**Inventory Listing (TSCA):** All ingredients are listed-active or exempt.

**Significant New Use Rule (TSCA Section 5):** None of the ingredients are listed.

**Export Notification under TSCA Section 12(b):** None of the ingredients are listed.

**SARA Section 302 Extremely Hazardous Substances:** None of the ingredients are listed.

**SARA Section 313 Toxic Chemicals:** None of the ingredients are listed.

**CERCLA:** None of the ingredients are listed.

**RCRA:** None of the ingredients are listed.

**Section 112(r) of the Clean Air Act (CAA):** None of the ingredients are listed.

#### Massachusetts Right to Know:

64742-46-7	Distillates (petroleum), hydrotreated middle (Non-carcinogen)	Listed
------------	---	--------

#### New Jersey Right to Know:

64742-46-7	Distillates (petroleum), hydrotreated middle (Non-carcinogen)	Listed
------------	---	--------

# Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

**Initial Preparation Date:** 01.19.2021

Page 10 of 10

**Revision date:** 01.27.2026

## Kensol 50H

**New York Right to Know:** None of the ingredients are listed.

**Pennsylvania Right to Know:**

64742-46-7	Distillates (petroleum), hydrotreated middle (Non-carcinogen)	Listed
------------	---	--------

**California Proposition 65:** None of the ingredients are listed.

**Additional information:** No additional information.

## SECTION 16: Other Information

### Disclaimer:

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**NFPA:** 0-1-0

**HMIS:** 0-1-0

**Initial Preparation Date:** 01.19.2021

**Revision date:** 01.27.2026

**End of Safety Data Sheet**