



Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 05.03.2021

Page 1 of 8

Revision date: 01.29.2026

Kenwax Medium Neutral Slack Wax

SECTION 1: Identification

Product Identifier

Product Name: Kenwax Medium Neutral Slack Wax

Product code: 4451

Recommended Use of the Chemical and Restrictions on Use:

Recommended Uses: Fire Log Wax

Restrictions on Use: Not determined or not applicable.

Manufacturer or Supplier Details

Manufacturer:

United States

American Refining Group

77 North Kendall Avenue

Bradford, Pennsylvania 16701

814-368-1297

msds@amref.com

amref.com

Emergency Telephone Number:

United States

CHEMTREC

1-800-424-9300 (24 Hours)

United States

American Refining Group

814-368-1297 (24 Hours)

SECTION 2: Hazard Identification

Classification of the chemical in accordance with paragraph (d) of § 1910.1200: Not a hazardous substance or mixture

Label elements

Hazard Symbol(s): None

Signal Word: None

Hazard statement(s): None

Precautionary Statement(s): None

Hazards Not Otherwise Classified: None

SECTION 3: Composition/Information on Ingredients

| Identification | Name | Weight % |
|---------------------------|-----------------------|----------|
| CAS Number: 64742-61-6 | Slack wax (petroleum) | 100 |

Additional information: No additional information

SECTION 4: First Aid Measures

Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 05.03.2021

Page 2 of 8

Revision date: 01.29.2026

Kenwax Medium Neutral Slack Wax

Description of Necessary Measures

General Notes:

Not determined or not applicable.

After Inhalation:

Move exposed person to fresh air. Get medical attention if irritation develops

After Skin Contact:

In case of contact, immediately flush skin with plenty of soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention if irritation develops

After Eye Contact:

Check for and remove any contact lenses. Flush eyes with plenty of water occasionally lifting the upper and lower eyelids. Get medical attention if irritation develops

After Ingestion:

Move exposed person to fresh air. Get medical attention if irritation develops

Most Important Symptoms and Effects, Both Acute and Delayed

Acute Symptoms and Effects:

Not determined or not applicable.

Delayed Symptoms and Effects:

Not determined or not applicable.

Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary

Immediate Medical Attention:

No additional information.

Special Treatment:

No additional information.

Notes for the Doctor:

No specific treatment. Treat symptomatically. Contact poison treatment specialist if large quantities have been ingested

SECTION 5: Firefighting Measures

Extinguishing Media

Suitable Extinguishing Media:

Use dry chemical, CO₂, water spray (FOG) or foam

Unsuitable Extinguishing Media:

Avoid solid water stream as it may scatter and spread fire

Specific Hazards Arising From The Chemical:

Elevated temperatures can lead to the formation of irritating fumes and vapors. Decomposing products may include the following materials: Carbon dioxide and Carbon monoxide

Special Protective Equipment and Precautions for Fire-Fighters

Special Protective Equipment:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode

Special precautions

Not determined or not applicable.

SECTION 6: Accidental Release Measures

Personal Precautions, Protective Equipment, and Emergency Procedures:

Put on appropriate personal protective equipment

Environmental Precautions:

Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 05.03.2021

Page 3 of 8

Revision date: 01.29.2026

Kenwax Medium Neutral Slack Wax

Prevent product from entering drains. Prevent entry into waterways, sewers, basements or confined areas

Methods and Material for Containment and Cleaning Up:

Stop leak if without risk. A vapor suppressing foam may be used to reduce vapors. Cover liquid spill with sand, earth or other noncombustible absorbent material. Cover powder spill with plastic sheet or tarp to minimize spreading. Pick up and transfer to properly labeled container

SECTION 7: Handling and Storage

Precautions for Safe Handling:

Eating, drinking, and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist.

Conditions for Safe Storage, Including Any Incompatibilities:

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat. Protect from light. Keep in properly labeled containers. Keep out of the reach of children. Incompatibilities: Oxidizing Agents

SECTION 8: Exposure Controls/Personal Protection

Only those substances with limit values have been included below.

Occupational Exposure Limit Values:

No occupational exposure limits noted for the ingredient(s).

Biological Limit Values:

No biological exposure limits noted for the ingredient(s).

Information on Monitoring Procedures:

Not determined or not applicable.

Appropriate Engineering Controls:

Material should be handled in enclosed vessels and equipment only if heated. Use only in adequate ventilation if this occurs. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Individual Protection Measures, Such as Personal Protective Equipment

Eye and Face Protection:

Chemical goggles or face shield when heated to prevent hot wax thermal burns.

Skin and Body Protection:

Heat resistant, impervious gloves complying with an approved standard should be worn at all times when product is heated to prevent hot wax thermal burns.

Respiratory Protection:

No special requirements under ordinary conditions of use and with adequate ventilation.

General Hygienic Measures:

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing.

SECTION 9: Physical and Chemical Properties

Information on Basic Physical and Chemical Properties

| | |
|---------------------------------------|--------------|
| Physical state | Solid |
| Color | Cream or Tan |
| Odor (includes odor threshold) | Bland |

Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 05.03.2021

Page 4 of 8

Revision date: 01.29.2026

Kenwax Medium Neutral Slack Wax

| | |
|---|--|
| Melting point/freezing point | 120°F / Not Available |
| Initial boiling point/range | >600°F |
| Flammability | Not determined or not available. |
| Upper flammability/explosive limit | Not determined or not available. |
| Lower flammability/explosive limit | Not determined or not available. |
| Flash point | 430°F |
| Auto-ignition temperature | Not determined or not available. |
| Decomposition temperature | Not determined or not available. |
| pH | Not determined or not available. |
| Kinematic viscosity | 4 cSt (100°C mm ² /s) Product is expected to be solid at 40°C mm ² /s. |
| Solubilities | Not determined or not available. |
| Partition coefficient (n-octanol/water) | 3.3 to >6 |
| Vapor pressure (includes evaporation rate) | Not determined or not available. |
| Density and/or relative density | 6.8 lbs/gal |
| Relative vapor density | Not determined or not available. |
| Particle characteristics | Not determined or not available. |

Other Information

No additional information.

SECTION 10: Stability and Reactivity

Reactivity:

Polymerization will not occur.

Chemical Stability:

Stable under normal conditions.

Possibility of hazardous reactions, including those associated with foreseeable emergencies:

None, under normal processing.

Conditions to Avoid:

High temperatures, flames, sparks.

Incompatible Materials:

Strong acids and oxidizing materials.

Hazardous Decomposition Products:

Smoke, carbon monoxide, carbon dioxide, aldehydes and other products of incomplete combustion.

SECTION 11: Toxicological Information

Acute Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data:

| Name | Route | Result |
|-----------------------|--------|---------------------------|
| Slack wax (petroleum) | oral | LD50 Rat: > 5000 mg/kg |
| | dermal | LD50 rabbit: > 2000 mg/kg |

Skin Corrosion/Irritation

Assessment: Based on available data, the classification criteria are not met.

Product Data:

Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 05.03.2021

Page 5 of 8

Revision date: 01.29.2026

Kenwax Medium Neutral Slack Wax

No data available.

Substance Data: No data available.

Serious Eye Damage/Irritation

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Respiratory or Skin Sensitization

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data: No data available.

International Agency for Research on Cancer (IARC):

| Name | Classification |
|-----------------------|----------------|
| Slack wax (petroleum) | Not Applicable |

National Toxicology Program (NTP):

| Name | Classification |
|-----------------------|----------------|
| Slack wax (petroleum) | Not Applicable |

OSHA Carcinogens: Not applicable

Germ Cell Mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Reproductive Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Specific Target Organ Toxicity (Single Exposure)

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Specific Target Organ Toxicity (Repeated Exposure)

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 05.03.2021

Page 6 of 8

Revision date: 01.29.2026

Kenwax Medium Neutral Slack Wax

Substance Data: No data available.

Information on Likely Routes of Exposure:

No data available.

Symptoms Related to the Physical, Chemical, and Toxicological Characteristics:

No data available.

Interactive effects:

No additional information.

Other Information:

No additional information.

SECTION 12: Ecological Information

Ecotoxicity

Acute (Short-Term) Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data: No data available.

Chronic (Long-Term) Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data: No data available.

Persistence and Degradability

Product Data: No data available.

Substance Data:

| Name | Result |
|-----------------------|--|
| Slack wax (petroleum) | The substance is inherently biodegradable. 31% degradation measured by O ₂ consumption after 28 days. [Read-across] |

Bioaccumulative Potential

Product Data: No data available.

Substance Data:

| Name | Result |
|-----------------------|--|
| Slack wax (petroleum) | The substance is a hydrocarbon UVCB. Standard tests for this endpoint are intended for single substances and are not appropriate for this complex substance. |

Mobility in Soil

Product Data: No data available.

Substance Data:

| Name | Result |
|-----------------------|--|
| Slack wax (petroleum) | The substance is a hydrocarbon UVCB. Standard tests for this endpoint are intended for single substances and are not appropriate for this complex substance. |

Results of PBT and vPvB assessment

Product Data:

PBT assessment: This product does not contain any substances that are assessed to be a PBT.

vPvB assessment: This product does not contain any substances that are assessed to be a vPvB.

Substance Data:

PBT assessment:

| | |
|-----------------------|---------------------------|
| Slack wax (petroleum) | The substance is not PBT. |
|-----------------------|---------------------------|

vPvB assessment:

Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 05.03.2021

Page 7 of 8

Revision date: 01.29.2026

Kenwax Medium Neutral Slack Wax

| | |
|-----------------------|----------------------------|
| Slack wax (petroleum) | The substance is not vPvB. |
|-----------------------|----------------------------|

Other Adverse Effects: No additional information.

SECTION 13: Disposal Considerations

Disposal Methods:

The generation of waste should be avoided or minimized wherever possible. Treatment, storage, transportation and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations.

Contaminated packaging:

Not determined or not applicable.

SECTION 14: Transport Information

United States Transportation of Dangerous Goods (49 CFR DOT)

| | |
|--------------------------------------|---------------|
| UN Number | Not regulated |
| UN Proper Shipping Name | Not regulated |
| UN Transport Hazard Class(es) | None |
| Packing Group | None |
| Environmental Hazards | None |
| Special Precautions for User | None |

International Maritime Dangerous Goods (IMDG)

| | |
|--------------------------------------|---------------|
| UN Number | Not regulated |
| UN Proper Shipping Name | Not regulated |
| UN Transport Hazard Class(es) | None |
| Packing Group | None |
| Environmental Hazards | None |
| Special Precautions for User | None |

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

| | |
|--------------------------------------|---------------|
| UN Number | Not regulated |
| UN Proper Shipping Name | Not regulated |
| UN Transport Hazard Class(es) | None |
| Packing Group | None |
| Environmental Hazards | None |
| Special Precautions for User | None |

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

| | |
|---------------------------|----------------|
| Bulk Name | Not Applicable |
| Ship Type | Not Applicable |
| Pollution Category | Not Applicable |

SECTION 15: Regulatory Information

United States Regulations

Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 05.03.2021

Page 8 of 8

Revision date: 01.29.2026

Kenwax Medium Neutral Slack Wax

Inventory Listing (TSCA): All ingredients are listed-active or exempt.

Significant New Use Rule (TSCA Section 5): None of the ingredients are listed.

Export Notification under TSCA Section 12(b): None of the ingredients are listed.

SARA Section 302 Extremely Hazardous Substances: None of the ingredients are listed.

SARA Section 313 Toxic Chemicals: None of the ingredients are listed.

CERCLA: None of the ingredients are listed.

RCRA: None of the ingredients are listed.

Section 112(r) of the Clean Air Act (CAA): None of the ingredients are listed.

Massachusetts Right to Know: None of the ingredients are listed.

New Jersey Right to Know: None of the ingredients are listed.

New York Right to Know: None of the ingredients are listed.

Pennsylvania Right to Know: None of the ingredients are listed.

California Proposition 65: None of the ingredients are listed.

Additional information: No additional information.

SECTION 16: Other Information

Disclaimer:

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

NFPA: 0-1-0

HMIS: 0-1-0

Initial Preparation Date: 05.03.2021

Revision date: 01.29.2026

End of Safety Data Sheet