

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.11.2015

Page 1 of 12

Revision date: 01.13.2026

Kendex CAT

SECTION 1: Identification

Product Identifier

Product Name: Kendex CAT

Product code: 4576

Recommended Use of the Product and Restriction on Use

Relevant Identified Uses: Specialty Distillate

Uses Advised Against: Not determined or not applicable.

Reasons Why Uses Advised Against: Not determined or not applicable.

Manufacturer or Supplier Details

Manufacturer:

United States

American Refining Group
77 North Kendall Avenue
Bradford, Pennsylvania 16701
814-368-1297
msds@amref.com
amref.com

Emergency Telephone Number:

United States

CHEMTREC
1-800-424-9300 (24 Hours)

United States

American Refining Group
814-368-1297 (24 Hours)

SECTION 2: Hazard(s) Identification

GHS Classification:

Skin irritation, category 2
Eye irritation, category 2B
Carcinogenicity, category 1B
Reproductive toxicity, category 2
Specific target organ toxicity - repeated exposure, category 1

Label elements

Hazard Pictograms:



Signal Word: Danger

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.11.2015

Page 2 of 12

Revision date: 01.13.2026

Kendex CAT

Hazard statements:

H315 Causes skin irritation

H320 Causes eye irritation

H350 May cause cancer.

H361 Suspected of damaging fertility or the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.

Precautionary Statements:

P201 Obtain special instructions before use

P202 Do not handle until all safety precautions have been read and understood

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P314 Get medical advice/attention if you feel unwell.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

P302+P352 IF ON SKIN: Wash with plenty of water and soap.

P321 Specific treatment (see Sections 4-8 of this SDS and any supplemental information on the product label).

P332+P313 If skin irritation occurs: Get medical advice/attention.

P362 Take off contaminated clothing and wash it before reuse.

P405 Store locked up

P501 Dispose of contents and container in accordance with federal, state and local regulations.

Hazards Not Otherwise Classified: None

SECTION 3: Composition/Information on Ingredients

Identification	Name	Weight %
CAS Number: 64742-10-5	Extracts (petroleum), residual oil solvent	40-60
CAS Number: 64742-04-7	Extracts (petroleum), heavy paraffinic distillate solvent	40-60

Additional Information: None

SECTION 4: First Aid Measures

Description of First Aid Measures

General Notes:

Show this Safety Data Sheet to the doctor in attendance.

After Inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If symptoms develop or persist, seek medical advice/attention.

After Skin Contact:

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.11.2015

Page 3 of 12

Revision date: 01.13.2026

Kendex CAT

advice/attention.

After Eye Contact:

Rinse eyes with plenty of water for several minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention.

After Swallowing:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

Most Important Symptoms and Effects, Both Acute and Delayed

Acute Symptoms and Effects:

Eye contact may result in irritation, redness, pain, inflammation, itching, burning and tearing.
Skin contact may result in redness, pain, burning and inflammation.

Delayed Symptoms and Effects:

Exposure may cause cancer. Effects are dependent on exposure (dose, concentration, contact time).
Long term exposure may affect fertility. Symptoms include, but are not limited to: menstrual problems, altered sexual behavior/fertility/ and pregnancy outcome. Long term exposure may also affect development of the unborn child. Symptoms include, but are not limited to: intrauterine growth retardation, pre-term birth, birth defects and postnatal death.
Causes damage to organs through prolonged or repeated exposure. Effects are dependent on exposure (dose, concentration, contact time).
Effects are dependent on exposure (dose, concentration, contact time).

Immediate Medical Attention and Special Treatment

Specific Treatment:

Not determined or not applicable.

Notes for the Doctor:

Treat symptomatically.

SECTION 5: Firefighting Measures

Extinguishing Media

Suitable Extinguishing Media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

Unsuitable Extinguishing Media:

Do not use water jet.

Specific Hazards During Fire-Fighting:

Thermal decomposition may produce irritating/toxic fumes/gases.

Special Protective Equipment for Firefighters:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode.

Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts.
Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers.
Avoid unnecessary run-off of extinguishing media which may cause pollution.

SECTION 6: Accidental Release Measures

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.11.2015

Page 4 of 12

Revision date: 01.13.2026

Kendex CAT

Personal Precautions, Protective Equipment, and Emergency Procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Do not get on skin, eyes or on clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling. Remove contaminated clothing and launder before reuse.

Environmental Precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

Methods and Material for Containment and Cleaning Up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Avoid breathing dust, mist, fumes, vapors or spray. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

Reference to Other Sections:

For personal protective equipment see Section 8. For disposal see Section 13.

SECTION 7: Handling and Storage

Precautions for Safe Handling:

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

Conditions for Safe Storage, Including Any Incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

SECTION 8: Exposure Controls/Personal Protection

Only those substances with limit values have been included below.

Occupational Exposure Limit Values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
OSHA	Extracts (petroleum), residual oil solvent	64742-10-5	8-Hour TWA-PEL: 5 mg/m ³ (oil mist [mineral])
	Extracts (petroleum), heavy paraffinic distillate solvent	64742-04-7	PEL: 5 mg/m ³ (OIL MIST (MINERAL))
NIOSH	Extracts (petroleum), residual oil solvent	64742-10-5	REL-TWA: 5 mg/m ³ (up to 10 hr [oil mist (mineral)])
	Extracts (petroleum), residual oil solvent	64742-10-5	STEL: 10 mg/m ³ (oil mist [mineral])
	Extracts (petroleum), residual oil solvent	64742-10-5	IDLH: 2500 mg/m ³ (oil mist [mineral])
	Extracts (petroleum), heavy paraffinic distillate solvent	64742-04-7	IDLH: 2500 mg/m ³ (Oil mist (mineral))
	Extracts (petroleum), heavy paraffinic distillate solvent	64742-04-7	STEL: 10 mg/m ³ (Oil mist (mineral))
	Extracts (petroleum), heavy paraffinic distillate solvent	64742-04-7	REL: 5 mg/m ³ (Oil mist (mineral))

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.11.2015

Page 5 of 12

Revision date: 01.13.2026

Kendex CAT

Country (Legal Basis)	Substance	Identifier	Permissible concentration
ACGIH	Extracts (petroleum), residual oil solvent	64742-10-5	TLV-TWA: 5 mg/m ³ (8 hr [mineral oil, excluding metal working fluids, pure, highly and severely refined, inhalable fraction])
	Extracts (petroleum), heavy paraffinic distillate solvent	64742-04-7	TWA: 5 mg/m ³ (inhalable fraction)
United States(California)	Extracts (petroleum), residual oil solvent	64742-10-5	8-Hour TWA-PEL: 5 mg/m ³ (oil mist [mineral], particulate)
	Extracts (petroleum), heavy paraffinic distillate solvent	64742-04-7	TWA: 5 mg/m ³ (Oil (mineral) mist, particulate)

Biological Limit Values:

No biological exposure limits noted for the ingredient(s).

Information on Monitoring Procedures:

Not determined or not applicable.

Appropriate Engineering Controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

Personal Protection Equipment

Eye and Face Protection:

Safety glasses or goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

Skin and Body Protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

Respiratory Protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn. Use a positive pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air purifying respirators may not provide adequate protection.

General Hygienic Measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

SECTION 9: Physical and Chemical Properties

Information on Basic Physical and Chemical Properties

Appearance	Opaque
------------	--------

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.11.2015

Page 6 of 12

Revision date: 01.13.2026

Kendex CAT

Odor	Petroleum Oil
Odor threshold	Not determined or not available.
pH	Not determined or not available.
Melting point/freezing point	Not determined or not available.
Initial boiling point/range	Not determined or not available.
Flash point (closed cup)	585°F
Evaporation rate	Not determined or not available.
Flammability (solid, gas)	Not determined or not available.
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Vapor pressure	Not determined or not available.
Vapor density	Not determined or not available.
Density	Not determined or not available.
Relative density	8.0 lbs/gal
Solubilities	Not determined or not available.
Partition coefficient (n-octanol/water)	4.4 - >6
Auto/Self-ignition temperature	Not determined or not available.
Decomposition temperature	Not determined or not available.
Dynamic viscosity	Not determined or not available.
Kinematic viscosity	130 cSt (40°C mm²/s)
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

SECTION 10: Stability and Reactivity

Reactivity:

Not reactive under recommended handling and storage conditions.

Chemical Stability:

Stable under recommended handling and storage conditions.

Possibility of Hazardous Reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

Conditions to Avoid:

Extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

Incompatible Materials:

None known.

Hazardous Decomposition Products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological Information

Acute Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.11.2015

Page 7 of 12

Revision date: 01.13.2026

Kendex CAT

Name	Route	Result
Extracts (petroleum), residual oil solvent	oral	LD50 Rat: > 5000 mg/kg
	dermal	LD50 Rabbit: > 3000 mg/kg
	inhalation	LC50 Rat: > 5 mg/L (4 hr [aerosol])
Extracts (petroleum), heavy paraffinic distillate solvent	oral	LD50 Rat: >5000 mg/kg
	inhalation	LC50 Rat: >5 mg/L (4 hr [Aerosol])
	dermal	LD50 Rabbit: >3000 mg/kg

Skin Corrosion/Irritation

Assessment:

Causes skin irritation.

Product Data:

No data available.

Substance Data: No data available.

Serious Eye Damage/Irritation

Assessment:

Causes eye irritation.

Product Data:

No data available.

Substance Data: No data available.

Respiratory or Skin Sensitization

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Carcinogenicity

Assessment:

May cause cancer.

Product Data: No data available.

Substance Data:

Name	Species	Result
Extracts (petroleum), residual oil solvent		Suspected of causing cancer.
Extracts (petroleum), heavy paraffinic distillate solvent		May cause cancer.

International Agency for Research on Cancer (IARC):

Name	Classification
Extracts (petroleum), residual oil solvent	Not Applicable
Extracts (petroleum), heavy paraffinic distillate solvent	Group 1

National Toxicology Program (NTP):

Name	Classification
Extracts (petroleum), residual oil solvent	Not Applicable

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.11.2015

Page 8 of 12

Revision date: 01.13.2026

Kendex CAT

Name	Classification
Extracts (petroleum), heavy paraffinic distillate solvent	Known to be human carcinogens

OSHA Carcinogens: Not applicable

Germ Cell Mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Reproductive Toxicity

Assessment:

Suspected of damaging fertility or the unborn child.

Product Data:

No data available.

Substance Data:

Name	Result
Extracts (petroleum), heavy paraffinic distillate solvent	Suspected of damaging fertility or the unborn child.

Specific Target Organ Toxicity (Single Exposure)

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Specific Target Organ Toxicity (Repeated Exposure)

Assessment:

Causes damage to organs through prolonged or repeated exposure.

Product Data:

No data available.

Substance Data:

Name	Result
Extracts (petroleum), heavy paraffinic distillate solvent	Causes damage to organs through prolonged or repeated exposure.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Information on Likely Routes of Exposure:

No data available.

Symptoms Related to the Physical, Chemical, and Toxicological Characteristics:

No data available.

Other Information:

No data available.

SECTION 12: Ecological Information

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.11.2015

Page 9 of 12

Revision date: 01.13.2026

Kendex CAT

Acute (Short-Term) Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data:

Name	Result
Extracts (petroleum), residual oil solvent	Fish LC50 Oncorhynchus mykiss: > 1000 mg/L (96 hr [LL50 - Mortality])
	Aquatic Invertebrates EC50 Daphnia magna: > 1000 mg/L (48 hr [EL50 - Immobilization])
	Aquatic Plants EC50 Raphidocelis subcapitata: > 1000 mg/L (72 hr [EL50 - Growth rate])
Extracts (petroleum), heavy paraffinic distillate solvent	Fish LC50 Oncorhynchus mykiss: >1000 mg/L (96 hr [LL50])
	Aquatic Invertebrates EC50 Daphnia magna: 35.9 mg/L (48 hr [EL50-mobility, Read-across substance data])
	Aquatic Plants EC50 Raphidocelis subcapitata: 18.8 mg/L (72 hr [EL50-growth rate, Read-across substance data])

Chronic (Long-Term) Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data:

Name	Result
Extracts (petroleum), residual oil solvent	Aquatic Invertebrates NOEC Daphnia magna: >= 1000 mg/L (21 d [NOEL - Reproduction])
Extracts (petroleum), heavy paraffinic distillate solvent	Fish NOEC Oncorhynchus mykiss: 20.01 mg/L (28 d [NOEL- mortality, QSAR substance data])
	Aquatic Invertebrates NOEC Daphnia magna: 0.1 mg/L (21 d [NOELR-reproduction, mortality, growth, Read-across substance data])

Persistence and Degradability

Product Data: No data available.

Substance Data:

Name	Result
Extracts (petroleum), residual oil solvent	The substance is a hydrocarbon UVCB. Standard tests for this endpoint are intended for single substances and are not appropriate for this complex substance.
Extracts (petroleum), heavy paraffinic distillate solvent	The substance is not readily biodegradable. 0% degradation in water, measured by CO2 evolution, after 28 days.

Bioaccumulative Potential

Product Data: No data available.

Substance Data:

Name	Result
Extracts (petroleum), residual oil solvent	The substance is a hydrocarbon UVCB. Standard tests for this endpoint are intended for single substances and are not appropriate for this complex substance.
Extracts (petroleum), heavy paraffinic distillate solvent	Standard bioaccumulation studies are not applicable to petroleum UVCB substances.

Mobility in Soil

Product Data: No data available.

Substance Data:

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.11.2015

Page 10 of 12

Revision date: 01.13.2026

Kendex CAT

Name	Result
Extracts (petroleum), residual oil solvent	The substance is a hydrocarbon UVCB. Standard tests for this endpoint are intended for single substances and are not appropriate for this complex substance.
Extracts (petroleum), heavy paraffinic distillate solvent	Standard adsorption/desorption studies are not applicable to petroleum UVCB substances.

Results of PBT and vPvB assessment

Product Data:

PBT assessment: This product does not contain any substances that are assessed to be a PBT.

vPvB assessment: This product does not contain any substances that are assessed to be a vPvB.

Substance Data:

PBT assessment:

Extracts (petroleum), residual oil solvent	The substance is not PBT.
Extracts (petroleum), heavy paraffinic distillate solvent	The substance is not PBT.

vPvB assessment:

Extracts (petroleum), residual oil solvent	The substance is not vPvB.
Extracts (petroleum), heavy paraffinic distillate solvent	The substance is not vPvB.

Other Adverse Effects: No data available.

SECTION 13: Disposal Considerations

Disposal Methods:

The generation of waste should be avoided or minimized wherever possible. Treatment, storage, transportation and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations.

Contaminated packages:

Not determined or not applicable.

SECTION 14: Transport Information

United States Transportation of Dangerous Goods (49 CFR DOT)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None
Packing Group	None
Environmental Hazards	None
Special Precautions for User	None

International Maritime Dangerous Goods (IMDG)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None
Packing Group	None

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.11.2015

Page 11 of 12

Revision date: 01.13.2026

Kendex CAT

Environmental Hazards	None
Special Precautions for User	None

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None
Packing Group	None
Environmental Hazards	None
Special Precautions for User	None

SECTION 15: Regulatory Information

United States Regulations

Inventory Listing (TSCA): All ingredients are listed-active or exempt.

Significant New Use Rule (TSCA Section 5): None of the ingredients are listed.

Export Notification under TSCA Section 12(b): None of the ingredients are listed.

SARA Section 302 Extremely Hazardous Substances: None of the ingredients are listed.

SARA Section 313 Toxic Chemicals: None of the ingredients are listed.

CERCLA: None of the ingredients are listed.

RCRA: None of the ingredients are listed.

Section 112(r) of the Clean Air Act (CAA): None of the ingredients are listed.

Massachusetts Right to Know:

64742-10-5	Extracts (petroleum), residual oil solvent	Listed
64742-04-7	Extracts (petroleum), heavy paraffinic distillate solvent	Listed

New Jersey Right to Know:

64742-10-5	Extracts (petroleum), residual oil solvent	Listed
64742-04-7	Extracts (petroleum), heavy paraffinic distillate solvent	Listed

New York Right to Know: None of the ingredients are listed.

Pennsylvania Right to Know:

64742-10-5	Extracts (petroleum), residual oil solvent	Listed
64742-04-7	Extracts (petroleum), heavy paraffinic distillate solvent	Listed

California Proposition 65: None of the ingredients are listed.

Additional information: Not determined.

SECTION 16: Other Information

Abbreviations and Acronyms: None

Disclaimer:

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

NFPA: 1-1-0

Safety Data Sheet

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Initial Preparation Date: 05.11.2015

Page 12 of 12

Revision date: 01.13.2026

Kendex CAT

HMIS: 1-1-0

Initial Preparation Date: 05.11.2015

Revision date: 01.13.2026

End of Safety Data Sheet