

Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 01.21.2021

Page 1 of 10

Revision date: 02.03.2026**Kendex 0888****SECTION 1: Identification****Product Identifier****Product Name:** Kendex 0888**Product code:** 4608**Recommended Use of the Chemical and Restrictions on Use:****Recommended Uses:** Metal Working Blend**Restrictions on Use:** Not determined or not applicable.**Manufacturer or Supplier Details****Manufacturer:****United States**

American Refining Group
77 North Kendall Avenue
Bradford, Pennsylvania 16701
814-368-1297
msds@amref.com
amref.com

Emergency Telephone Number:**United States**

CHEMTREC
1-800-424-9300 (24 Hours)

United States

American Refining Group
814-368-1297 (24 Hours)

SECTION 2: Hazard Identification**Classification of the chemical in accordance with paragraph (d) of § 1910.1200:**

Skin irritation, category 2

Label elements**Hazard Symbol(s):****Signal Word:** Warning**Hazard statement(s):**

H315 Causes skin irritation

Precautionary Statement(s):

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves, protective clothing, eye protection and face protection.

P302+P352 If on skin: Wash with plenty of water and soap.

P321 Specific treatment (see Sections 4-8 of this SDS and any supplemental information on the product label).

P332+P313 If skin irritation occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 01.21.2021

Page 2 of 10

Revision date: 02.03.2026

Kendex 0888

Hazards Not Otherwise Classified: None

SECTION 3: Composition/Information on Ingredients

Identification	Name	Weight %
CAS Number: 8052-42-4	Asphalt	55-65
CAS Number: 64742-46-7	Distillates (petroleum), hydrotreated middle (Non-carcinogen)	30-40

Additional information: No additional information

SECTION 4: First Aid Measures

Description of Necessary Measures

General Notes:

Show this Safety Data Sheet to the doctor in attendance

After Inhalation:

If inhaled, remove person to fresh air and place in a position comfortable for breathing. Keep person at rest. If breathing is difficult, administer oxygen. If breathing has stopped, provide artificial respiration. If experiencing respiratory symptoms, seek medical advice/attention

After Skin Contact:

Remove contaminated clothing and shoes. Rinse skin with copious amounts of water [shower] for several minutes. Launder contaminated clothing before reuse. If symptoms develop or persist, seek medical advice/attention

After Eye Contact:

Rinse eyes with plenty of water for several minutes. Remove contact lenses if present and easy to do so. Protect unexposed eye. If symptoms develop or persist, seek medical advice/attention

After Ingestion:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention

Most Important Symptoms and Effects, Both Acute and Delayed

Acute Symptoms and Effects:

Skin contact may result in redness, pain, burning and inflammation

Delayed Symptoms and Effects:

Effects are dependent on exposure (dose, concentration, contact time)

Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary

Immediate Medical Attention:

No additional information.

Special Treatment:

No additional information.

Notes for the Doctor:

Treat symptomatically

SECTION 5: Firefighting Measures

Extinguishing Media

Suitable Extinguishing Media:

Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 01.21.2021

Page 3 of 10

Revision date: 02.03.2026

Kendex 0888

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam

Unsuitable Extinguishing Media:

Do not use water jet

Specific Hazards Arising From The Chemical:

Thermal decomposition may produce irritating/toxic fumes/gases

Special Protective Equipment and Precautions for Fire-Fighters

Special Protective Equipment:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full-face piece operated in positive pressure mode

Special precautions

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution

SECTION 6: Accidental Release Measures

Personal Precautions, Protective Equipment, and Emergency Procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Avoid contact with skin, eyes and clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling

Environmental Precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided

Methods and Material for Containment and Cleaning Up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13)

SECTION 7: Handling and Storage

Precautions for Safe Handling:

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

Conditions for Safe Storage, Including Any Incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

SECTION 8: Exposure Controls/Personal Protection

Only those substances with limit values have been included below.

Occupational Exposure Limit Values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
ACGIH	Distillates (petroleum), hydrotreated middle (Non-carcinogen)	64742-46-7	8-Hour TWA: 5 mg/m ³ (Mineral oil, excluding metal working fluids, pure, highly and severely refined, inhalable fraction)

Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 01.21.2021

Page 4 of 10

Revision date: 02.03.2026

Kendex 0888

Country (Legal Basis)	Substance	Identifier	Permissible concentration
	Asphalt	8052-42-4	8-Hour TWA: 0.5 mg/m ³ (fume, as benzene-soluble aerosol, inhalable fraction)
NIOSH	Distillates (petroleum), hydrotreated middle (Non-carcinogen)	64742-46-7	REL: 5 mg/m ³ (Oil mist (mineral), [for up to a 10-hour workday during a 40-hour workweek])
	Distillates (petroleum), hydrotreated middle (Non-carcinogen)	64742-46-7	STEL: 10 mg/m ³ (Oil mist (mineral))
	Distillates (petroleum), hydrotreated middle (Non-carcinogen)	64742-46-7	IDLH: 2500 mg/m ³ (Oil mist (mineral))
	Asphalt	8052-42-4	Ceiling Limit: 5 mg/m ³ (fumes [15 min])
United States(California)	Distillates (petroleum), hydrotreated middle (Non-carcinogen)	64742-46-7	8-Hour TWA: 5 mg/m ³ (Oil (mineral) mist, particulate)
	Asphalt	8052-42-4	8-Hour TWA: 5 mg/m ³ (Asphalt (petroleum) fumes)
OSHA	Distillates (petroleum), hydrotreated middle (Non-carcinogen)	64742-46-7	PEL: 5 mg/m ³ (OIL MIST (MINERAL) [OSHA Z-1])
	Distillates (petroleum), hydrotreated middle (Non-carcinogen)	64742-46-7	8-Hour TWA: 5 mg/m ³ (OIL MIST (MINERAL) [OSHA Table Z-1-A])

Biological Limit Values:

Country (Legal Basis)	Substance	Identifier	Determinant	Specimen	Sampling time	Permissible limits
ACGIH	Asphalt	8052-42-4	1-Hydroxypyrene, with hydrolysis (1-HP)	Urine	ESW	2.5 µg/l

Information on Monitoring Procedures:

Not determined or not applicable.

Appropriate Engineering Controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

Individual Protection Measures, Such as Personal Protective Equipment

Eye and Face Protection:

Safety glasses or goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

Skin and Body Protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

Respiratory Protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

General Hygienic Measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks,

Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 01.21.2021

Page 5 of 10

Revision date: 02.03.2026

Kendex 0888

and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

SECTION 9: Physical and Chemical Properties

Information on Basic Physical and Chemical Properties

Physical state	Liquid
Color	Opaque
Odor (includes odor threshold)	Petroleum Oil
Melting point/freezing point	Not determined or not available.
Initial boiling point/range	Not determined or not available.
Flammability	Not determined or not available.
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Flash point	280°F
Auto-ignition temperature	Not determined or not available.
Decomposition temperature	Not determined or not available.
pH	Not determined or not available.
Kinematic viscosity	400 cSt (40°C mm ² /s)
Solubilities	Not determined or not available.
Partition coefficient (n-octanol/water)	Not determined or not available.
Vapor pressure (includes evaporation rate)	Not determined or not available.
Density and/or relative density	7.5 lbs/gal
Relative vapor density	Not determined or not available.
Particle characteristics	Not determined or not available.

Other Information

No additional information.

SECTION 10: Stability and Reactivity

Reactivity:

Not reactive under recommended handling and storage conditions.

Chemical Stability:

Stable under recommended handling and storage conditions.

Possibility of hazardous reactions, including those associated with foreseeable emergencies:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.

Conditions to Avoid:

Extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.

Incompatible Materials:

None known.

Hazardous Decomposition Products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological Information

Acute Toxicity

Assessment: Based on available data, the classification criteria are not met.

Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 01.21.2021

Page 6 of 10

Revision date: 02.03.2026

Kendex 0888

Product Data: No data available.

Substance Data:

Name	Route	Result
Distillates (petroleum), hydrotreated middle (Non-carcinogen)	oral	LD50 Rat: >5000 mg/kg
	inhalation	LC50 Rat: 4.6 mg/L (4hr [aerosol])
	dermal	LD50 Rabbit: >2000 mg/kg
Asphalt	oral	LD50 Rat: >5000 mg/kg
	inhalation	LC50 Rat: >94.4 mg/m ³ (4.5 h [mixed aerosol and vapor, Read-across substance data])
	dermal	LD50 Rabbit: >2000 mg/kg

Skin Corrosion/Irritation

Assessment:

Causes skin irritation.

Product Data:

No data available.

Substance Data:

Name	Result
Distillates (petroleum), hydrotreated middle (Non-carcinogen)	Causes skin irritation.

Serious Eye Damage/Irritation

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Respiratory or Skin Sensitization

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data: No data available.

International Agency for Research on Cancer (IARC):

Name	Classification
Distillates (petroleum), hydrotreated middle (Non-carcinogen)	Not Applicable

National Toxicology Program (NTP):

Name	Classification
Distillates (petroleum), hydrotreated middle (Non-carcinogen)	Not Applicable
Asphalt	Not Applicable

OSHA Carcinogens: Not applicable

Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 01.21.2021

Page 7 of 10

Revision date: 02.03.2026

Kendex 0888

Germ Cell Mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Reproductive Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Specific Target Organ Toxicity (Single Exposure)

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Specific Target Organ Toxicity (Repeated Exposure)

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data:

No data available.

Substance Data: No data available.

Information on Likely Routes of Exposure:

No data available.

Symptoms Related to the Physical, Chemical, and Toxicological Characteristics:

No data available.

Interactive effects:

No additional information.

Other Information:

No additional information.

SECTION 12: Ecological Information

Ecotoxicity

Acute (Short-Term) Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data:

Name	Result
Distillates (petroleum), hydrotreated middle (Non-carcinogen)	Fish LC50 <i>Oncorhynchus mykiss</i> : 21 mg/L (96 hr [LL50= mortality, Read-across substance data])
	Aquatic Invertebrates EC50 <i>Daphnia magna</i> : 210 mg/L (48 hr [EL50=mobility, Read-across substance data])
	Aquatic Plants EC50 <i>Raphidocelis subcapitata</i> : 10 mg/L (72 hr [EL50=biomass, Read-across substance data])

Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 01.21.2021

Page 8 of 10

Revision date: 02.03.2026

Kendex 0888

Name	Result
Asphalt	Aquatic Plants EC50 Raphidocelis subcapitata: >1000 mg/L (72 hr [EL50 - growth rate, Read-across substance data])
	Fish LC50 Oncorhynchus mykiss: > 1000 mg/L (96 hr [LL50 - mortality, Read-across substance data])

Chronic (Long-Term) Toxicity

Assessment: Based on available data, the classification criteria are not met.

Product Data: No data available.

Substance Data:

Name	Result
Distillates (petroleum), hydrotreated middle (Non-carcinogen)	Fish NOEC Oncorhynchus mykiss: 0.069 mg/L (14 d [NOEL=mortality, QSAR data])
	Aquatic Invertebrates NOEC Daphnia magna: 0.163 mg/L (21 d [NOEL=immobilisation, QSAR data])
Asphalt	Fish NOEC Oncorhynchus mykiss: >1000 mg/L (28 d [NOEL - mortality, Read-across substance data])
	Aquatic Invertebrates NOEC Daphnia magna: >= 1000 mg/L (21 d [NOEL - reproduction, Read-across substance data])

Persistence and Degradability

Product Data: No data available.

Substance Data:

Name	Result
Distillates (petroleum), hydrotreated middle (Non-carcinogen)	The substance is not readily biodegradable. 34.82% degradation in water, measured by inorg. C analysis, after 28 days (Read-across substance data).
Asphalt	Standard biodegradability studies are not applicable to petroleum UVCB substances.

Bioaccumulative Potential

Product Data: No data available.

Substance Data:

Name	Result
Distillates (petroleum), hydrotreated middle (Non-carcinogen)	Standard bioaccumulation studies are not applicable to petroleum UVCB substances.
Asphalt	Standard bioaccumulation studies are not applicable to petroleum UVCB substances.

Mobility in Soil

Product Data: No data available.

Substance Data:

Name	Result
Distillates (petroleum), hydrotreated middle (Non-carcinogen)	Standard adsorption/desorption studies are not applicable to petroleum UVCB substances.
Asphalt	Standard adsorption/desorption studies are not applicable to petroleum UVCB substances.

Results of PBT and vPvB assessment

Product Data:

PBT assessment: This product does not contain any substances that are assessed to be a PBT.

Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 01.21.2021

Page 9 of 10

Revision date: 02.03.2026

Kendex 0888

vPvB assessment: This product does not contain any substances that are assessed to be a vPvB.

Substance Data:

PBT assessment:

Distillates (petroleum), hydrotreated middle (Non-carcinogen)	Standard PBT studies are not applicable to petroleum UVCB substances.
Asphalt	Standard PBT studies are not applicable to petroleum UVCB substances.

vPvB assessment:

Distillates (petroleum), hydrotreated middle (Non-carcinogen)	Standard vBvB studies are not applicable to petroleum UVCB substances.
Asphalt	Standard vBvB studies are not applicable to petroleum UVCB substances.

Other Adverse Effects: No additional information.

SECTION 13: Disposal Considerations

Disposal Methods:

The generation of waste should be avoided or minimized wherever possible. Treatment, storage, transportation and disposal must be in accordance with applicable Federal, State/Provincial, and Local regulations.

Contaminated packaging:

Not determined or not applicable.

SECTION 14: Transport Information

United States Transportation of Dangerous Goods (49 CFR DOT)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None
Packing Group	None
Environmental Hazards	None
Special Precautions for User	None

International Maritime Dangerous Goods (IMDG)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None
Packing Group	None
Environmental Hazards	None
Special Precautions for User	None

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN Number	Not regulated
UN Proper Shipping Name	Not regulated
UN Transport Hazard Class(es)	None
Packing Group	None

Safety Data Sheet

US Hazard Communication Standard 2024 (29 CFR 1910.1200)

Initial Preparation Date: 01.21.2021

Page 10 of 10

Revision date: 02.03.2026

Kendex 0888

Environmental Hazards	None
Special Precautions for User	None

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Bulk Name	Not Applicable
Ship Type	Not Applicable
Pollution Category	Not Applicable

SECTION 15: Regulatory Information

United States Regulations

Inventory Listing (TSCA): All ingredients are listed-active or exempt.

Significant New Use Rule (TSCA Section 5): None of the ingredients are listed.

Export Notification under TSCA Section 12(b): None of the ingredients are listed.

SARA Section 302 Extremely Hazardous Substances: None of the ingredients are listed.

SARA Section 313 Toxic Chemicals: None of the ingredients are listed.

CERCLA: None of the ingredients are listed.

RCRA: None of the ingredients are listed.

Section 112(r) of the Clean Air Act (CAA): None of the ingredients are listed.

Massachusetts Right to Know:

64742-46-7	Distillates (petroleum), hydrotreated middle (Non-carcinogen)	Listed
8052-42-4	Asphalt	Listed

New Jersey Right to Know:

64742-46-7	Distillates (petroleum), hydrotreated middle (Non-carcinogen)	Listed
8052-42-4	Asphalt	Listed

New York Right to Know:

8052-42-4	Asphalt	Listed
-----------	---------	--------

Pennsylvania Right to Know:

64742-46-7	Distillates (petroleum), hydrotreated middle (Non-carcinogen)	Listed
8052-42-4	Asphalt	Listed

California Proposition 65: None of the ingredients are listed.

Additional information: No additional information.

SECTION 16: Other Information

Disclaimer:

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

NFPA: 1-1-0

HMIS: 1-1-0

Initial Preparation Date: 01.21.2021

Revision date: 02.03.2026

End of Safety Data Sheet